"A SURVEY ON QUALITY TESTING OF RICE GRAINS USING IMAGE PROCESSING"

¹Vrushali Dinesh Thakare, ²Dr.A.V. Malviya ¹Student, ²Associate Professor ¹Department of Electronics & Telecommunication ¹Sipna College of Engineering and Technology, Amravati, India

Abstract: Rice is the most favorable and most consuming food for human being in all over the world and researchers are working to improve the quality of rice. Quality of grains is an important requirements. Seed purity is a crucial seed quality parameter in the Indian rice seed standard. The use of high quality cultivated rice seed, free of any foreign seeds, is the prerequisite to sustaining high yield in rice production. The presence of foreign seeds such as weedy rice in the cultivated rice seeds used by the farmers can adversely affect growth and yield as it competes for space and nutrients with the cultivated rice varieties in the field. The current cleaning processes that rely mostly on the difference in physical traits do not guarantee effective separation of weedy rice seeds from the lots. Seed bags found to contain more than 10 weed seeds upon inspection by the enforcing agency will not be approved for distribution to farmers. There are different type of techniques that use for testing the quality of rice grains, like using machine vision and image processing. Image processing nowadays plays a vital role in automation in several domains like medical science, remote sensing, agriculture, environmental science, special science etc.

Keywords: Quality, Image Processing, Rice Grains.

I. INTRODUCTION

The demand for quality of food products we consume is increasing day by day. India is second largest producer of rice grains first being China. Grain quality has probably been used as a criterion to select rice since humans first cultivated it. For the International Rice Research Institute, grain quality has had a key role in research from the institute's beginning. In the future, grain quality will be even more important once the very poor many of whom depend largely on rice for their staple food become better off and begin to demand higher quality rice. It is primarily due to his dedicated work in this important research area that IRRI scientists can routinely measure grain quality in prebreeding efforts serving national agricultural research systems. Grain quality evaluation of world rices is a much needed data base of selected grain quality characteristics of milled rice from all countries producing more than 0.1% of the world's rice. Quality characteristics and preferences are discussed by country based on information obtained from national programs.



Fig. 1 Sample of Rice

Our present life situation in the world is very hurried as well as there is no time to take care of our health. In the recent survey most disease caused only because of the food habit. The Indian most famous proverb is food is the solution of the disease but now tablets and syrups are becomes food. This is only happens because of we don't know how to choose the food materials. Even though we care about our food but we don't know how to analyze it such that whether it contains the good quality as they promised. The one solution is that, each state government they have food quality analyze council, they randomly checking the food materials which are available in market but the checking also not frequent. So there are lot of chances for the duplicate products and low quality things. On the other side the only solution the branded name, because of the branded name we blindly go for the product. Because they have some quality certificates like ISO, ISI etc.

Rice is the most favorable and most consuming food for human being in all over the world and researchers are working to improve the quality of rice. The quality measurement of rice is also important because it is consumed as food as well as it is used for milling process in the national and international market. Many researchers have already worked on the quality of grain and proposed different techniques to characterize the quality of rice. Chalky is whiteness part in the rice grain and it is one of the most important parameter that is used to evaluate the quality of rice grain.

There are different methods are available for testing the quality of rice grains.

II. LITERATURE REVIEW

Here different papers are studied based on the approaches used by different researchers and modification are made to provide more reliability in the proposed system.

N. Minni et al [1] presented a survey of grading the agricultural products using image processing. A model for the automatic grading of food products is suggested by analyzing their quality. Quality is checked and analyzed using the classification and clustering algorithms. Neural network and image processing algorithms are becoming prominent in the field of agriculture. So they proposed a model to detect the type of deficiencies in the food products with the help of image processing algorithms. The essential features such as shape, size, color, texture and mass are used to grade the quality of the products. There paper proposes an effective model for grading the quality of food products. It uses image processing applications which have been proved effective for various agricultural domains. The analysis of the parameters have proved to be accurate and less time consuming when compared to traditional methods. There are still some more features to be considered in each food product so that the grading can be done more effectively. There model can be improved by considering more combinations of features for better classification rather than identifying from one category of features. The proposed system consists of preprocessing, feature extraction, segmentation, training and classification and finally grading. There paper proposes a valuable approach which supports the accurate detection of deficiencies and lack of quality in food products and hence this model achieves efficient grading of food.

Dr. Prashant Kumbharkar et al [2] Introduced a solution of grading and evaluation of rice grains on the basis of grain size and shape using image processing techniques. Especially edge detection algorithm is used to find out the region of boundaries of each grain. The existing system of rice portal consists of some features: 1. Market report 2. Finance3.USDA information 4. Features. In there paper there are little more advancement like: 1. Farmers will capture the image of the harvested rice and that image will be uploaded on our web portal. 2. With the help of this image, consumer can easily classify and judge the quality of rice. 3. This application will help the entire stake holders who are responsible of making almost 60% of the food grains business in India. They conclude that the use of image processing algorithm is an efficient method to analyze grains quality by its size. The main benefit of proposed method is it requires minimum time; cost is less and gives better results compared with manual results or traditional methods.

Manabu SUZUKI et al [4] presented that the quality of food plants has been performed by many inspection methods. To date, the evaluation of the grain of crops by photoacoustic spectroscopy in the infrared region has only been performed for corn. They had developed a method of applying a photoacoustic microscope (PAM) to pollen analysis. In therestudy, a PAM was used to evaluate the quality of crop grains, rice in there case, for the first time. Due to differences in the absorption of the laser beam, the homogeneity of rice grains was measured and shown as thermal images. The resolution was sufficiently good to evaluate a single grain of rice. There method had an advantage in that it can be used to measure the existence of both the surface and back surface colored regions. In addition to conventional video image evaluation or the macroscopic optical absorption method, PA imaging can enable the evaluation of the quality and condition of rice grains.

S.Durai et al[5]used image processing technique for grading of rice quality by chalky area analysis. By considering the chalky area of rice we can say all rice in the baggage is same variety or some mixed is there. In future we apply this technique to classify the rice as well as grading them. This proposed methodology is a simple and time efficient and we got 90 percentages of accuracy results when compared to the manual analysis of grain quality. For the taken samples they got the expected results when compared to other classical analysis methods.

Rahul Birla and Ajay Pal Singh Chauhan[6] presented a solution for quality assessment and grading of Indian basmati Oryza sativa L variety rice using machine vision and image processing. Basic problem of rice industry for quality assessment is addressed which is traditionally done manually by human inspectors. Machine vision provides an alternative with automated, non-destructive, cost-effective, and fast approach method. Quality analysis is done using computer vision, image analysis and processing as compared to human vision inspection. They presented an efficient method for calculating the size of Oryza sativa L rice using machine vision along with detection of chalky and broken rice with improved accuracy compared with human inspectors. They proposed a new non destructive method for quality analysis of Basmati rice seeds via image analysis. Since error in detecting average percentage of normal seed and average percentage of chalky seed are 10.59 % and 2.27 % respectively. So it can be emphasized that the proposed system is 10.59 % and 2.27 % more accurate than human inspector for normal seed and chalkiness estimation respectively. So the proposed system is giving promising results in comparison to human inspector. For further expansion of quality analysis, more parameters can be added to make accuracy even higher. Soft computing classification and neural network approach can be used for unknown samples and to further expand the work

SnehaS.Kausal et al[7]presented that the quality of grains is an important requirement to protect consumers from sub-standard products. Sensory pleasure, healthy eating, value and convenience the consumer trends are driving the food industry today. Rice delivers on all of these. Rice is the primary dietary staple for more than half the world's population. It is the most popular grain globally, supplying energy, carbohydrates, protein, fibre, essential vitamins and minerals and beneficial antioxidants. In the last 30 years, rice consumption all over the world has more than doubled. There proposed system helps to identify the type of rice grain being provided. Quality of a grain is an important requirement for today's market, to protect consumers from substandard products. There are so many inferior quality grains arriving to the market day by day. Today in rice trade; rice of low quality is sold without being noticed. However, there is no convenient method to identify these inferior quality grains in the market. Therefore, this has become a serious issue for both the consumer and the governments. There project will help in identification and classification of varieties of rice using Image processing.

Leng Yan et al (2004) [8], worked on the rice grain and found out the best quality to measuring the length, width as well as chalky of the grain. In their work, they used Vernier caliper to measure the length and width of rice with the precision of 0.02mm and calculated the weight of rice using LA114 type analytical balance (0.0001 g). Once the data of rice was calculated the data was analyzed using Excel software. This method is very complicated consuming method.

Changming Sun et al (2007) [9], used wheat grain for quality assessment. They used stereo vision technique to find out the size (length, width and thickness) of grain and detect the presence or absence of crease in the sample of the wheat grain. Crease is basically a line or black spot that are present in the grain. Stereo vision is basically extracting of 3D information from digital images.

Jagdeep Sing & Banga (2012) [10], have proposed a method in order to find the quality of rice grain. They graded rice based on their size. Images of rice grain were captured by using flatbed scanner (FBS) and high resolution camera was also used. The images were captured by using outside source then the RGB image was converted into binary to which the morphological operations were applied. Finally by finding the properties of the connected components in the image, the object features were extracted.

III. CONCLUSION

The quality of grain is an important requirement. There are different methods are use for quality testing of rice grains. It concluded that the image processing algorithms will developto segment and identify rice grains. It will be shows that the use of image processing algorithm is an efficient method to analyze grains quality by its size.

IV. ACKNOWLEDGMENT

I would like to express my sense of gratitude to my guide, Dr. A.V. Malviya for his valuable guidance which helped me in this project idea. . The blessing, help and guidance given by her time to time will carry me for a long way in the journey on which I am about to embark.

REFERENCES

- [1] N.Minni, N.Rehna, "Detection of Nutriatent Deficiencies in Plant Leaves using Image Processing" IJCOA, vol 5, Issue
- Dr.PrashantKumbharkar,PriyankaUpale et al."Application for Rice Quality Assessment and Classification Using Image [2] Processing Technique'', International Journal of Innovative Research in Computer and Communication Engineering Vol. 4, Issue 10, October 2016
- Wan Putri N. W. M. Tahir et al. "RICE GRADING USING IMAGE PROCESSING" VOL. 10, NO 21, NOVEMBER, [3] 2015 ISSN 1819-6608 ARPN Journal of Engineering and Applied science.
- Manabu SUZUKI et al. "Evaluation of Quality of Rice Grains by Photoacoustic Imaging". Japanese Journal of Applied [4] Physics Vol. 44, No. 6B, 2005.
- [5] S.Duraiet al. "Grading of Rice Quality by Chalky area analysis Using Simple Digital ImageProcessing Techniques", International Journal of Pure and Applied Mathematics Volume 114 No. 12 2017
- [6] Rahul Birla and Ajay Pal Singh Chauhan "An Efficient Method for Quality Analysis of Rice Using Machine Vision System", Journal of Advances in Information Technology Vol. 6, No. 3, August 2015.
- Sneha S. Kausal, S.V.More "Review on Identification and Classification of Grains Using Image Processing" IJSR [7] Volume 4 Issue 4, April 2015
- [8] Leng Yan, Hong De-lin, "Grain Quality and Genetic Analysis of Hybrids Derived from Different Ecological Types in Japonica Rice (Orzya sativa)"Rice Science, Elsevier International research journal, Vol 11, pp. 165-170, 2004.

- Changming Sun, Mark Bermen, David Coward & Brian Osborne, "Thickness Measurement and Crease Detection of [9] Wheat Grain using Stereo Vision ",International Journal of Elsiever, March 2007.
- Jagdeep Singh Aulakh, Dr. V. K. Banga, "Grading of rice grains by image processing" International Journal of [10] Engineering Research 7 Technology(IJERT), Vol.1 pp 1-4, June 2012.
- [11] Grain Quality Evaluation of World Rices (1993) B.O. Julio and C.P. Villareal, INTERNATIONAL RICE RESEARCH INSTITUTE, ISBN 971-22-0039-6
- [12] Grain Quality Evaluation of World Rices (1993) B.O. Julio and C.P. Villareal, INTERNATIONAL RICE RESEARCH INSTITUTE, ISBN 971-22-0039-6
- H.Y. Chuang, H.S. Lur, K.K. Hwu, M.C. Chang, Authentication of domestic Taiwan rice varieties based on [13] fingerprinting analysis of microsatellite DNA markers, Bot. Stud. 52 (2011) 393–405.
- N. Minni et al International Journal of Advanced Research in Computer Science, 9 (Special Issue 1), February 2018,97-[14]
- [15] R.SwarnaLakshmi, B.Kanchanadevi A Review on Fruit GradingSystems for Quality Inspection" IJCSMCVol 3, Issue 7, July 2014
- http://agmarknet.nic.in/fveggmrules04.htm#rules [8] Ms.SeemaBanot, Dr.P.M.Mahajan "A fruit detecting and grading [16] system based on image processing - Review", IJIREEICE, Vol 4, Issue 1, Jan 2016
- Fumiaki Takeda, Hisaya Uchida, Take0 Tsuzuki, Hiroshi Kadota and Satoshi Shimanowhi. 2002. "A Proposal of [17] Grading System for fallen rice using Neural Network", Kochi University of Technology.

 PanitnatYimyam and Adrian F. Clark. 2012. "Agricultural Produce Grading by Computer Vision Using Genetic
- [18] Programming", International Conference on Robotics and Biomimetics.

