

# PIGMENT PRODUCING BACTERIA AND ITS APPLICATION IN VARIOUS FIELD

<sup>1</sup>Mrs. Pramila Parida

Lecturer in Botany

Sriram Degree College, Soro, Balasore, Odisha

**Abstract :** Bacteria produce a wide range of pigments such as carotenoids, melanin, violacein, prodigiosin, phycocyanin, actinorhodin, and zeaxanthin. Pigments are compounds that are widely used in industries that come in a wide variety of colors, some of which are water-soluble. Microbial pigments serve as antimicrobial agents against a wide range of pathogens. Pigments such as carotenoids, melanins, flavins, quinones, monascins, violacein, and indigo have been reported as good antimicrobial agents (Malik et al., 2012). Nontoxic nature of pigment produced by a number of microorganisms make them environmentally friendly for utilization in dye, foodstuff, pharmacy, cosmetics and other industrial purposes. Moreover natural pigments produced from biological origin have medicinal importance as been used as antioxidant, antimicrobial, additives, color intensifiers, and anticancer as well as economically friendly. Some of Bacteria capable of producing pigment with different varieties of colors are *Agrobacterium aurantiacum*, *Staphylococcus aureus*, *Chromobacterium violaceum*, *Serratia marcescens*, *Bacillus Spp*, *Flavobacterium sp*, etc. colors are Pink-red, Golden Yellow, Purple, red, Creamy and yellow respectively. Industrial production of natural food colorants by microbial fermentation has several advantages such as cheaper production, easier extraction, higher yields through strain improvement, no lack of raw materials and no seasonal. Therefore the present study aimed at reviewing pigment produced by bacteria and its application.

**IndexTerms - :** Bacterial Pigments, Microorganism, Antioxidants, Non-Toxic, Antimicrobial Activities, Biocolorants.

## 1. INTRODUCTION

The demand for natural colors is increasing day by day due to harmful effects of some synthetic dyes. Bacterial and fungal pigments provide a readily available alternative source of naturally derived pigments. In contrast to other natural pigments, they have enormous advantages including rapid growth, easy processing, and independence of weather conditions. Apart from colorant, bacterial pigments possess many biological properties such as antioxidant, antimicrobial and anticancer activity. Bacterial pigments are colored metabolites secreted by bacteria under stress. The industrial uses of bacterial pigments have increased many folds because of several advantages over the synthetic pigments. Among natural resources, bacterial pigments are mostly preferred because of simple culturing and pigment extraction techniques, scaling up and being time economical. Generally, the bacterial pigments are safe for human use and therefore have a wide range of applications in pharmaceutical, textile, cosmetics and food industries. Therapeutic nature of the bacterial pigments is revealed because of their antimicrobial, anticancer, cytotoxic and remarkable antioxidant properties. Owing to the importance of bacterial pigments it was considered important to produce a comprehensive review of literature on the therapeutic and industrial potential of bacterial pigments. Pigment production in bacterial pathogens may increase their virulence. These pigments have been shown to increase resistance to oxidative stress, killing by immune cells, and mutagenesis. Pigments seem to increase virulence of pathogens by increasing invasiveness, survival in immune cells, and size of local abscesses.

## 2. WHAT ARE BACTERIAL PIGMENTS?

Pigments are compounds with characteristics of importance to many industries. In the food industry they are used as additives, color intensifiers, antioxidants, etc. Pigments come in a wide variety of colors, some of which are water-soluble. The production colorant from biological agents for food and textile has attracted increased interests in recent years. Nature produces many biocolorants from various resources including plants and microorganisms, which are possible alternatives to synthetic dyes and pigments currently employed. The recent awareness in human safety and environmental conservation has made fresh enthusiasm for natural sources of colors. Natural colorants or dyes derived from flora and fauna are believed to be safe because of non-toxic, non-carcinogenic and biodegradable in nature. As the present trend throughout the world is shifting towards the use of eco-friendly and biodegradable commodities, the demand for natural colorants is increasing in every day.

Natural pigments are sourced from ores, insects, plants and microbes. Biopigments produced from microorganisms are preferred over those from plants because of their stability and availability for cultivation throughout the year. Among microbes, bacteria have immense potential to produce diverse byproducts and one such byproduct is pigments. The production and application of bacterial pigments as natural colorants has been investigated by various researchers. Bacterial pigment production is now one of the emerging fields of research to demonstrate its potential for various industrial applications. Most of the bacterial pigment production is still at the R&D stage. Hence, work on the bacterial pigments should be intensified especially in finding cheap and suitable growth medium which can reduce the cost and increase its applicability for industrial production. The utilization of natural pigments in foodstuff, dyestuff, cosmetics and pharmaceutical manufacturing processes has increased in the recent years due to their non-toxic nature. Moreover, their eco-friendly, antioxidant, anticancer and antimicrobial activities further add to their positive effects. There is growing interest in microbial pigments due to their natural character and safety to use, medicinal properties, and nutrients like vitamins, production being independent of season and geographical conditions, and controllable and predictable yield. Again bacterial pigments can be produced from waste material.

### 3. ISOLATION OF PIGMENT PRODUCING BACTERIA:

Pigment producing bacteria can be isolated/cultured/purified from various environmental sources such as water bodies, soil, on plant, in insects and in man or animal. Various growth mediums can be used to isolate different types of bacteria. However, due to the high cost of using synthetic medium, there is a need to develop new low cost process for the production of pigments as well as during the isolation procedure. The use of agro-industrial residues for example, would provide a profitable means of reducing substrate cost. Pigment produced by the bacteria can be isolated using solvent extraction. These pigments can be further purified and characterized by physical and chemical characteristics using various instrumental-based analytical techniques such as TLC, UV-vis Spectroscopy, FTIR, ESI-MS, NMR HPLC and Gel Permeation Chromatography.

### 4. APPLICATION OF BACTERIAL PIGMENT:

Pigments produced by bacteria are of traditional use in oriental countries and have been a subject of intense research in the present decades because of its potential for applications. Bacterial pigments offer the following benefits and advantages as follows:

- a. Increasingly attractive to science because of broad ranging activities.
- b. Easy propagation and wide strain selection.
- c. High versatile and productive over other sources.
- d. Fermentation is inherently faster and more productive compared to any other chemical process.
- e. Easy to manipulate genes.
- f. Simple and fast culturing techniques allowing continuous bioreactor operation.
- g. Structural complexity suits for industrial needs.
- h. Bacterial pigments extracted using simple liquid-liquid extraction technique minimizing operation cost.
- i. Cheap substrates used for bulk production.

#### 4.1. ROLE IN FOOD INDUSTRIES

The development of foods with an attractive appearance is an important goal in the food industry. Increasingly, food producers are turning to natural food colors, since certain artificial color additives have demonstrated negative health issues following their consumption. Due to the lack of availability of natural food colorants, its demand is much especially in food industry. This demand can be fueled by research to offer a more natural healthy way of coloring foods and provide a clean label declaration. It is therefore, essential to explore various natural sources of food grade colorants and their potentials. Though many natural colors are available, bacterial colorants play a significant role as food coloring agent, because of its production and easy down-streaming process. Industrial production of natural food colorants by microbial fermentation has several advantages such as cheaper production, easier extraction, higher yields through strain improvement, no lack of raw materials and no seasonal variations.<sup>11</sup> Bacteria could be genetically modified by inserting genes coding for the colorants even colorants not naturally produced by bacteria. These pigments are looked upon for their safe use as a natural food colorants and will not only benefit human health but also preserved the biodiversity, as harmful chemicals released into the environment while producing synthetic colorants could be stopped. Scientists have isolated food grade pigments from bacteria and blue pigment from cultured soil bacteria and could offer a natural color with an excellent stability and toxicology profile for food. The researchers from the East China University of Science and Technology reported that the blue pigment taps into the trend for edible natural pigments. Bacterial colors were already used in fish industry to enhance the pink color of farmed salmon. Further, some natural food colorants have commercial potential for use as antioxidants. Thus bacterial colorants in addition to being environment friendly, can also serve the dual need for visually appealing colors and probiotic health benefits in food products. They are considered safe and approved by FDA. The successful marketing of pigments derived from bacteria, both as a food color and a nutritional supplement depend on consumer safety and freshness of the products.

#### 4.2. ROLE IN PHARMACEUTICAL INDUSTRY

Most studies investigated that bacteria have shown the efficacy and the potential in clinical applications and their pigment has been used in treating several diseases and they also have certain properties like anti-biotic, anticancer, and immunosuppressive compounds. Significant progress has been achieved in this field, and investigations of bioactive compounds produced by these microbes are rapidly increasing. As such, the number of compounds isolated from bacteria is increasing faster when compared with artificial counterpart. Anthocyanins are involved in a wide range of biological activities. Decrease the risk of cancer. Reduce inflammatory insult-and modulate immune response. The genus, *Serratia* can produce a red substance called prodigiosin, these substances have been known to have an antibiotic and antimalarial effect and immunosuppressing activity. Immunosuppressive activity of prodigiosin was first described by Nakamura and co-workers in 1989. These researches showed the presence of prodigiosin and metacycloprodigiosin in culture broth of *Serratia* and observed selective inhibition of polyclonal proliferation of T-cells as compared to that of B-cells. Besides that, the cytotoxic potency of prodigiosin has also been investigated in the standard 60 cell line panels of human tumor cells derived from lung, colon, renal, ovarian, brain cancers, melanoma and leukemia. Inhibition of cell proliferation as well as induction of cell death has been observed in these cell lines.

### 4.3. USED AS BIO-INDICATORS

Apart from colorants, antioxidants, antimicrobial agents, and anticancer agents, microbial pigments are used as bio-indicators. Fluorescent pigments from bacteria can be used to check the progress of specific reactions. A key example is phycoerythrin, which is used to predict the rate of peroxy radical scavenging in human plasma. The pigment initially shows fluorescence, however, dark spots appear where the pigment reacts with radicals (Delange and Glazer, 1989).

### 4.4. ROLE IN DYING INDUSTRY

The textile industry produces and uses approximately 1.3 million tons of dyes, pigments and dye precursors, valued at around US\$23 billion, almost all of which is manufactured synthetically. However, synthetic dyes have some limitations, primarily, their production process requires hazardous chemicals, creating worker safety concerns, they may generate hazardous wastes, and these dyes are not environment friendly. Biosynthesis of colorants (natural dyes) for textile applications has attracted increased interests in recent years. Krishna et al. have evaluated the pigments called prodigiosin from marine *Serratia sp.* for application as dye in the textile industry. The results of the study indicated that pigment could be used as natural dye for imparting red color to various grades of textile materials. The color was observed to be stable after wash performance studies. Alihosseini et al. characterized the bright red pigment prodigiosin from *Vibrio spp.* and suggested that it could be used to dye many fibers including wool, nylon and silk. Yusof reported the capability of using pigment from *Serratia marcescens* to color five types of fabric namely acrylic, polyester microfiber, polyester, silk and cotton using tamarind as mordant. Similar textile-dyeing ability was also reported for *Janthinobacterium lividum* by Shirata et al and gave good color tone when applied on silk, cotton and wool and nylon and vinylon (dark blue, both synthetic fiber).

### 4.5. PIGMENTS AS ANTIMICROBIAL AGENTS:

The increasing emergence of multidrug resistant bacteria worldwide and the lack of antibiotics to combat such pathogens continue to be a major concern for the medical community (Manikprabhu and Li, 2015). Microbial pigments serve as antimicrobial agents against a wide range of pathogens. Pigments such as carotenoids, melanins, flavins, quinones, monascins, violacein, and indigo have been reported as good antimicrobial agents (Malik et al., 2012). Pigments such as pyocyanin and pyorubin obtained from *Pseudomonas aeruginosa* have shown distinct antibacterial activity against *Citrobacter sp.*, which are usually associated with urinary tract and wound infections. Pigments produced from *Micrococcus luteus* KF532949 showed promising antimicrobial activity against wound associated pathogens such as *Staphylococcus sp.*, *Klebsiella sp.*, and *Pseudomonas sp.* (Umadevi and Krishnaveni, 2013)

### 5. CURRENT LIMITATION AND FUTURE PERSPECTIVE:

Bacterial pigments are one of the pleasing fields of research in life sciences to demonstrate their applications in various industries. Certain limitations such like high cost investment required for large scale production, lower stability, variations in shades due to some operational parameters, less percentage in terms of annual production, specifications in terms of bacteria capable of producing some colors and technological imperfection lead to delay in progress for industrial production of pigment from bacteria and extraction of pure and concentrated forms are drawing back the effort of researchers to replace synthetic pigments with bacterial pigments produced from biological origin. Studies should be concern especially on finding the easiest method for harvesting bacterial pigments in order to increase their industrial applications. Also there is a need to look on various operational parameters that may cause a variation due to change and develop a new low cost process for the production of bacterial pigments by using agrowaste as substrate in the future. Future investigation on various technologies that would reduce the cost and increase yields for large scale production.

### 6. CONCLUSION

Nature is rich in color, and pigment producing microorganisms (fungi, yeasts, bacteria). Microbial pigments are not only used as food colorant, flavoring agent and dyeing agents they are widely applied in medicinal aspects. The emergence of strains of bacteria resistant to antibacterial agents has become one of the most important problems in clinical medicine. The search for new antibiotic is always on. Out of all the secondary metabolites having antibiotic activity, pigments are the least studied group. As the reports for pigments having antibiotic like activity are rapidly increasing, they should be studied for selective toxicity so that they can be produced commercially for human use.

### REFERENCE:

1. Tibor C. Liquid Chromatography of Natural pigments and synthetic dyes. *J Chromatography Library*. 2006;71:602.
2. Mapari SA, Nielsen KF, Larsen TO, et al. Exploring fungal biodiversity for the production of water-soluble pigments as potential natural food colorants. *Curr Opin Biotechnol*. 2005;16(2):231-238.
3. Cristea D, Vilarem G. Improving light fastness of natural dyes on cotton yarn. *Dyes and Pigments*. 2006;70(3):238-245.
4. Raisainen R, Nousiainen P, Hynninen PH. Dermorubin and 5-chlorodermorubin natural anthraquinone carboxylic acids as dyes for wool. *Textile Research Journal*. 2002;72(11):973-976.
5. Parekh S, Vinci VA, Strobel RJ. Improvement of microbial strains and fermentation processes. *Appl Microbiol Biotechnol*. 2000;54(3):287-301.
6. Ahmad AS, Ahmad WYW, Zakaria ZK, et al. *Applications of bacterial pigments as colorant*. The Malaysian perspective, Springer Briefs in Molecular Science. New York, USA; 2012. 77 p.
7. Joshi VK, Attri D, Bala A, et al. Microbial pigments. *Ind Journal of Biotechnol*. 2003;2:362-369.

8. Venil CK, Lakshmanaperumalsamy P. An insightful overview on microbial pigment: prodigiosin. *Ele J Biol.* 2009;5(3):49–61.
9. Parmar M, Phutela UG. Biocolors: The New Generation Additives. *Int J Curr Microbiol App Sci.* 2015;4(7):688–694.
10. Nakashima T, Kurachi M, Kato Y, et al. Characterization of bacterium isolated from the sediment at coastal area of omura bay in Japan and several biological activities of pigment produced by this isolate. *Microbiol Immunol.* 2005;49(5):407–415.
11. Delange R. J., Glazer A. N. (1989). Phycoerythrin fluorescence-based assay for peroxy radicals: a screen for biologically relevant protective agents. *Anal. Biochem.* 177 300–306. 10.1016/0003-2697(89)90056-0.
12. Manikprabhu D., Li W. J. (2015). “Antimicrobial agents from actinomycetes Chemistry and applications,” in *Antimicrobials Synthetic and Natural Compounds*, eds Dhanasekaran D., Thajuddin N., Panneerselvam A. (Boca Raton, FL: CRC Press; ), 99–116.
13. Malik K., Tokkas J., Goyal S. (2012). Microbial pigments: a review. *Int. J. Microb. Res. Technol.* 1 361–365.
14. Umadevi K., Krishnaveni M. (2013). Antibacterial activity of pigment produced from *Micrococcus luteus* KF532949. *Int. J. Chem. Anal. Sci.* 4 149–152. 10.1016/j.ijcas.2013.08.008.

