



JOURNAL OF EMERGING TECHNOLOGIES AND INNOVATIVE RESEARCH (JETIR)

An International Scholarly Open Access, Peer-reviewed, Refereed Journal

A STUDY ON WIRELESS PHYSICAL TRANSPORT

Veera Badra Vetluri¹

¹Lead Developer, CGI at Client PNC, India

ABSTRACT

Wireless and mobile networks are quickly extending their capabilities. Besides their enhancing transmission capacity as well as because of their flexibility as well as flexibility, they are becoming the communication framework of selection. Wireless communication delivers a user the capability of carrying out business at any time, with virtually any individual, coming from anywhere, using a mobile communication channel. This mobile communication channel can likewise be made use of as an accessibility approach to the Web. The physical transport procedures used in wireless communication differ coming from wired communication. These distinctions affect how a safe network could be created in a wireless environment. The purpose of the tutorial is to give a guide of just how a safe and secure system is set up in a wireless environment that makes use of the 802.11 or even WAP criteria.

Index Terms: WLAN Security, WTLS, WAP, WEP, 802.11b

I. INTRODUCTION

As wireless communication, as well as the World wide web, end up being genuinely interoperable, customers will prefer this communication channel to become secure as well as on-call when needed to have. For a notification delivered using this communication channel, the consumer expects affirmation of:

Authorization (the sender and recipient are who they say they are);

Discretion (the message can not be know other than due to the receiver); as well as Stability (the information was not affected).

The objective of this particular tutorial is actually to provide a summary of what is required to give a protected communication channel in a wireless atmosphere. The focus performs the security procedures available for Wireless Area Networks (WLAN) and for wireless devices (e.g. cellular phone, as well as PDA's) utilized to access the World wide web.

The tutorial is coordinated into two main sections. Segment II provides an outline of WLAN security, as indicated in the 802.11 criteria. This segment also delivers a recap of the technology necessary to cherish the forms of security deeds that could be executed against a wireless network. This discussion helps in knowing WLAN security criteria and their execution.

However wireless media today is about where show radio remained in the late 1920s. The technology was on the market for everybody. Yet, individuals who recognized what was taking place responsible for that Bakelite-Dilecto panel (Figure 1) often got better functionality than the ones that merely expected to switch on the power switch as well as pay attention.

Suppose you want to make the most successful use of wireless networking technology. In that case, it's still necessary to understand what's happening inside the package (or within this situation, inside each of the boxes that make up the network).



Figure 1: Every new technology goes through the tweak- and-fiddle stage.

When the network is working effectively, you should have the capacity to use it along without considering each of that internal pipes-- merely click on a few symbols, and also you're attached. However when you're designing and constructing a new network, or when you would like to strengthen the efficiency of an existing structure, it may be necessary to know just how everything records are intended to relocate coming from one area to another. And also when the system does something you aren't expecting it to carry out, you will require an essential knowledge of modern technology to do any sort of valuable troubleshooting.

How Wireless Networks Work

Moving information via a wireless network entails three distinct aspects: the broadcast signals, the data style, as well as the network framework. Each of these components is private of the other pair of, so you need to determine all 3

When you devise a brand new network, in terms of the OSI reference design, the radio signal operates at the physical level, as well as the data style handles several of the much higher layers. The network construct features the wireless network user interface adapters and also base stations that send as well as receive the radio indicators. In a wireless network, the network interface adapters in each personal computer and base station turn digital information to broadcast indicators, which they send to various other devices on the very same network. Also, they acquire as well as transform inbound radio signs from other network elements back to electronic records.

Each of the broadband wireless information services utilize a various mixture of radio indicators, information styles, as well as a network structure. We'll define each type of wireless data network in additional particular eventually within this phase; however, to begin with, it is beneficial to recognize some overall concepts.

Broadcast

The essential physical legislations that create broadcast feasibly are known as Maxwell's formulas, determined by James Employee Maxwell in 1864. Without going into the mathematics, Maxwell's equations reveal that a modifying magnetic intensity will undoubtedly create a power field, as well

as a modifying power area will create a magnetic intensity. When rotating present (A/C) relocates via a cable or various other physical conductors, some of that electricity leaves right into the concerning area as a rotating magnetic field strength. That electromagnetic field generates a varying electric industry precede, which subsequently makes yet another magnetic intensity etc. till the authentic current is interrupted.


This form of electricity in the shift between electric power and also magnetic energy is referred to as electromagnetic radiation or radio waves. Broadcast is determined as the radiation of electromagnetic energy through the area. A tool that makes frequency wave is named a transmitter, as well as a complimentary device that locates frequency wave in the air and changes all of them to a few other forms of energy is named a receiver. Each transmitter and also recipients use uniquely shaped devices called aerials to focus the radio indicator in a specific direction, or even pattern, and to raise the volume of helpful radiation (coming from a transmitter) or sensitiveness (in a recipient).

By changing the rate at which rotating existing flows apiece transmitter via the aerial and also out right into space (the regularity), and even by adjusting a receiver to run merely at that regularity, it is possible to send out and receive several signs, each at a variable frequency, that do not obstruct one another. The available series of regularities is referred to as the radio spectrum. A smaller portion of the radio spectrum is commonly referred to as a band.

Radio frequencies and also various other A/C indicators are conveyed as cycles every second, or even hertz (Hz), called for Heinrich Hertz, the initial experimenter to send out and also obtain frequency wave. One pattern is the proximity from the top of an HVAC sign to the top of the next sign Broadcast indicators typically operate at regularities in many thousand, thousands, or billions of hertz (kilohertz or kHz, megahertz or MHz, and GHz or GHz, specifically).

The most basic sort of broadcast communication makes use of a constant signal that the driver of the transmitter interrupts to divide the sign into allowed designs of lengthy and short movements (dots and sprints) that correspond to individual characters and various other personalities. The most widely made use of a set of these patterns was Morse code, called for the inventor of the telegraph, Samuel F.B. Morse, where this code was first made use of.

If you want to transmit pep talk, popular music, and other audios using broadcast, the transmitter changes, or even regulates, the Air Conditioner sign (the service provider surge) by either blending an audio signal along with the service provider as received Figure 2 (this is named bigness inflexion or even AM) or even by regulating the regularity within a narrow range as displayed in Figure 3 (this is called regularity inflexion, or FM). The AM or even FM recipient consists of a complementary circuit that divides the service provider from the regulating signal.



Time

Figure 2: In an AM signal, the audio modulates the carrier.




Figure 3: In an FM signal, the audio modulates the radio frequency.

Given that pair of or more radio indicators using the very same regularity can frequently hinder each other, federal government regulatory authorities and also international agencies, including the International Telecommunication Union (ITU), have set aside particular frequencies for certain types of inflexion, and also they issue exclusive licenses to individual consumers. As an example, an FM radio station could be accredited to operate at 92.1 MHz at a particular geographical site. Nobody else is allowed to use that regularity short close distance to hamper that sign. On the contrary, some radio companies do not demand a license. Many illegal companies are either limited to extremely short spans, to particular frequency bands, or even each.

Both AM and FM are analogue strategies because the sign that visits of the recipient is a duplicate of the signal that entered into the transmitter. When our team send computer data via a broadcast web link, it's digital given that the information has been turned coming from the message, pc code, seems, photos or other information right into ones and nos before it is even broadcast, as well as it is converted back to its initial form after it is received. Digital radio can utilize some of several various modulation methods: The ones and also zeroes maybe pair of different sound shades, two different radio frequencies, timed interruptions to the carrier, or some combo of those and various other approaches.

II. WLAN SECURITY FOR 802.11

WLANs are most effectively suited for home users, small networks, or even connect with reduced security demands.

Along with the release of wireless networks in business environments, organizations are working to implement security mechanisms that are equivalent to those of wire-based LANs. An added element of this particular security criteria is the need to restrict access to the wireless network just to legitimate consumers. Physical accessibility to the WLAN is various than accessibility to a wired LAN. Existing wired network possesses access aspects, typically RJ45 connectors, found inside buildings which might be gotten coming from the unwarranted gain access to using such units as secrets and badges. An individual must acquire physical access to the structure to plug a customer computer into a network port.

Wireless get access to factor (AP) may be accessed coming from off the grounds if the indicator is detectable. As a result, wireless networks require secure access to the AP differently from wired LANs. Mainly it is essential to separate the AP from the internal system until authorization is confirmed. The device seeking to connect to the AP must be authenticated when the tool is guaranteed after that the user of the device may be certified. Now the customer may intend a secure network for communication.

The 802.11 basic provides the means to fulfil these security demands - validation of the get access to the tool, individual verification and a safe and secure network. To entirely value just how these needs have fulfilled a review of wireless physical transport follows.

III. WIRELESS PHYSICAL TRANSPORT

The wireless signal that lugs the records might be sent utilizing electromagnetic waves in either carrier frequency (RF) or infrared regularity (IR) part of the electromagnetic wave sphere.

If RF Transportation is used at that point, the Spreading Range procedure is used to produce the sign. The spread range procedure broadens the first transmission capacity as well as "spreads it out" to utilize a part of the broadened data transfer for part of the information. Pair of common variations of the spreading range approach is the Regularity Hopping Spreading Spectrum (FHSS) and the Straight Pattern Spreading Spectrum (DSSS).

When the FHSS variety of the spread spectrum is utilized, non-consecutive portions of the spread range are used to send successive sections of the information. The carried information will be received faulty unless the receiver recognizes which part of the escalate frequency to tune to and how much time to listen before hopping to the next frequency for a details interval. An analogy will be paying attention to a track on the broadcast where the successive parts of the trail are transmitted sequentially but on different stations. To hear the track the right way, the listener would undoubtedly need to tune the terminals in the proper sequence. The reason for using FHSS is security and also to minimize sign obstruction.

When the DSSS method is utilized, each section of the notification consists of extra little bits for mistake correction reasons - the information bits in addition to its redundant bits is referred to as the "Chip Code". As a result of the error adjustment little bits, DSSS minimizes the demand to retransmit a signal and also the outcome will undoubtedly be an even more efficient use of the bandwidth.

If IR transportation is utilized, then the signal may be created either as a diffused signal or even a point-to- aspect indicator.

A diffused sign can show off of existing surfaces including a roof, and any device within assortment can acquire that sign. A point-to-point signal is sent as a light beam to IR Switch over that IR Shift relays the signals to next IR Switch over and so forth.

RF is very most commonly use both physical transport approaches. In particular, the 802.11 standard hires the Industrial, Scientific, and also Medical (ISM) Radio Frequency band of the electromagnetic spectrum. This ISM band is indicated as:

the I-Band from 902 MHz to 928 MHz,
the S-Band from 2.4 GHz to 2.48 GHz, and
the M-Band from 5.725 GHz to 5.85 GHz.

These bands are uncontrolled, considering that they are utilized with low electrical power. Nevertheless, functioning at soft power confines the distance at which these indicators can be spotted. For instance, depending on scenarios, using the S-band along with a bandwidth of 1Mbps the proximity varies anywhere from 300 feet inside your home to 1500 feet outdoors.

Currently, a pair of 802.11 standards are accepted. These are referred to as 802.11 b as well as 802.11 a. The earlier specification is the 802.11 b and is additionally referred to as WiFi (Cable Accuracy). This standard indicates procedure in the 2.4 GHz S-band as well as points out a max weblink amount of 11Mbps. A more recent standard is 802.11 a, likewise described as WiFi5. This regular indicates procedure in the 5.725 GHz M-band and also shows a max link rate of 54Mbps.

Pair of various other varieties of the 802.11 criteria is actually under consideration. The 802.11 g which runs in the 2.4 GHz S-Band but possesses a maximum weblink percentage of 54Mbps and also the 802.11 i which improves security via a stronger implementation of Wired Matching Privacy (WEP).

IV. WLAN SECURITY EXPLOITS

Given the nature of WLANs, a number of security exploits can be carried out against them. The more common exploits are:

Insertion attacks	Interception and unauthorized monitoring	Denial of service (DOS)
Client-to-client attacks	Brute force attacks against AP passwords	Encryption attacks
Misconfiguration		

We now describe each of these exploits:

Insertion Attacks

An insertion attack occurs when an unauthorized wireless client joins a BSS with the intent of accessing the distribution system associated with the ESS that contains the BSS. The intent here is to gain access to the Internet at no cost.




Figure 4: Extended Service Set - ESS

Interception and Unauthorized Monitoring

A wireless client may join a BSS with the intent of eavesdropping on members of the BSS. It is likewise possible for an unapproved AP to develop itself as an AP for a Facilities BSS. This misbegotten AP functions in a passive job as well as eavesdrops on the visitor traffic among participants of the BSS. Under these conditions, the individual accomplishing the make use of can do packet study if the packages are not encrypted or visitor traffic study if they are secured.

Another unapproved tracking capitalizes on is show analysis of all the web traffic carried on the distribution device. This manipulate takes place when the distribution device is a centre instead of a change. Within this instance all web traffic on the centre "appears" at the wireless AP and also both wired packages and wireless are relayed.

Another insertion attack is actually to duplicate a legitimate AP. The impact is to take over the BSS.

Denial of Service.

Rejection of service attacks could be carried out against WLAN through sign playing. Because the signs are transmitted, it is a somewhat straightforward matter to bind them. Mostly, because of their use of the ISM band, these indicators could be jammed utilizing wireless phones, child screens, a leaky microwave oven, or even any other device that transmits at the ISM band frequencies.

Client-to-Client Attacks.

Typical DOS attacks may be accomplished versus WLAN by reproducing MAC or IP handles. The usual TCP/IP solution attacks may be carried out versus wireless client providing these solutions (e.g., SNMP, SMTP,).

Brute Force Attacks versus AP Passwords.

Access to an AP is restrained through a password style program. Code thesaurus attacks can weaken this scheme.

Encryption Attacks.

The packets broadcast from a customer to an AP can be secured using the WEP procedure. This procedure is quickly jeopardized.

Misconfigurations.

Many APs ship in an unsecured configuration. The person setting up the AP might make use of the default or even manufacturing facility settings for the AP. For many APs, these worths are publicly recognized and also, therefore, carry out certainly not offer any security..

V. BASIC 802.11 SECURITY

To counter these exploits, three basic methods are used to secure access to an AP and provide a secure channel. These are:

- Service Set Identifier (SSID)
- Media Access Control (MAC) address filtering
- Wired Equivalent Privacy (WEP)

One or all of these methods may be implemented, but all three together provide the best solution.

SSID

The Service Set Identifier is a device that may sector a wireless network right into numerous networks serviced by various APs. Each AP is programmed along with an SSID that corresponds to details wireless network sector. This setup corresponds to the principle of a subnet address used in wired LANs. To be able to access a particular wireless network, the client computer system have to be set up along with the necessary SSID. A WLAN could be segmented right into several WLAN located flooring or department. A customer computer system could be configured along with several SSIDs for consumers who call for accessibility to the network coming from a wide array of different areas.

A client pc should offer the correct SSID to access the AP. The SSID acts as a security password and also provides a procedure of security. This very little security could be jeopardized if the AP is configured to "relay" its SSID. If this show function is allowed, any customer computer that is not configured along with an SSID is going to get the SSID and afterwards can access the AP. Most often, customers configure their customer bodies with suitable SSIDs. Consequently, these SSIDs are commonly understood as well as conveniently shared. Additionally, an AP might be configured without an SSID as well as permit open access to any wireless client to connect with that AP.

SSID gives a procedure to handle accessibility to an AP or set of APs. A different technique that enhances this procedure is MAC COMPUTER (Media Gain Access To Command) Address Filtering.

MACINTOSH DEAL WITH FILTERING

The unique MACINTOSH deal could recognize a customer pc with of its 802.11 network memory card. To improve AP accessibility management, each AP could be configured along with a list of MAC COMPUTER deals with connected with the client personal computers allowed to access the AP. If a customer's MACINTOSH address is not included in this particular list, the customer will certainly not be enabled to access the AP even when the SSID supplied due to the customer performs match the AP's SSID.

This arrangement delivers improved security that is the absolute best fit to small networks where the MAC handle listing could be dealt with efficiently. The control calls for that each AP needs to be programmed manually along with a listing of MACINTOSH deals with. In addition, this list should be always kept up-to-date. This cost might limit the measurements of the WLAN in variety of APs and also customers tools.

SSID and MACINTOSH address filtering system fulfil the initial of both demands of WLAN Security The needs of stations security and also user verification are supplied by WEP (Wired Equivalent Privacy).

WEP Security.

Wireless gearboxes are much easier to intercept than gearboxes in wired networks. Most of the times, users of WLANs desire protected sendings. The 802.11 standard points out the WEP security protocol if you want to give encrypted communication in between the customer and an AP. WEP hires the RC4 balanced essential file encryption formula.

When making use of WEP, all clients and also APs on a wireless network, use the very same trick to encrypt and decode records. The vital resides in the client pc as well as in each AP on the network. Considering that the 802.11 criterion carries out certainly not specify an essential management protocol. All WEP symmetrical keys on a system will undoubtedly be managed by hand. Support for WEP is necessary on the majority of existing 802.11 network user interface memory cards as well as APs. However, WEP security is certainly not offered in (or even peer-to-peer) 802.11.

WEP points out making use of a 40-bit encryption secret, although 104-bit secrets are additionally implemented. In either case, the encryption trick is connected with a 24-bit "initialization vector," causing a 64- or even 128-bit key. This trick is input into a pseudorandom amount electrical generator. The leading pattern is used to secure the records to be broadcast.

The shared secret can be utilized for client verification. This requires a four action process between the AP and also the customer. This method is actually as observes:

1. the client form an authorization ask for to the AP;
2. the AP returns a difficulty key phrase to the customer;
3. the customer secures the obstacle key phrase using the standard symmetrical key as well as transmits it to the AP; the AP then contrasts the customer's response along with its name; if there is a suit, the customer is even authorized otherwise the client is declined.

VI. CONCLUSION

Wireless network technologies attach without cords our high innovation tools to either a broadband network or even one more device. Over the last, cables would have to be put from area to space or flooring to flooring, the cost for setup was high, and the time to design a wired network was vastly enhanced from a wireless network among other things.

REFERENCES

- [1] D. Smith, 'What Makes up a WLAN', Techrepublic, May 2007, retrieved 27 June 2008, < http://articles.techrepublic.com.com/5100-10878_11-1048092.html>
- [2] J. Burell, 'Wireless Local Area Networking: Security Assessment and Countermeasures: IEEE 802.11 Wireless Networks', Dec. 2002, retrieved 16 May 2008, <telecom.gmu.edu/publications/Jim-Burrell-December-2002.pdf>
- [3] Peddyreddy. Swathi, "Approaches And Objectives towards Financial Management", *International Journal of Advanced in Management, Technology and Engineering Sciences*, Volume IV, Issue I, 2014
- [4] Peddyreddy. Swathi, "An Overview On The Types Of Capitalization", *International Journal of Advanced in Management, Technology and Engineering Sciences*, Volume VI, Issue I, 2016
- [5] Peddyreddy. Swathi, "Architecture And Editions of Sql Server", *International Journal of Scientific Research in Computer Science, Engineering and Information Technology*, Volume 2, Issue 4, May-June-2017
- [6] Peddyreddy. Swathi, "Scope of Financial Management and Functions of Finance", *International Journal of Advanced in Management, Technology and Engineering Sciences*, Volume III, Issue 1, 2013
- [7] Peddyreddy. Swathi, "A Study On Security Towards Sql Server Database", *JASC: Journal of Applied Science and Computation*, Volume V, Issue II, February 2018
- [8] Peddyreddy. Swathi, "A Comprehensive Review on The Sources of Finance", *International Journal of Scientific Research in Science, Engineering and Technology*, Volume 1, Issue 4, July-August 2015
- [9] Peddyreddy. Swathi, "A Study on SQL - RDBMS Concepts And Database Normalization", *JASC: Journal of Applied Science and Computations*, Volume VII, Issue VIII, August 2020
- [10] Peddyreddy. Swathi, "A Comprehensive Review on SQL - RDBMS Databases", *Journal of Emerging Technologies and Innovative Research*, Volume 6, Issue 3, March 2019.
- [11] Peddyreddy. Swathi, "An Overview on the techniques of Financial Statement Analysis", *Journal of Emerging Technologies and Innovative Research*, Volume 1, Issue 6, November 2014
- [12] Peddyreddy. Swathi, "COMPLEXITY OF THE DBMS ENVIRONMENT AND REPUTATION OF THE DBMS VENDOR", *Journal of Interdisciplinary Cycle Research*, 13 (3), 2054-2058
- [13] Peddyreddy. Swathi, "Implementation of AI-Driven Applications towards Cybersecurity", *JASC: Journal of Applied Science and Computations*, 7(8), 127-131
- [14] Peddyreddy. Swathi. (2022). Implications For Research In Artificial Intelligence. *Journal of Electronics, Computer Networking and Applied Mathematics (JECNAM)* ISSN : 2799-1156, 2(02), 25–28. Retrieved from <http://journal.hmjournals.com/index.php/JECNAM/article/view/447>
- [15] Peddyreddy. Swathi. (2022). A Study On The Restrictions Of Deep Learning. *Journal of Artificial Intelligence, Machine Learning and Neural Network (JAIMLNN)* ISSN: 2799-1172, 2(02), 57–61. Retrieved from <http://journal.hmjournals.com/index.php/JAIMLNN/article/view/444>
- [16] Peddyreddy. Swathi. (2022). Industry Applications of Augmented Reality and Virtual Reality. *Journal of Environmental Impact and Management Policy (JEIMP)* ISSN:2799-113X, 2(02), 7–11. Retrieved from <http://journal.hmjournals.com/index.php/JEIMP/article/view/453>
- [17] Kola Vasista. (2022). Benefits And Approaches Of Artificial Intelligence. *Journal of Artificial Intelligence, Machine Learning and Neural Network (JAIMLNN)* ISSN: 2799-1172, 2(02), 52–56. Retrieved from <http://journal.hmjournals.com/index.php/JAIMLNN/article/view/443>
- [18] Kola Vasista. (2022). Practical Approach Of Implementing Artificial Intelligence. *Journal of Electronics, Computer Networking and Applied Mathematics (JECNAM)* ISSN : 2799-1156, 2(02), 21–24. Retrieved from <http://journal.hmjournals.com/index.php/JECNAM/article/view/445>
- [19] Vasista, K. (2022). Evolution of AI Design Models. *Central Asian Journal Of Theoretical & Applied Sciences*, 3(3), 1-4. Retrieved from <https://cajotas.centralasianstudies.org/index.php/CAJOTAS/article/view/415>
- [20] Vasista, K. (2022). Augmented Reality Vs. Virtual Reality. *Central Asian Journal Of Mathematical Theory And Computer Sciences*, 3(3), 1-4. Retrieved from <https://cajmtcs.centralasianstudies.org/index.php/CAJMTCS/article/view/154>
- [21] Kola Vasista. (2022). Implications for Policy and Practice Towards VR and AR. *Journal of Environmental Impact and Management Policy (JEIMP)* ISSN:2799-113X, 2(01), 13–17. Retrieved from <http://journal.hmjournals.com/index.php/JEIMP/article/view/452>
- [22] Kola Vasista, "Foreign Capital Issuance and Participants in the Securities Market", *International Journal of Research and Analytical Reviews*, VOLUME 2, ISSUE 4, OCT. – DEC. 2015
- [23] Kola Vasista, "A Research Study On Major International Stock Market", *International Journal of Research and Analytical Reviews*, VOLUME 4, ISSUE 3, JULY – SEPT. 2017
- [24] Kola Vasista, "A Review On The Various Options Available For Investment", *International Journal Of Creative Research Thoughts - IJCRT (IJCRT.ORG)*, Volume 7, Issue 2, April 2019, ISSN: 2320-2882
- [25] Kola Vasista, "Types And Risks Involved Towards Investing In Mutual Funds", *International Journal of Current Science (IJCS PUB)*, Volume 12, Issue 1, March 2022, ISSN: 2250-1770
- [26] Kola Vasista, "Role Of a Stock Exchange In Buying And Selling Shares", *International Journal of Current Science (IJCS PUB)*, Volume 12, Issue 1, March 2022, ISSN: 2250-1770
- [27] Kola Vasista, "A Detailed Study On The Factors Influencing The Price Of a Stock", *International Journal of Novel Research and Development*, Volume 2, Issue 8, August 2017, ISSN: 2456-4184
- [28] Kola Vasista, "Objectives And Importance Of Capital Markets And The Role Of Financial Institutions", *International Journal of Emerging*

- Technologies and Innovative Research (www.jetir.org), ISSN:2349-5162, Vol.2, Issue 9, page no.475-478, September-2015, Available :<http://www.jetir.org/papers/JETIR1701762.pdf>
- [29] Kola Vasista, "An Overview On Provident Fund, Pension Funds, Pfrda, Insurance Companies And IRDA", International Journal of Emerging Technologies and Innovative Research (www.jetir.org), ISSN:2349-5162, Vol.5, Issue 10, page no.284-287, October-2018, Available :<http://www.jetir.org/papers/JETIR1810A93.pdf>
- [30] Kola Vasista, "Regulatory Compliance and Supervision of Artificial Intelligence, Machine Learning and Also Possible Effects on Financial Institutions", International Journal of Innovative Research in Computer and Communication Engineering, Volume 9, Issue 6, June 2021
- [31] Kola Vasista, "Micro-Financial Analysis And A Schematic View of Ai, Machine Learning and Big Data Analytics On Financial Markets", International Journal of Scientific Research in Computer Science, Engineering and Information Technology (IJSRCSEIT), Volume 7, Issue 3, 2021
- [32] Kola Vasista, "Implications of AI and Machine Learning Applications Towards Financial Markets", International Journal of Scientific Research in Science and Technology (www.ijrst.com), Volume 4, Issue 2, 2018
- [33] Kola Vasista, "Scope for the Usage of AI and Machine Learning in Portfolio Management and Possible Effects on Consumers and Investors", "International Journal of Innovative Research in Science, Engineering and Technology", Volume 5, Issue 2, Feb 2016
- [34] Anumandla Mounika, "Threats, Opportunities Of The Cloud And Provision Of Application Services", JASC: Journal of Applied Science and Computations, Volume 2, Issue 1, Jan-June 2015
- [35] Anumandla Mounika, "Security And Privacy Issue Towards Data Security In Cloud Computing", JASC: Journal of Applied Science and Computations, Volume 1, Issue 1, January-June 2014
- [36] Anumandla Mounika Reddy, "IOT data discrimination and data protection", International Journal of Academic Research and Development, Volume 6, Issue 5, 2021, Page No. 20-22
- [37] Anumandla Mounika, "Data Security In The Cloud", The International journal of analytical and experimental modal analysis, Volume 1, Issue 4, July-December-2012
- [38] Anumandla Mounika, "A Review On Cloud Computing Platforms And Enterprise Cloud Computing Paradigm", The International journal of analytical and experimental modal analysis, Volume III, Issue II, July-November-2011
- [39] Anumandla Mounika, "An Overview On The Architectural Components Of Cloud", International Journal of Research, Volume 6, Issue 12, December 2017
- [40] Anumandla Mounika, "A Study On Cloud Computing Strategy Planning And Sla Management In Cloud", International Journal of Research, Volume 7, Issue 7, JULY 2018
- [41] Anumandla Mounika, "Process Of Migrating Into a Cloud And Issues In Cloud Computing", Journal of Interdisciplinary Cycle Research, Volume 2, Issue 1, January-June-2010
- [42] Anumandla Mounika, "Cloud Computing Infrastructure And Cloud Adoption Challenges", Journal of Interdisciplinary Cycle Research, Volume VI, Issue II, July-December 2014
- [43] Anumandla Mounika, "Technical Benefits And Architecting Cloud Applications In The Aws Cloud", Parishodh Journal, Volume VIII, Issue III, March-2019
- [44] Anumandla Mounika Reddy, "Service and deployment service models, IOT physical servers and cloud offerings", International Journal of Advanced Research and Development, Volume 6, Issue 4, 2021, Page No. 5-7
- [45] Anumandla Mounika Reddy, "A Review on IoT Enabled Technologies and Back-End Data-Sharing Model", "Journal of Electronics, Computer Networking and Applied Mathematics", Vol 01, No. 01, Aug-Sep 2021
- [46] Anumandla Mounika Reddy, "Unique Privacy Aspects of Internet of Things", "Journal of Artificial Intelligence, Machine Learning and Neural Network", Vol 01, No. 01, Aug-Sep 2021
- [47] Anumandla Mounika, "A Review on Applications of Artificial Intelligence for Public Cloud", International Journal of Scientific Research & Engineering Trends, Volume 7, Issue 3, May-June-2021
- [48] Satya Nagendra Prasad Poloju, "Data Mining As a Support For Business Intelligence Applications To Big Data", International Journal of Creative Research Thoughts (IJCRT), ISSN:2320-2882, Volume.7, Issue 2, pp.850-854, April 2019, Available at :<http://www.ijcrt.org/papers/IJCRT1134576.pdf>
- [49] Satya Nagendra Prasad Poloju, "Big Data Analytics: Data Pre-Processing, Transformation And Curation", International Journal of Creative Research Thoughts (IJCRT), ISSN:2320-2882, Volume.5, Issue 2, pp.835-839, May 2017, Available at :<http://www.ijcrt.org/papers/IJCRT1134573.pdf>
- [50] Satya Nagendra Prasad Poloju, "Applications Of Big Data Technology And Cloud Computing In Smart Campus", International Journal of Creative Research Thoughts (IJCRT), ISSN:2320-2882, Volume.1, Issue 2, pp.840-844, September 2013, Available at :<http://www.ijcrt.org/papers/IJCRT1134574.pdf>
- [51] Satya Nagendra Prasad Poloju, "Relevant Technologies of Cloud Computing System", International Journal of Engineering Research and Applications, ISSN: 2248-9622, Vol. 4, Issue 4, (Version-3) April 2014, pp. 74-78, Available at :[https://www.ijera.com/pages/v4no4\(v3\).html](https://www.ijera.com/pages/v4no4(v3).html)
- [52] Satya Nagendra Prasad Poloju, "Service Models Towards The Evolution Of Cloud Computing", International Journal of Engineering Research and Applications, ISSN: 2248-9622, Vol. 10, Issue 6, (Series-VIII) June 2020, pp. 77-81, Available at :<https://www.ijera.com/pages/v10no6.html>
- [53] Satya Nagendra Prasad Poloju, "Global Optimization Of Complex Systems With Big Data", International Journal of Novel Research and Development (www.ijnrd.org), ISSN:2456-4184, Vol.1, Issue 3, page no.1-6, December-2016, Available :<http://www.ijnrd.org/papers/IJNRD1612001.pdf>
- [54] Satya Nagendra Prasad Poloju, "Techniques For Improving Network Performance Using Big Data", International Journal of Novel Research and Development (www.ijnrd.org), ISSN:2456-4184, Vol.3, Issue 3, page no.64-69, March-2018, Available :<http://www.ijnrd.org/papers/IJNRD1803015.pdf>
- [55] Satya Nagendra Prasad Poloju, "A Survey On Big Data Driven Networking And Cloud Computing Service Models", IJRAR - International Journal of Research and Analytical Reviews (IJRAR), E-ISSN 2348-1269, P- ISSN 2349-5138, Volume.1, Issue 3, Page No pp.591-596, July 2014, Available at :<http://www.ijrar.org/IJRAR19D3651.pdf>
- [56] Satya Nagendra Prasad Poloju, "Evolution Of Data Mining Technique To Big Data Analytics And Big Data Analytics-Powered Industrial Solutions", IJRAR - International Journal of Research and Analytical Reviews (IJRAR), E-ISSN 2348-1269, P- ISSN 2349-5138, Volume.5, Issue 4, Page No pp.584-590, November 2018, Available at : <http://www.ijrar.org/IJRAR19D3650.pdf>
- [57] Satya Nagendra Prasad Poloju, "Big Data Analytics-Powered Design Cycle And Deployment Of Big Data Analytics In The Cloud", International Journal of Emerging Technologies and Innovative Research (www.jetir.org | UGC and issn Approved), ISSN:2349-5162, Vol.9, Issue 5, page no. ppd218-d223, May-2022, Available at : <http://www.jetir.org/papers/JETIR2205446.pdf>
- [58] Satya Nagendra Prasad Poloju, "Cloud Computing Environments For Big Data", International Journal of Emerging Technologies and Innovative Research (www.jetir.org), ISSN:2349-5162, Vol.4, Issue 9, page no.827-830, September 2017, Available :<http://www.jetir.org/papers/JETIR1709122.pdf>
- [59] Satya Nagendra Prasad Poloju, "A Study On The Principles Associated With Cloud Computing", Strad Research, VOLUME 6, ISSUE 12, 2019
- [60] Satya Nagendra Prasad Poloju, "Comparison Of Cloud Computing Deployment Models And Web 2.0 Interfaces To The Cloud", Strad Research, VOLUME 8, ISSUE 2, 2021
- [61] Adithya Vuppula, "Classification and Visualization of Data Mining Model", "International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering", Vol. 4, Issue 8, August 2015
- [62] Adithya Vuppula, "Data Mining: Convergence of Three Technologies", "International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering", Vol. 7, Issue 6, June 2018
- [63] Adithya Vuppula, "Initiatives of 5G Vision and 5G Standardization", International Journal of Innovative Research in Computer and Communication Engineering", Vol. 6, Issue 2, February 2018
- [64] Adithya Vuppula, "Security Mechanisms for IOT Services and Differences between IOT and Traditional Networks", "International Journal of Innovative Research in Science, Engineering and Technology", Vol. 6, Issue 2, February 2017

- [65] Adithya Vuppula, "Communication and Protocols towards IOT Based Security", "International Journal of Innovative Research in Science, Engineering and Technology", Vol. 3, Issue 10, October 2014
- [66] Adithya Vuppula, "Principles of Wireless Networking and Radio Transmission Technology", "International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering", Vol. 1, Issue 2, August 2012
- [67] Adithya Vuppula, "Integrating Data Mining with Cloudusing Four Levels of Data Mining Services", "International Journal Of Multidisciplinary Research In Science, Engineering and Technology (IJMRSET)", Volume 4, Issue 5, May 2021
- [68] Adithya Vuppula, "A Study on Minnesota Intrusion Detection System (Minds)", "International Journal Of Multidisciplinary Research In Science, Engineering and Technology (IJMRSET)", Volume 1, Issue 1, November 2018
- [69] Adithya Vuppula, "Optimization Of Data Mining And The Role Of Big Data Analytics In Sdn And Intra-Data Center Networks", International Journal of Science & Engineering Development Research (www.ijedr.org), ISSN:2455-2631, Vol.1, Issue 4, page no.389 - 393, April-2016, Available :<http://www.ijedr.org/papers/IJEDR1604070.pdf>
- [70] Adithya Vuppula, "Efficiency And Scalability Of Data Mining Algorithms", International Journal of Science & Engineering Development Research (www.ijedr.org), ISSN:2455-2631, Vol.4, Issue 9, page no.322 - 328, September-2019, Available :<http://www.ijedr.org/papers/IJEDR1909045.pdf>
- [71] Adithya Vuppula, "An Overview on the Types of Wireless Networks", "International Journal of Innovative Research in Computer and Communication Engineering", Vol. 1, Issue 9, November 2013
- [72] Adithya Vuppula, "Bonferroni's Principle for The Categorization Data Mining Systems", International Journal of Scientific Research in Science and Technology (www.ijrst.com), Volume 2, Issue 5, September-October-2016
- [73] Adithya Vuppula, "Applying Data Mining Techniques Towards Exploring Variables Using Weka Explorer Interface", "Shodhshauryam, International Scientific Refereed Research Journal", Volume 1, Issue 2, July-August-2018
- [74] Vasundhara D.N, Seetha M, "Rough-set and artificial neural networks-based image classification", 2nd International Conference on Contemporary Computing and Informatics (IC3I) 2016, 35-39.
- [75] D.N. Vasundhara, M. Seetha, "Accuracy assessment of rough set based SVM technique for spatial image classification", International Journal of Knowledge and Learning, Vol. 12, No. 3, 2018, 269-285.
- [76] Dr. R. LAKSHMI TULASI, M.RAVIKANTH, "Intrusion Detection System Based On 802.11 Specific Attacks", International Journal of Computer Science & Communication Networks, Vol 1, Issue 2, Nov 2011
- [77] Ravikanth, Suresh.CH, Sudhakar Yadav.N, "Image Based Kitchen Appliances Recognition And Recommendation System", GIS SCIENCE JOURNAL, Vol.8, Issue No. 12, December 2021
- [78] Dr. Joel Sunny Deol Gosu, Dr. Pullagura Priyadarsini Ravi Kanth Motupalli, "A Hybrid Approach for the Analysis of Feature Selection using Information Gain and BAT Techniques on The Anomaly Detection", Turkish Journal of Computer and Mathematics Education, Vol.12, No. 5, April 2021
- [79] D.N. Vasundhara, M. Seetha, "Hybrid Classification Models using ANN and Fuzzy Support Vector Machines on Spatial Databases", Data Mining and Knowledge Engineering, Vol.7, Issue 8, 2015, 279-282.
- [80] D.N. Vasundhara, M. Seetha, "Implementation of hybrid RS-ANN for spatial image classification", 2016 IEEE International Conference on Computational Intelligence and Computing Research (ICIC), 2016, 1-5.
- [81] D.N. Vasundhara, M. Seetha, "Implementation of Spatial Images Using Rough Set-Based Classification Techniques", Advances in Intelligent Systems and Computing, Volume 1090, 2020, 453-466.
- [82] Ravi Kanth Motupalli, Dr. O. Naga Raju, "Integration of SQL Modelling and Graph Representations to Disaggregated Human Activity Data for Effective Knowledge Extraction", Psychology And Education, Volume 57, Issue 8, 2020
- [83] Kota Chaitanya Kumar, Ravi Kanth Motupalli, "Arduino Uno based Smart Helmet with Protective Bike System Using IoT", Jour of Adv Research in Dynamical & Control Systems, Vol. 12, No. 9, 2020
- [84] Ravi Kanth Motupalli, Dr. O. Naga Raju, "A Systematic Review on Modelling of Human Activity Patterns in Smart Homes", "Science, Technology and Development", Volume VIII , Issue XII, Dec 2019
- [85] Chalumuru Suresh, Ravi Kanth Motupalli, Srivani.B, Venkata Krishna Rao.M,Somula Ramasubbareddy, "Predicting Students' Transformation To Maximum Depressive Disorder And Level Of Suicidal Tendency", International Journal of Advanced Science and Technology, Volume 29, No. 7s, 2020
- [86] Madhavi Latha Navuluri, Ravikanth Motupalli, "Enabling Smart Cities through the frame work of IOT", International Journal of Research and Analytical Reviews, Volume 6 , Issue 1, Jan 2019
- [87] D.N. Vasundhara, M. Seetha, "Rough Set based SVM Technique for Spatial Image Classification", International Journal of Control Theory and Applications, Volume 9, Issue 44, 2017, 365-378.
- [88] Venkata Krishna Rao, Ch Suresh, K. Kamakshaiah, M. Ravikanth, "Prototype Analysis for Business Intelligence Utilization in Data Mining Analysis", International Journals of Advanced Research in Computer Science and Software Engineering, Volume 7, Issue 7, July 2017
- [89] P Ramakrishna, M Ravikanth, "Provable Data Possession & Analysis of Cloud's Data using Fuzzy Clustering", International Journal of Engineering Science & Advanced Technology, Volume-6 , Issue-1, Feb 2016
- [90] Shaik. Kareem Basha, L. Harika, M. Ravi Kanth, "List Search Algorithm using Queue", International Journal of Advanced Research in Computer Science and Software Engineering, Volume 4, Issue 12, Dec 2014
- [91] Dr. R. LAKSHMI TULASI, M.RAVIKANTH, "Impact of Feature Reduction on the Efficiency of Wireless Intrusion Detection Systems", International Journal of Computer Trends and Technology, July-Aug 2011
- [92] G. Ollman, 'Securing WLAN Technologies: Secure Configuration Advice on Wireless Network Setup', Technicalinfo , retrieved 18 April 2008