



PRODUCTIVITY IMPROVEMENT INTRODUCING LEAN PRINCIPLES IN MULTI- MODEL ASSEMBLY LINE: A REVIEW

Ashish *, Dr. Raj Kumar Duhan **

*Research Scholar, **Assistant Professor, ME Department, UIET, MDU, Rohtak,

Abstract

A basic starting point for characterizing the various industries' lean manufacturing practices is to review the current literature. The confusion in the beginning of the study and operational challenges surrounding lean practice are also highlighted, and a collection of lean operational metrics is gathered that can be used to reflect the performance of any business. For this assessment, we began with the earliest writings on lean manufacturing's potential for increasing both production efficiency and product quality, and we ended with the most current ones. There are a lot of articles on lean manufacturing, but there aren't many on lean manufacturing in India. Several scholars have identified methods for implementing lean manufacturing practices. Also, we tried to make a conceptual representation related to lean and its components along with benefits of having lean environment.

Keywords: Productivity improvement, Lean manufacturing, Processing waste, HLLS (Head Lamp Leveling Switch)

I. INTRODUCTION

Designing of assembly lines are more preferred in industries for the ordered functioning and arrangement and of workers, tools or machines, and parts. One of the main aims of assembly lines is to minimize the motion of workers to a great extent [1]. The usage of conveyors or motorized vehicles such as forklifts or gravity (without manual trucking) is used for handling machine parts or assemblies along the assembly lines. Overhead cranes or forklifts are mainly used for heavy lifting. One simple operation is to be performed by each worker. Classification of Assembly line based on numbers of models assembled on the line and according to the line pace

1. Single Model Line- Only a single model can be assembled in a single model line. The products produced by such lines have no variations among one another. Several of similar units can be produced by such lines. For all the units the task performed at each station is similar. Products with high demand are intended for this line [2].

2. Mixed Model Line - More than one model can be produced using the mixed model line. Different products are made simultaneously on the same line. All the stations are allowed to perform their job at the same time. Various tasks are performed in every station which results in the production of any model that moves through it. Most consumer products are assembled more on a mixed – model line [2].
3. Batch Model Line – Each model is produced in batches in the batch model line. The work stations are often reconstructed accordingly to what model they want to develop at that duration of time. Assembly of products in batches is preferred when the demand for the products is not quite so high. One assembly line is preferred to produce several products in batches, which is even more economical than building a separate line for each model [2].

To meet the required production rate and to achieve a minimum amount of idle time it is preferred to assign each task to a workstation within an assembly line. In - Line balancing the tasks are assigned to their respective work stations along the assembly line in such a way that each workstation has the same amount of work to be done in spite of considering the reality in which impossible in assigning the same amount of work to each workstation [1,2].

Application of lean practice involves systematic and scientific approach towards manufacturing by involving methods and techniques, which can reduce processing waste. Lean Manufacturing is the hymn of survival and success of any organization through minimizing the waste [3]. Essentially, lean is centered on preserving value with less work. Value is that term for which customer has to pay and by removing waste from manufacturing cycle; value is improved of that item. Due to World War II Japanese industries faced a crisis in terms of material shortage, finance and manpower shortage. Japanese companies faced different type of problems than their western counterparts. These difference in industrial environment conditions were responsible in birth of lean concepts in manufacturing sector. President of Toyota Motor Company recognized that Japanese companies are low performing than American companies in terms of productivity and quality. TPS, or lean manufacturing, was established by their early executives in order to improve the industrial environment. Earlier in his career, Toyota tasked Taiichi Ohno with devising a strategy to boost the company's output. TPS was established and polished through time, and it continues to evolve and be adopted around the world [3,4].

The term 'lean' can be defined as: a system which utilizes less input, when it is compared with the conventional production system for the same output and increased varieties of products. It is also called by different names as world class manufacturing, agile manufacturing, synchronous manufacturing etc. are used in parallel with lean production. Therefore, the basic principle of lean production is to minimize waste from the system of concern by adding more and more values.

For industrial companies waste may be considered as [4]:

1. Excess material in any form because later or sooner it may convert into scrap.
2. Production more than required quantity (overproduction).
3. Labour in excess and unwanted form.
4. Complicated way of problem solving.
5. Unproductive and excess utilization of energy.
6. Poor space arrangement for people, workstations and equipments.
7. Defects as these require efforts to solve it.
8. Unnecessary movement of materials and information (Transportation)
9. Time in the form of machine breakdowns, long setups and delays.

II. LEAN-MANUFACTURING TOOLS & TECHNIQUES

Using technologies like cellular manufacturing continuous improvement, just-in-time production, production smoothing kaizen, and others, firms can decrease waste by identifying and eliminating the most common sources of waste. There is a brief summary of these tools in the following sections.

2.1 Cellular Material Production

As a workplace design model, cellular manufacturing is an important aspect of lean manufacturing systems. In order to take full use of parts' commonality, cellular manufacturing follows the concepts of Group Technology, which aims to standardize and process all parts the same way. Similar machines in a block are clustered together in functional manufacturing (e.g. lathes, grinders, milling machines etc). It is more difficult to break down a functional arrangement due to the presence of common jigs and fixtures in the same location. Manufacturing systems that use Cellular Manufacturing organize machines according to the families of parts they make [5].

There is a significant improvement in material flow, which minimizes inventory, lead times, and distance traveled by materials.

To meet the expectations of customers who demand a wide variety of goods at a fast delivery rate, Cellular Manufacturing uses setup reduction and flexibility in the process. By grouping comparable items into families, the same equipment may be used to process each one, allowing for a great deal of flexibility. This will also reduce the amount of time it takes to switch between items, which will lead to more small-scale production. Another benefit of self-balancing cells is that it reduces lead times and helps organizations to produce high-quality products at low costs, on schedule, and in an agile manner. The ultimate goal of lean manufacturing is to reduce waste to the absolute minimum in order to maximize the utilization of resources.

Cellular manufacturing also has the advantage of reducing inventory, particularly work-in-progress (WIP) [6].

- More efficient use of space – reduced transportation and material handling, as well as shorter lead times
Identifying the root causes of machine malfunctions and flaws.
- A rise in productivity Enhancement of teamwork and communication Greater adaptability and transparency.

2.2 Just-In-Time

It is way of improving productivity and quality of the system, in which attempt is made to produce right parts at the right place and at appropriate time. It is better way to minimize those parts of the manufacturing, which does not add value to the system.

Just in time or pull system is better way to address manufacturing waste than push or traditional system. However, customer demand is basic principle for adoption of both the systems, but pull system is better way to fulfil customer requirements. Three elements of just in time or pull system may be involved in production, distribution and purchasing areas[7].

2.3 Production Smoothing

The Toyota Production System and Lean Manufacturing both rely on production smoothing, also known as production leveling or – by its original Japanese title – heijunka, as a method for eliminating muda waste. Producing intermediate items at a constant rate is the general principle; producers aim to keep output levels as regular and predictable from day to day so that subsequent processing can be carried out consistently and predictably [8].

To eliminate waste in a lean manufacturing system, it is necessary to increase the level of process control. This concept of production smoothing in the world was adapted from TPS. After having production smoothing in manufacturing area, waste can be controlled effectively so, productivity and quality may be improved to higher level [9].

2.4 Standardization of work

It is a principle of lean manufacturing in which worker actions in the system are standardized. It provides a better and effective way of working for workers and give equal opportunity to do job in the same effective manner. It is an important principle of lean manufacturing for reducing manufacturing waste[10].

‘Takt time’ is a tool to standardize work and worker action. Based on the takt time pace of producing parts is established. It should not be higher than takt time to achieve target without deviation[10].

Following formula is used to calculate takt time:

Takt Time (TT) = Available work time in a shift or day/ Customer demand per shift or day

2.5 Total Productive Maintenance

Machine breakdown is an important issue which relates with productivity and quality in the manufacturing system. It is very much concern with the shop floor people. Machine breakdown can down the production on that machine and consequently whole production line may suffer. Total productive maintenance is a tool to maintain machine and equipment reliability. It reduces or prevent sudden machine breakdowns. In lean manufacturing environment, it is an important programme, which should be followed carefully to improve the efficiency of machine[11].

It can be implemented in three parts as preventive maintenance, corrective maintenance and maintenance prevention. In preventive maintenance a regular scheduling for maintenance of machines is maintained. At a set frequency a regular monitoring system is made by the operator itself. Corrective maintenance deals with

immediate solution of the breakdown for running the line or machine. The theory of maintenance prevention deals that breakdown of machine can be controlled by purchasing right machine, which is not hard to maintain, if breakdown occurs. In this way TPM principle as a whole can improve throughput from the machine and consequently productivity and quality of the system of concern[11].

2.6 Kaizen

Kaizen word is used in Japan for 'improvement' or change for better by adapting continuous improvement processes in manufacturing sector and to improve business environment. Now, this philosophy is being applied continuously throughout the world to improve productivity and quality in different sector. These sectors of concern are industries, banking, healthcare, small and big business houses[12].

The driving force behind this philosophy is involvement of people from all levels and their suggestions. Suggestions for change may be given from assembly line worker to top management of the concern. By having better suggestions and their implementation on concerned area, waste or non-value added activities may be reduced, which consequently prepare a path for productivity and quality improvement of the system of concern[12].

2.7 5S (FIVE S)

5S is a technique of workplace organization that emphasizes order and the use of visual cues to create more consistent operational outcomes while also reducing waste. To put it simply, these are the following five characters in Japanese[13]:

Ashiro (sorting)

"Setion" (setting in order)

It is called "Seiso" (systematic cleaning)

It's called "Seiketsu" (standardizing)

The Shitsuke (sustaining the discipline)

These are a great way to keep a productive workplace clean, organized, and well-maintained. When it comes to running a business, routines that ensure order and efficiency are crucial. Using this lean strategy encourages workers to enhance their working conditions and aids their efforts to eliminate waste, unexpected downtime, and in-process inventory[13].

2.8 Six Sigma

Six sigma, a system that was developed by Motorola in 1990. Six sigma is a tool for reducing process variation by collecting statistical data and analyzing them to improve the process for variation. A sigma quality level describes or indicates for occurring defects in the system to show process variability. Six sigma level is used to show minimum process variability and high quality level (approximately 3.4 defects per million opportunities)[14].

2.9 Other Waste Reduction Techniques

In today's scenario to improve productivity and quality, companies are adapting some other tools of waste reduction. These techniques are illustrated in next paragraph as:

1. Poka yoke or zero defects that ensures no defect will occur during processing. Poka yoke mechanism will observe and detect faults at its source of origination. In this way by having poka yoke mechanism in the system defective parts can not move for further processing on next workstations. It is an important tool to reduce waste or prevent scrap parts in manufacturing [15].
2. Setup reduction, in which setup time for changing dies, fixtures etc on line are reduced to minimum. So, throughput time or lead time for product or part can be reduced to lower value [16].
3. Line balancing is an important tool to reduce idle time for the workers working on line. It is done by engaging and distributing workers for activities in almost equal time frame. In this way by having line balancing productivity can be improved to higher level [17].

III. LITERATURE REVIEW

A lot of efforts have been put by the researchers to improve productivity and quality in the area of lean manufacturing. Few of the findings may be described as under:

It has been described as an intellectual approach that consists of a system of metrics and procedures that when taken together have the capacity to bring about a lean and thus competitive condition in a firm in terms of productivity and quality improvement. To a lesser level, after-sales support is also included in the scope of these activities, but it is not as critical. Early in Germany's "Humanization of Working Life" program, the basic components of this approach were examined in depth. B. W. Braiden and K. R. Morrison (1996) argued that after implementing the lean techniques in any organization productivity may be increased within the organization of concern. Also, up time of the machines and facilities may be improved by the implementation of the same theory [18].

Based on a case study F.B. Gieskes et al. (1997) surveyed for Dutch companies and concluded that by using CI process productivity may be improved and it is not limited to manufacturing companies only [19]. B. H. Rho and Y. M Yu (1998) studied and concluded that by reducing waste in an air craft manufacturing division productivity improved by 250% and in process quality by 50% [20].

According to N. Hayati et al. (2013) after implementing lean concepts in assembly line of an automobile company, productivity improved with the following data:

Cycle time reduced by 17.6%, setup reduction time by 84.93% and lead time was observed to reduce from 3.23 days to 0.533 days [21].

C. W. Gan et al. (2013) have described in their study in Singapore based small and medium enterprises that

with limited resources, it is difficult to improve such type of enterprises. Hence a new technique based on lean and kaizen was developed to improve the productive performance of the same. By the application of new methodology on different companies an increase in productivity was measured from fifteen percent to ninety five percent [22].

J. Sahno and E. Shevtshenko (2014) have explained that A variety of quality-improvement methods and lean techniques are used by businesses to stay competitive and enhance their products, production processes, and customer satisfaction [23].

According to B. E. Narkhede (2014) competitiveness of any organization refers the ability to survive in a competitive environment around the world by offering products or services at minimum cost to the customers. In this scenario business advantage can be achieved by improving cost, quality, delivery and flexibility by adoption of advanced manufacturing strategies [24].

K. Ramdass (2015) explained that When applied to the service business, however, it can be just as effective as when used in the industrial sector. Because it lowers waste and adds value to the process, 5S is a lean tool. In order to boost productivity, 5S can be used in conjunction with other methods such as kaizen, TPM, and Kanban. [25]

Apparel manufacturers can improve their work environment and techniques by using the concept of Industrial Engineering, according to a study by P. Chandurkar et al. (2015). Using industrial engineering methods like method engineering, work study, capacity study, line plan, and other operations management systems can lead to timely delivery of goods, high profit and the development of a pleasant working environment. During this project, the time between stitching operations was lowered by up to 22.91 seconds by reducing the number of stoppages. There was an increase in productivity of 26.51% [26].

According to H. Abdulmouti (2015) kaizen refers to the philosophy that improves organizations through continuous improvement processes. The improvements through kaizen associates with minimum expenses and without sophisticated techniques. By implementing the kaizen tools at Toyota centre in Saudi Arabia, the following results may be summarized as a saving about 5.5 million without investing in new facilities, manpower reduction by 26.9%, an increase in effectiveness by increasing the annual output about 13% and improving in quality was observed [27].

A. T. Bon and T. S. Kee (2015) have emphasized in their study, that implementation of lean was tested for a selected company in Malaysia. To prove the theory, the total average score for gap analysis in 10 specific areas was observed and it was found 4.22 out of 5, which strengthen the fact of improving the system by implementation of lean manufacturing [28].

IV. SUMMARY

A number of researchers discussed about the lean concept in their own view. The main purpose of lean technique to increase the production without compromising man power and cost. Management of the lamp manufacturing company was thinking to improve the line status of HLL (Head lamp leveling) switch assembly in respect of productivity performance, quality and process capabilities by introducing new manufacturing strategy. Issue was that to make this line as a model line, so that improvement program can further be extended to different assembly lines in the company.

V. SCOPE OF WORK

The main scope of lean manufacturing is to implementation of improvement programs for labor, inventory planning, cost and shipping etc. The main purpose of this technique to increase the production with unique concepts. As basic principle is to train the employee for the continuous improvement.

VI. CONCLUSION

In the way of lean journey as the competition gets tougher, there is more pressure on organizations to improve their productivity and quality and customer satisfaction while reducing cost and waste. A common challenge faced by organization in this changing scenario is to increase the productivity within limited resources of manpower and available floor space, without investing in new technology, thus improving process under cost constraints. A number of tools and techniques are available to the modern day managers which can help in affecting such changes. Reduced lead times, improved on-time delivery, waste elimination, and cost reduction are all part of a lean manufacturing process. In this course of action when processes are rationalized, there is greater possibility for improving the productivity and once the system of manufacturing Cutbacks in inadequacies, if reasoned, can yield enormous benefits.

References

- [1] Kumar, Naveen, and Dalgobind Mahto. "Assembly line balancing: a review of developments and trends in approach to industrial application." *Global Journal of Research In Engineering* (2013).
- [2] Saif, Ullah, Zailin Guan, Baoxi Wang, Jahanzeb Mirza, and Shiyang Huang. "A survey on assembly lines and its types." *Frontiers of Mechanical Engineering* 9, no. 2 (2014): 95-105.
- [3] C. R. A. Hallam, S. Hammond, and W. Flanner, "Comparative Analysis of Work Force Management Techniques between Lean and Traditional Manufacturing Companies", A Quantitative Decision Tool for Choosing between Layoffs and Continual Improvement, IEEE, 2010.
- [4] Tenescu, Alina, and Mirela Teodorescu. "Lean Manufacturing: a concept towards a sustainable management." *Communications in Applied Sciences* 2, no. 1 (2014).
- [5] Pattanaik, L. N., and B. P. Sharma. "Implementing lean manufacturing with cellular layout: a case study." *The International Journal of Advanced Manufacturing Technology* 42, no. 7 (2009): 772-779.
- [6] Irani, Shahrukh A., ed. *Handbook of cellular manufacturing systems*. John Wiley & Sons, 1999.

- [7] Aycock, John. "A brief history of just-in-time." *ACM Computing Surveys (CSUR)* 35, no. 2 (2003): 97-113.
- [8] Chen, Tin-Chih Toly, and Yi-Chi Wang. "Basics in Lean Management." In *Artificial Intelligence and Lean Manufacturing*, pp. 1-12. Springer, Cham, 2022.
- [9] Xi, Cheng, Bin Xiong, Yan Shan Ye, Huang Mei He, Ni Ping Zhang, and Zne-Jung Lee. "A Textile Manufacturing Information System with Exponential Smoothing Method." *Artificial Intelligence Evolution* (2022): 56-68.
- [10] Kumar, Naveen, Syed Shahzeb Hasan, Kunal Srivastava, Rayhan Akhtar, Rakesh Kumar Yadav, and Vikas Kumar Choubey. "Lean manufacturing techniques and its implementation: A review." *Materials Today: Proceedings* (2022).
- [11] Mutaqiem, Agus, and Dwi Soediantono. "Literature Review of Total Productive Maintenance (TPM) and Recommendations for Application in the Defense Industry." *Journal of Industrial Engineering & Management Research* 3, no. 2 (2022): 48-60.
- [12] Rusdiana, I. Wayan, and Dwi Soediantono. "Kaizen and Implementation Suggestion in the Defense Industry: A Literature Review." *Journal of Industrial Engineering & Management Research* 3, no. 3 (2022): 35-52.
- [13] Makwana, Amitkumar Dhanjibhai, and Gajanan Shankarrao Patange. "Strategic implementation of 5S and its effect on productivity of plastic machinery manufacturing company." *Australian Journal of Mechanical Engineering* 20, no. 1 (2022): 111-120.
- [14] Sarman, Sarman, and Dwi Soediantono. "Literature Review of Lean Six Sigma (LSS) Implementation and Recommendations for Implementation in the Defense Industries." *Journal of Industrial Engineering & Management Research* 3, no. 2 (2022): 24-34.
- [15] Lazarevic, Milovan, Jovan Mandic, Nemanja Sremcevic, Djordje Vukelic, and Mihael Debevec. "A systematic literature review of Poka-Yoke and novel approach to theoretical aspects." *Strojniski vestnik–Journal of Mechanical Engineering* 65, no. 7-8 (2019): 454-467.
- [16] Sarkar, Biswajit, Rekha Guchhait, Mitali Sarkar, Sarla Pareek, and Namhun Kim. "Impact of safety factors and setup time reduction in a two-echelon supply chain management." *Robotics and Computer-Integrated Manufacturing* 55 (2019): 250-258.
- [17] Eghtesadifard, Mahmood, Mojtaba Khalifeh, and Morteza Khorram. "A systematic review of research themes and hot topics in assembly line balancing through the web of science within 1990–2017." *Computers & Industrial Engineering* 139 (2020): 106182.
- [18] B. W. Braiden, and K. R. Morrison, "Lean manufacturing optimization of automotive motor compartment system", *Computers industrial engineering*, Vol. 31, No. 1/2, pp. 99-102, 1996.
- [19] F.B. Gieskes, F. Baudet, R. W. Schuring, and H. Boer, "Continuous improvement in the Netherlands: current practices and experiences in Dutch manufacturing industry", *International Journal of Technology Management*, Vol. 14, No. 1, pp 50-60, 1997.
- [20] B. H. Rho, and Y. M. Yu, "A comparative study on the structural relationships of manufacturing practices, lead time and productivity in Japan and Korea", *Journal of Operations Management* 16, pp. 257-270, 1998.

- [21] Womack et al, "Lean Solutions: How Companies and Customers Can Create Value and Wealth Together", Lean Enterprise Institute, P.O. Box 9, Brookline, MA 02446 USA (617) 713-2900, pp. 1-3.
- [22] C. W. Gan, M. H. Toh, R.Y.G. Lim, B. Ma, P. S. Tan, and A. S. Bhullar, "Development of QuicKaizen Technique for Productivity Execution Management for Singapore SMEs", *International Conference on Industrial Engineering and Engineering Management*, 2014.
- [23] J. Sahno and E. Shevtshenko, "Quality improvement methodologies for continuous improvement of production processes and product quality and their evolution", *9th International DAAAM Baltic Conference "INDUSTRIAL ENGINEERING"*, Tallinn, Estonia, pp. 181-186, April 2014.
- [24] B. E. Narkhede, "The Implications of Manufacturing Strategy Practices on Manufacturing and Business Performance", *Industrial Engineering Journal*, Vol. VII, Issue 3, March 2014.
- [25] K. Ramdass, "Integrating 5S Principles with Process Improvement: A Case Study", *Proceedings of PICMET '15: Management of the Technology Age*, 2015.
- [26] P. Chandurkar, M. Kakde, and A. Bhadane "Improve the Productivity with help of Industrial Engineering Technique" *International Journal on Textile Engineering and Processes*, Vol 1, Issue 4, pp. 34-41, October 2015.
- [27] Abdulmouti, "The Role of Kaizen (Continuous Improvement) in Improving Companies' Performance", a case study, *Proceedings in International conference on Industrial Engineering and Operations Management*, Dubai, UAE, March 3-5, 2015.
- [28] A. T. Bon and T. S. Kee, "Implementation of Lean Manufacturing for Productivity Improvement in Malaysia", *Proceedings in International conference on Industrial Engineering and Operations Management* Dubai, UAE, March 3-5, 2015.