



Plant Invasion As Deduced From Priya Nighantu

Patil D.A.

Post-Graduate Department of Botany
S.S.V.P.S's L.K.Dr.P.R.Ghogrey Science College, Dhule-424005
(Maharashtra)
(Former Professor & Principal)

Abstract:

The classical Nighatus are heritage of Indian culture being the bases of Ayurveda, an Indian system of medicine. Priya Nighantu is one such lexicon authored by Priyavrit Sharmaji in the 21st century. It is the latest Ayurvedic lexicon which attempted at solving many controversies of plant-based drug identification. The present author gleaned total 159 exotic floral elements pertaining to 131 genera and 60 angiospermic families. The dicotyledons (139 species, 113 genera and 55 families) played a major role in bioinvasion in India as compared to the monocotyledons (20 species, 18 genera and 05 families). These are exclusively wild (58 species) or cultigens (99 species) apart from 02 species which are both, wild as well as cultivated. The herbaceous floral elements are comparatively dominant over other habitat categories. Their nativities have been pointed out using relevant taxonomic literature. They belong to both Old and New Worlds. American continent is although distant, shared a fair number of exotic plant species. The information so accrued will be useful while embarking upon the management and conservation of Indian biodiversity.

Key Words: Priya Nighantu, Exotic Plants, Bioinvasion, India.

Introduction:

This 21st century lexicon *viz.*, Priya Nighantu is authored by Acharya Shri Priyavrit Sharmaji. It is simple and easy to understand. He clarified many controversies noted in earlier works. He touched nearly all aspects of medicinal plants. This lexicon is conveniently divided into 13 sections (Vargas). He removed synonymy of drugs and put single meaning synonyms to the drugs. This avoided confusion in their identities. The author has thus took serious efforts to render the lexicon simple one. He also added some ayurvedic pharmacological definitions which are very useful for diagnosis.

Methodology:

The present author critically studied Priya Nighantu authored by Sharma (2004). Efforts are extended to know Sanskrit plant names contained in it. These have been equated with the recent botanical (Latin) names. These are also assigned to their respective plant families. Data *w.r.t.* habit and status (wild or cultivated) is

also carefully noted in the Table-I. Each plant species is critically examined for their exotic status revealing nativity of each species after consultation of relevant taxonomic literary sources. These sources are mentioned against the names of each plant species. The information thus obtained is discussed in the light of plant invasion in India.

Results & Discussion:

Ancient Indian wisdom needs to be seen in the light of modern scientific and rational information for more effective application for human welfare. It is for this reason we must peep into the ancient Sanskrit lexicons which are heritage of India. The history of present day Ayurveda is one such aspect that seeks attention of research workers. Ayurvedic history is divisible mainly into three time periods *viz.* (i) Vedic period, (ii) Samhita periods and (iii) Nighantu period. The present author paid attention to the former two period in the perspective plant invasion gleaning various lexicons (*cf.* Patil, 2017; 2024 a,b,c). However, the Nighantus have yet remained untouched from this point of view. The Nighantu period is the golden period of the Ayurvedic Materia Medica literature. It is, therefore, being studied to add more and recent information in invasion biology with particular reference to India.

The Priya Nighantu authored by Priyavrit Sharmaji is the latest 21st century important lexicon in Ayurvedic Materia Medica. The author took tremendous efforts to clarify controversial aspects to render it simple and to explain applied aspect of the medicinal plants. This lexicon is divided into 13 sections and contains total 492 drugs of plant origin. Of these, the present author analysed a total of 159 plant species of medicinal significance as exotic in origin invading Indian territory. These pertain to 131 genera and 60 angiospermic families. The dicotyledonous taxa have major share in bioinvasion (139 species, 113 genera and 55 families), whereas the monocotyledonous ones have relatively lesser share (20 species, 18 genera and 05 families). These total species are either exclusively wild (58 species) or cultivated (99 species). However, 02 species are both as wild our cultigens. They exhibited various habitat categories *viz.*, trees (41 species), shrubs (12 species), climbers (22 species) and herbs (84 species). The herbaceous flora is dominant over others. The wild ones obviously now form an integral segment of Indian biodiversity. The cultivated species although mentioned in this lexicon as of medicinal importance, they are useful variously as edible fruits, nuts, spices and condiments, ornamental and shade trees, vegetables, masticatory, pulses, narcotics or aromatics, oil-yielders, salads, fibre-yielders, cereals, millets, etc. These thus improved native economy in India and play a great role in human sustenance.

These taxa have evaluated for their origin or nativities consulting relevant taxonomic literary sources. Various nativities have been put forth. They pertain to both Old and New Worlds covering all continents, many countries, islands, mountains and specific geographical regions outside India. They are thus pertaining to: America (47), Asia (Excl. India) (43), Africa (35), Europe (26) and Australia (05). They also belong to various regions or countries such as: China (18), Mediterranean Region (15), Malaysia (06), Brazil and Arab (05 each), Japan and Malaya (04 each), Afghanistan, Persia, Malayan Archipelago, Java, Eurasia, Greece and Asia Minor (03 each). There are few other regions which contributed for 02 species each e.g. West Indies, Sino-Japanese, Indonesia, East Indies, Pantropics, Madagascar, Afro-Asian, Middle East and Syria. Still few

other regions are represented a single species each such as Moluccas, Ceylon (Sri Lanka), Indomalaya, New Guinea, Taiwan, Myanmar (Burma), Baluchistan, Indonesian Archipelago, Borneo, Sumatra, Bali, England, Ireland, Persian Gulf, Pakistan, Tropics, Malaya, Texas, Cyperus, Argentina, Egypt, Andes, Peru, Chile, Jamaica, Philippines, Caucasus mountains, etc.

Biotic elements of India are moulded largely by its physical features including human history in India particularly that of the Vedic *vis-à-vis* Indian civilization. It bears a stamp of this phenomenon at its social, cultural and spiritual levels. Indian vegetation also, in its variety and abundance, is patterned accordingly. The ancient Indian culture is reflected in ancient Sanskrit lexicons, of which Nighantus constitute an important source. The present author, therefore extended his inventory on Nighantus belatedly, the results of which will be of immense help while embarking upon biodiversity management and its conservation in India.

JETIR

Acknowledgements

Authors are thankful to the authorities of S.S.V.P.Sanstha for library and laboratory facilities extended.

References:

- Ahuja, S.C. and Uma Ahuja (2011) Betel Leaf and betel nut in India: History and Uses. Asian Agri-History 15(1):13-35.
- Almeida, M.R. (1996) Flora of Maharashtra Vol.I. Orient Press, Mumbai, Maharashtra, India.
- Almeida, M.R. (2001b) Flora of Maharashtra (Cuscutaceae To Martyniaceae) Vol.3B. St.Xavier College, Orient Press, Mumbai, Maharashtra, India.
- Almeida, M.R. (2003b) Flora of Maharashtra (Bischofiaceae To Ceratophyllaceae) Vol.4B. St.Xavier College, Orient Press, Mumbai, Maharashtra, India.
- Almeida, M.R. (2009) Flora of Maharashtra (Araceae To Cyperaceae) Vol.5B. St.Xavier College, Orient Press, Mumbai, Maharashtra, India.
- Babu, C.R. (1977) Herbaceous Flora of Dehra Dun. Publication And Information Directorate, CSIR, New Delhi, India.
- Badr, A., Sch. K.M.R., Rabey, H. EI., Effgen, S., Ibrahim, H.H., Pozzi, C., Rohde, W. & F. Salamini (2000) On the origin and domestication history of Barley (*Hordeum vulgare*). Molecular Biology And Evolution 17(4):499-510.
- Bailey, L.H. (1949) Manual of Cultivated Plants (Rev.Ed.) Macmillan, New York, USA.
- Bhandari, M.M. (1978) Flora of Indian Desert. Scientific Publishers, Jodhpur, India.
- Chandra Sekar K. (2012). Invasive alien plants of Indian Himalayan Region: Diversity and implication. American Journal of Plant Sciences 3:177-184.

Chaphekar, S.B., Lattoo, C. and M.D. Karnik (2007) Sen'trees' of Mumbai. Centre For Extra-Mural Studies, University of Mumbai, Fort, Mumbai, Maharashtra, India-400032, India.

Charan, P.D. and M.Singh (2018) Invasive alien species of flora f the Thar desert of Bikaner Division, Rajasthan. ETIR 5(4):566-572.

Chauhan, D.V.S. (1972) Vegetable Production of India. Ram Prasad And Sons, (3rd Ed.) Agra, India.

Cooke, T.(1958) The Flora of The Presidency of Bombay. Vol.I-II (Repr.Ed.). Bot.Surv.India, Calcutta, India.

Dandasena, T.K., Tripathy, P. and P.K.S.Shahi (2023) Medicinal value consider Piper cubeb (Kabab chini): To review. Eur. Chem .Bull. 12 (Special Issue):151-157.

Dar, G.H., Bhagat, R.C. and M.A.Khan (2002) Biodiversity of The Kashmir Himalaya, Valley Book House, Srinagar, India.

De Candolle A. (1959) Origin of Cultivated Plants (Rev. 2nd Ed.) Hafner Publishing Co., London, UK.

Deb, D.B. (1983) Flora of Tripura State. Vol.II, Today & Tomorrow's Printers And Publishers, New Delhi, India.

Debnath, A. and B. Dehnath (2017) Diversity, invasion status and uses of alien plant species in North Eastern Hilly States of Tripura: A confluence of Indo-Barman hotspot. American Journal of Plant Sciences 8:212-235.

Dogra, K.S. (2011) Alien plants distribution and ecology in the temple court-yards of Himachal Pradesh (N.W.Himalaya), Himachal Pradesh University Journal, July 1:11.

Fekadu Gadissa, Meskerem Abebe and Tesface Bekele (2021) Agro-morphological trait-based genetic diversity assessment in Ethiopian barley (*Hordeum* diversity assessment in Ethiopian barley (*Hordeum vulgare L.*) landrace collections from Bale highlands, Southwest Ethiopia. In: Agriculture & Food Security 10. Article No.58.

Gaikwad, S.P. and K.U. Garad (2015) Flora of Solapur (Maharashtra). Laxmi Book Publications, Solapur, Maharashtra, India.

Gopalswamiengar, K.S. (1991) Complete Gardening In India (4th Ed.) Gopalaswamy Parthasarathy, 'Srinivasa', 5th Road, Chamarajpet, Bangalore, India.

Graf, A.B. (1980) Exotica: Pictorial Cyclopedia of Exotic Plants From Tropical And Near-Tropic Regions. Roders Company INC., USA (10th Ed.)

Gulden, R.H., Warwick, S.I. and A.G.Thomas (2008) The biology of Canadian weeds 137. *Brassica napus L.* and *B.rapa L.* Can.J.Plant Sci. 88:951-996.

Hajra, P.K., Nair, V.J. and P. Daniel (Ed.) (1997) Flora of India. Vol.4. Malpighiaceae-Dichapetalaceae Bot. Surv. India, Calcutta, India.

Helback, H. (1965) Isin-Larson and Horian food remains at Tell. Bazmosian in te Dokan Valley Summer (Baghdad) 19:27-35.

Hewson, H.J. and H.S.Thompson (1993) (Ed.) Flora of Australia: Oceanic Islands-2. Vol.50. AGPS Press Publication, Australian Government Publishing Service, Canberra.

Jadhav, Dinesh (2012) Exotic Flora of Ratlam district, Madhya Pradesh, India. Phytotaxonomy 12:115-122.
Janick, Jules (2013) Development of New World Crops by Indigenous Americans. HortScience 48(4): 406-412.

John Cameron (1891) Catalogue of Plants In The Botanical Garden, Bangalore And Its Vicinity (2nd Ed.). Mysore Government Central Press, Bangalore, India.

Kaul, M.K. (1986) Weed Flora of Kashmir Valley. Scientific Publishers, Jodhpur, India.

Khuroo, A.A., Rashid, I., Reshi, Z., Dar G.H. and B.A. Wafai (2007). The alien flora of Kashmir Himalaya. Bio Invasions 9:269-292.

Kislev, M.E. (1989) Origins of the cultivation of *Lathyrus sativus* and *L. cicera* (Fabaceae) Economic Botany 43(2):262-270.

Kshirsagar, S.R. (2005) Origin, present status and distribution of exotic plants in South Gujarat. Indian Journal of Forestry 28(2):136-143.

Kshirsagar, S.R. and D.A. Patil (2008) Flora of Jalgaon District (Maharashtra). Bishen Singh Mahendr Pal Singh, Dehradun, India.

Lesley, H. (2020) Invasive Alien Plants In South Africa. Department of Environmental Affairs, Republic of South Africa.

Martin, F.W. Campbell, C.W. and R.M. Ruberte (1987) Perennial Edible Fruits of The Tropics: An Inventory. U.S. Department of Agriculture. Agriculture Handbook No.642, 222 p.illus.

Matthew, K.M. (1991) An Excursion Flora of Central Tamil Nadu, India. Oxford & IBH Publishing Co., New Delhi, India.

Matthew, K.M. (1991) An Excursion Flora of Central Tamil Nadu, India. Oxford & IBH Publishing Co., New Delhi, India.

Medakkar, S.S. and P.P. Sharma (2016a) Antiquity of some exotic plants in India. The South Asian Academic Research Chronicle III (6):6-14.

Medakkar, S.S. and P.P. Sharma (2016b) Less-known uses of some exotic plants from Ahmednagar district, Maharashtra. Part-I (A-D). Int.J.Pure App. Biosci. 4(3):182-187.

Medakkar, S.S. and P.P. Sharma (2016c) Less-known uses of some exotic plants from Ahmednagar district, Maharashtra Part-II (E-Z). Int.J.Pure App.Biosci. 4(4):154-158.

Mitra, S. and Sobhan Kr.Mukherjee (2012) Invasive alien species of West Bengal used in human health care. In: Proceedings of Plant Science Research In Human Welfare. Dhannagar College & Bot.Surv.India, Calcutta, India, pp.38-58.

Mukhopadhyay, D.P. and R.K.Chakraverty (2008) Plant Wealth of The Raj Bhavan, Kolkata. Occasional Paper-5 From Raj Bhavan, Kolkata, March, 2008.

Naik, V.N. (1998) Flora of Maharashtra. Vol.I-II. Amrut Prakashan, Augrangabad (M.S.) India.

Narsimhan, D. Arisdasan, W. Sheeba, J.Irwin and G. Gnanesekaran (2009) Invasive alien plant species of Tamil Nadu. In: Proceedings of National Seminar on Invasive Alien Species ENVIS Centre, Department of Environment, Government of Tamil Nadu, Chennai pp.29.38

Negi, P.S. and P.K. Hajra (2007). Alien flora of Doon Valley, Northwest Himalaya. Current Science 97(7):968-978.

Novak, F.A. (1966) The Pictorial Encyclopedia of Plants And Flowers (Ed. Barton, J.G.). Paul Hamlyn, London, Great Britain.

Panda, T., Mishra N., Pradhan B.K. and R.B. Mohanty (2018) Expansive alien flora of Odisha, India. Journal of Agriculture And Environment For International Development 112(1):43-64.

Patil, D.A. (1990) Exotic elements in the flora of Dhule district (Maharashtra). J.Econ.Tax.Bot. 14(3):721-724.

Patil, D.A. (1998) Census of the genus Ipomoea L. Dhule district (Maharashtra). J.Phytol. Res. 11(2):121-126.

Patil, D.A. (2003). Flora of Dhule And Nandurbar District (Maharashtra). Bishen Singh Mahendra Pal Singh, Dehradun, India.

Patil, D.A. (2017) Alien plant species recorded in Vedic and Post-Vedic period of India: An assessment. Sch.Acd.J.Biosci. 5(17):812-819.

Patil, D.A. (2019a) Food Crops: Evolution, Diversity And Advances, Scientific Publishers, Jodhpur, India.

Patil, D.A. (2019b) Amarsimha's Amarkosa in the perspective of plant invasion in India and implications. International Journal of Agricultural Inventions 4(2):163-169.

Patil, D.A. (2024a) Charak Samhita in the context of plant invasion in India. JETIR 11(3):455-471.

Patil, D.A. (2024b) Sushruta Samhita in the context of plant invasion in India. JETIR 11(3):472-479.

Patil, D.A. (2024c) Rigveda in the perspective of ancient plant invasion in India. JETIR 11(3):485-492.

Prakash, S. (1980) Cruciferous oilseeds in India. In: Brassica Crops And Wild Allies (Ed. Tsunodo *et al.*). Japan Scientific Press, Tokyo, Japan.

Pullaiah, T., Sri Ramamurthy, K. and S.Karuppusamy (2011) Flora of Eastern Ghats, Vol.4. Regency Publications, New Delhi, India.

Purseglove, J.W. (1968) Tropical Crops-Dicotyledons. 2 Vols. Longmans, London, UK.

Rajagopal, T. and G. Panigrahi (1965) 'Aliens' naturalised in the flora of Allahabad. Proc.Nat.Acad.Sci.India Sect. B.35(4):411-422.

Rania, A. Hassan and Rim, S. Hamdy (2021) Synoptic overview of exotic Acacia, Senegalia and Vachellia (Caesalpinoideae, Mimosoid Clade, Fabaceae) in Egupt. Plants 10(7):1344.doi.3390/plants 10071344.

Reddy, C.Sudhakar (2008) Catalogue of Invasive Alien Flora of India. Forestry And Ecology Division, National Remote Sensing Agency, Balanagar, Hyderabad-500037, India.

Reena, R.L. and S.P.David (2023) Impact of invasive weed species in the crop lands and aquatic ponds of Kanyakumari district. Tamil Nadu, India. International Research journal of Plant Science 14(1):1-7.

Ridley, H.N. (1930) The Dispersal of Plants Throughout The World. L.Reeve & Co. Ltd. Ashford, Kent, England.

Roxburgh, W. (1814) Hortus Bengalensis (A Catalogue Of The Plants In The Honourable East India Company Botanic Garden, Calcutta) Serampore, India.

Sainkhedia, J. (2016). Invasive alien flora of Harda district of Madhya Pradesh. Indian Journal of Applied Research 6(4):343-346.

Sawant, B.S., Alawe, J.R. and K.V. Rasal (2016) Pharmacognostic study of *Glycyrrhiza glabra* Linn.: A review. International Ayurvedic Medical Journal 4(10):3989-3993.

Shah, N.C. (2015) Betel chewing in South And South East Asia: Part-II. The Scitech Journal 2(6):21-28.

Sharma, P.V. (2004) Priya Nighantu 'PADMA' (Hindi Commentary). Chaukhamba Orientalia, Varanasi, India.

Sheikh, D.K. and A.K. Dixit (2017) Occurrence of invasive plants in three phytogeographical regions of Bilaspur district of Chhattisgarh. Annals of Plant Sciences 6(12):1872-1878.

Shetty, B.V. and V. Singh (1987) Flora of Rajasthan. Vol.I. Bot.Surv.India, Calcutta, India.

Shrivastava J.G., 1964. Some tropical American and African weeds that have invaded the state of Bihar. *J.Indian Bot.Soc.* 43:102-112.

Singh Ranjit and S.K. Saxena (2015) Fruits. (Repr.Ed.) National Book Trust, India.

Singh, A. and M. Inam (2015) Diversity of invasive alien plant species in district Yamuna Nagar of Haryana, India. Biological Forum 7(2):1051-1056.

Singh, A.K. and S.N. Nigam (2017) Ancient alien crop introductions integral to Indian agriculture: An overview. Proc.Indian Natn.Sci.Acad. 83(3):549-568.

Singh, N.P., Lakshminarasimhan P., Karthikeyan S. and P.V. Prasanna (2001). Flora of Maharashtra State: Dicotyledones. Vol.II. Bot.Surv.India, Calcutta, India.

Singh, N.P., Lakshminarasimhan, P., Karthikeyan, S. and P.V. Prasanna (2000) Flora of Maharashtra State: Dicotyledones. Vol.I. Bot.Surv.India, Calcutta, India.

Singh, N.P., Vohra, J.N., Hajra, P.K. and D.K.Singh (2000) Flora of India. Vol.5. Olacaceae-Connaraceae. Bot.Surv.India, Calcutta, India.

Singh, S.C. and G.N. Srivastava (2000) Exotic medicinal plants of Lucknow district (U.P.) India. In: Ethnobotany And Medicinal Plant of Indian Subcontinent (Ed. Maheshwari, J.K.) Scientific Publishers, Jodhpur, India. pp.223-235.

- Singh, Th. B., Das, A.K. and P.K.Singh (2015) Study of alien and invasive flora of Valley District of Manipur and their control. International Journal For Innovative Research In Science & Technology 1(12):2349-6010.
- Singh, V., Parmar, J. and P.R. Pandey (1991) Flora of Rajasthan. Vol.II. Bot.Surv.India, Calcutta, India.
- Sorenson, John L. (2005) Ancient voyages across the ocean to America from "Impossible To Certain". In: Journal of Book of Mormon Studies 14(1):4-17; 124-125. Brigham Young University, Provo, Utah.
- Stewart, R.R. (1972) An Annotated Catalogue of The Vascular Plants of West Pakistan And Kashmir. Fakhri Press, Karachi, Pakistan.
- Struwig, M. and S.J. Siebert (2013) A taxonomic revision of Boerhavia (Nyctaginaceae) in southern Africa. South Africa Journal of Botany 86:116-134.
- Swamy, B.G.L.(1973) Sources for a history of plant sciences in India. I. Epigraphy. Indian journal of History of Science 8(1-2): 61-98.
- Talbot, W.A. (1909-1911) Forest Flora of Bombay Presidency And Sindh. Vo.I-II. Government Photozincographic Department, Poona (India). (Repr.Ed.1976; Bishen Singh Mahendra Pal Singh, Dehradun & Periodical Experts, Delhi, India).
- Titiek, S., Sari, N., Bahri, I.P. and G.T.Raharjo (2015) A Guide Book To Invasive Alien Plants Species In Indonesia: Research, Development And Innovation Agency, Ministry of Environment And Forests, Republic of Indonesia.
- Veerasamy, A. and R. Arumugan (2014) Diversity of invasive alien species in Boluvampatti Forest Range. Southern Western Ghats, India. Biodiversity Journal 5(3):377-386.
- Voight, J.O. (1845) Hortus Suburbans Calcuttensis, Bishop's College Press, Calcutta, India.
- Wagh, V.V. and A.K. Jain (2018) Status of ethnobotanical invasive plants in Western Madhya Pradesh, India. South African Journal of Botany 114:171-180.
- Watt, G. (1908) A Dictionary of Economic Products: The Commercial Plants of India. John Murray, London, UK.
- Wilson, A.J.E. (Ed.) (1994) Flora of Australia: Oceanic Island 1, Vol.49. AGPS Press Publication, Australian Government Publishing Service, Canberra.
- Yadav, S.R. and M.M.Sardesai (2002) Flora of Kolhapur District. Shivaji University, Kolhapur, Maharashtra, India.

Table-I: Exotic Plant Species In Priya Nighantu

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
1.	Kashmarya	<i>Gmelina arborea</i> Roxb. Verbenaceae	C	Tree	Malaya: Medakkar & Sharma, 2016a.
2.	Gokshura	<i>Tribulus terrestris</i> Linn. Zygophyllaceae	W	Herb	(i) Tropical America: Reddy, 2008; Chandra Sekar, 2012. (ii) Africa & Asia (Excl. India): Kaul, 1986.
3.	Ballataka	<i>Semecarpus anacardium</i> Linn. Anacardiaceae	C	Tree	West Indies: Sainkhedia, 2016.
4.	Karpura	<i>Cinnamomum camphora</i> (L.) Nees & Eberm. Lauraceae	C	Tree	(i) China & Japan: Bailey, 1949. (ii) Japan: Matthew, 1991. (iii) Taiwan: Gopalswamiengar, 1991. (iv) South-East Asia: Novak, 1966. (v) China & South Japan: Wilson, 1994.
5.	Jatiphala	<i>Muristica fragrans</i> Houtt. Myristicaceae	C	Tree	Moluccas: Singh <i>et al.</i> , 2001.
6.	Twak	<i>Cinnamomum verum</i> J.S. Presl. (Syn. <i>C. zeylanicum</i> Breyne) Lauraceae	C	Tree	(i) Ceylon (Sri Lanka): John, 1891; Singh <i>et al.</i> , 2015. (ii) South-East Asia: Novak, 1966.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
7.	Shirisha	<i>Albizia lebbeck</i> (L.) Benth. Mimosaceae	C	Tree	(i) Pantropical Africa & Tropical Asia: Bhandari, 1978. (ii) Indo Malaya, New Guinea & North Australia: Singh <i>et al.</i> , 2015.
8.	Ingudi	<i>Balanites aegyptiaca</i> (Linn.) Delile Balanitaceae	W	Tree	Africa & Arab: Medakkar & Sharma, 2016b.
9.	Babboola	<i>Vachellia nilotica</i> (L.) P.J.H. Hunter (Syn. <i>Acacia Arabica</i> Willd.) Mimosaceae	W	Tree	North Africa & Arab: Rajagopal & Panigrahi, 1965; Purseglove, 1968.
10.	Varuna	<i>Crataeva magna</i> (Lour.) DC. Buch.-Ham. Caparaceae	C	Tree	Tropical America: Medakkar & Sharma, 2016b.
11.	Mahanimba	<i>Melia azedarach</i> L. Meliaceae	C	Tree	(i) Myanmar: Patil, 2003. (ii) Burma: Kshirsagar & Patil, 2008.
12.	Paribhadra	<i>Erythrina variegata</i> L. (Syn. <i>E. indica</i> Lam.) Papilionaceae	C	Tree	Malaya: Medakkar & Sharma, 2016c.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
13.	Kanchanara	<i>Bauhinia variegata</i> L. Caesalpiniaceae	C	Tree	China: Debnath & Debnath, 2017.
14.	Shigra	<i>Moringa oleifera</i> Lam. Moringaceae	C	Tree	America: Singh & Srivastava, 2000.
15.	Nirgundi	<i>Vitex negundo</i> L. Verbenaceae	W	Shrub	North China & Mongolia: Bailey, 1949.
16.	Japa	<i>Hibiscus rosasinensis</i> Linn. Malvaceae	C	Shrub	(i) China: Patil, 1995, 2003; Shetty & Singh, 1987. (ii) Sino-Japanese: Singh & Srivastava, 2000.
17.	Dadima	<i>Punica granatum</i> Linn. Punicaceae	C	Tree	(i) South Asia: Gaikwad & Garad, 2015. (ii) Afghanistan, Baluchistan & Persia: Patil, 2003; De Candolle, 1959.
18.	Beejapura	<i>Citrus medica</i> Linn. Rutaceae	C	Tree	China: Roxburgh, 1814; Patil, 2019a.
19.	Nimuka	<i>Citrus aurantifolia</i> (Chistm. & Panz.) Swingle Rutaceae	C	Tree	(i) Malaya: Sinigh <i>et al.</i> , 2000a. (ii) Malaysia: Yadav & Sardesai, 2002. (iii) Probably Malaysia: Hewson & Thompson, 1993.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
20.	Amlika	<i>Tamarindus indica</i> Linn. Caesalpiniaceae	C	Tree	(i) Tropical America: Patil, 1990. (ii) Probably north-East Africa: Hewson & Thompson, 1993. (iii) Tropical Central Africa: Talbot, 1909-1991.
21.	Changeri	<i>Oxalis corniculata</i> Linn. Oxalidaceae	W	Herb	(i) Europe: Reddy, 2008. (ii) North America: Babu, 1977. (iii) South Europe: Rajagopal & Panigrahi, 1965. (iv) European-Mediterranean Region: Hewson & Thompson, 1993.
22.	Chukra	<i>Rumex nigricans</i> Hook.f. (Syn.R.Vesicarius Linn.) Polygonaceae	C	Herb	South Europe, Africa & South-East Asia: Naik, 1998.
23.	Pooga	<i>Areca catechu</i> Linn. Arecaceae	C	Tree	(i) Tropical Asia: Gaikwad & Gara, 2015. (ii) Indonesia Archipelago: Ahuja & Ahuja, 2011. (iii) Malaysia: Chaphekar <i>et al.</i> , 2007. (iv) Malaysian Archipelago: Shah, 2015.
24.	Kankola	<i>Piper cubeba</i> Linn. Piperaceae	W	Climber	Borneo, Sumatra, Java & Indonesia: Dandasena <i>et al.</i> , 2023.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
25.	Patha	<i>Cissampelos pareira</i> Linn. Menispermaceae	W	Climber	South America: Rajagopal & Panigrahi, 1965; Panda <i>et al.</i> , 2018.
26.	Tambui	<i>Piper betle</i> Linn. Piperaceae	C	Climber	(i) Bali & East Indies: Graf, 1980. (ii) Malaysian Archipelago: Shah, 2015. (iii) Malaysia: Hewson & Thompson, 1993.
27.	Indravaruni,Vishala	<i>Citrullus colocynthis</i> (L.) Schrad. Cucurbitaceae	W	Climber	West Africa: Sainkhedia, 2016.
28.	Aparajita	<i>Clitorea ternatea</i> Linn. Papilionaceae	W	Climber	Tropical America: Purseglove, 1968.
29.	Varahi	<i>Dioscorea bulbifera</i> Linn. Dioscoreaceae	W	Climber	Asia (Excl. India): Stewart, 1972.
30.	Kapikacchu	<i>Mucuna pruriens</i> (L.) DC. Papilionaceae	W	Climber	America: Singh & Nigam, 2017.
31.	Kullatha	<i>Macrotyloma uniflorum</i> (Lam.) Verdc. (Syn. <i>Dolichos biflorus</i> Linn.) Papilionaceae	C	Climber	South-East Asia: Patil, 2019b.
32.	Vanyakullatha	<i>Cassia abrus</i> Linn. Caesalpiniaceae	W	Herb	(i) Tropical America: Reddy, 2008; Wagh & Jain, 2018. (ii) Central America: Panda <i>et al.</i> , 2018.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
33.	Draksha	<i>Vitis vinifera</i> Linn. Vitaceae	C	Climber	(i) South-East Europe to West Indies: Singh <i>et al.</i> , 2000a. (ii) West Indies: Gaikwad & Garad, 2015. (iii) Asia (Excl. India) & Europe: Stewart, 1972. (iv) West Asia: Singh <i>et al.</i> , 2000b.
34.	Kushmanda	<i>Benincasa hispida</i> (Thunb.) Cogn. Cucurbitaceae	C	Climber	(i) Java: Patil, 1995, 2003. (ii) Japan & Java: De Candolle, 1959.
35.	Manjistha	<i>Rubia cordifolia</i> Linn. Rubiaceae	W	Climber	Asia (Excl. India) & Africa: Kaul, 1986.
36.	Jati	<i>Jasminum officinale</i> Linn. Oleaceae	C	Shrub	China: Yadav & Sardesai, 2002; Gaikwad & Garad, 2015.
37.	Madhurika	<i>Foeniculum vulgare</i> Mill. Apiaceae	C	Herb	(i) South Europe: Shetty & Singh, 1987. (ii) Mediterranean Region: Purseglove, 1968. (iii) Europe: Dar <i>et al.</i> , 2002.
38.	Jeeraka	<i>Cuminum cyminum</i> Linn. Apiaceae	C	Herb	(i) South Europe: Yadav & Sardesai, 2002. (ii) Mediterranean Region: Patil, 1995; Shetty & Singh, 1987.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
39.	Aranya-Jeeraka	<i>Vernoia anthelmintica</i> (L.) Willd. (Syn. <i>Centrantherum anthelminticum</i> Kuntze) Asteraceae	W	Herb	Malay Archipelago: Mitra & Mukherjee, 2012.
40.	Upakunchika	<i>Nigella sativa</i> Linn. Ranunculaceae	W	Herb	(i) Eastern Mediterranean Region (Levant): Deb, 1983. (ii) Europe: Bailey, 1949; Khurro <i>et al.</i> , 2007.
41.	Yavani	<i>Trachyspermum ammi</i> (Linn.) Sprague Apiaceae	C	Herb	(i) Africa: Patil, 1995; Shetty & Singh, 1987. (ii) South Europe: Yadav & Sardesai, 2002.
42.	Parasika-Yavani	<i>Hyoscyamus niger</i> Linn. Solanaceae	C	Herb	Southern England & South-East Ireland: Novak, 1996.
43.	Pama-Yarani	<i>Plectranthus amboinicus</i> (Lour.) Spr. (Syn. <i>Coleus amboinicus</i> Lour.) Lamiaceae	C	Herb	Java: Patil, 2003.
44.	Dhanyaka	<i>Coriandrum sativum</i> Linn. Apiaceae	C	Herb	(i) South Europe: Bailey, 1949; Gaikwad & Garad, 2015. (ii) Mediterranean Region: Shetty & Singh, 1987.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
45.	Methika	<i>Trigonella foenum-graecum</i> Linn. Papilionaceae	C	Herb	(i) South Europe: Patil, 1995; Shetty & Singh, 1987. (ii) Asia (Excl. India) & Europe: Kaul, 1986.
46.	Puthiha	<i>Mentha spicata</i> Linn. Lamiaceae	C	Herb	(i) Europe: Patil, 2003; Yadav & Sardesai, 2002. (ii) Europe & North America: Stewart, 1972. (iii) South-Western Europe: Wilson, 1994.
47.	Ushira	<i>Vetiveria zizanoides</i> Poaceae	W	Herb	China: Medakkar & Sharma, 2016c.
48.	Mushta	<i>Cyperus rotundus</i> Linn. Cyperaceae	W	Herb	(i) Tropical Africa: Debnath & Debnath, 2017. (ii) Europe: Panda <i>et al.</i> , 2018; Kaul, 1986.
49.	Vacha	<i>Acorus calamus</i> Linn. Araceae	C	Herb	(i) Southern Asia, Central & Western North America: Novak, 1966. (ii) Europe: Almeida, 2009.
50.	Sharpunka	<i>Tephrosia purpurea</i> Pers. Papilionaceae	W	Shrub	Pantropical: Singh & Srivastava, 2000.
51.	Swarnakshiri	<i>Argemone mexicana</i> Linn. Papaveraceae	W	Herb	(i) Central America: Reddy, 2008. (ii) America: Chandra Sekar, 2012. (iii) Mexico: Lesley, 2020. (iv) America: Sorenson, 2005.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
52.	Krishna-beeja	<i>Ipomoea nil</i> (Linn.) Roth Convolvulaceae	W	Climber	(i) North America: Wagh & Jain, 2015; Matthew, 1991. (ii) Tropical America, Asia & Africa: Almeida, 2001.
53.	Aswagola	<i>Plantago ovata</i> Forssk. Plantaginaceae	W	Herb	Eurasia: Narasimhan <i>et al.</i> , 2009.
54.	Arka	<i>Calotropis gigantea</i> (Linn.) R.Br. Asclepiadaceae	W	Shrub	Tropical Africa: Reddy, 2008; Chandra Sekar, 2012.
55.	Snuhi	<i>Euphorbia ligularia</i> Roxb. (Syn.E.nerrifolia Linn.) Euphorbiaceae	W	Shrub	Africa: Naik, 1998.
56.	Eranda	<i>Ricinus communis</i> Linn. Euphorbiaceae	C	Tree	(i) Tropical Africa: Yadav & Sardesai, 2002. (ii) Africa: Bailey, 1949. (iii) Greece & North Africa: Almeida, 2003. (iv) North-East Tropical Africa: Matthew, 1991.
57.	Durva	<i>Cynodon dactylon</i> Pers. Poaceae	W	Herb	Tropical Africa: Debnath & Debnath, 2017; Wagh & Jain, 2015.
58.	Lajjalu	<i>Mimosa pudica</i> Linn. Mimosaceae	C	Shrub	(i) South America: Ridley, 1930. (ii) Brazil: Shetty & Singh, 1987; Chandra Sekar, 2012.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
59.	Gorakshaganja	<i>Aerva lanata</i> (L.) Juss. ex Schult. Amaranthaceae	W	Herb	(i) Madagascar: Sheikh & Dixit, 2017. (ii) Tropical America: Singh & Inam, 2015. (iii) Southern Asia & Malaysia: Hewson & Thompson, 1993.
60.	Madhuka	<i>Glycyrrhiza glabra</i> Linn. Papilionaceae	C	Herb	Arabia, Persian Gulf, Afghanistan, Asia Minor & Siberia: Sawant <i>et al.</i> , 2016.
61.	Mudgaparni	<i>Vigna trilobata</i> (L.) Verdec. (Syn. <i>Phaseolus trilobus</i> Ait.) Papilionaceae	W	Herb	Afro-Asian: Naik, 1998.
62.	Mashaparni	<i>Teramnus labialis</i> Spreng. Papilionaceae	W	Herb	Pantropical: Singh & Srivastava, 2000.
63.	Tila	<i>Sesamum orientale</i> L. (Syn. <i>S.indicum</i> Linn.) Pedaliaceae	C	Herb	Africa: Dogra, 2011.
64.	Garjara	<i>Daucus carota</i> Linn. Apiaceae	C	Herb	(i) Europe: Patil, 2003; Yadav & Sardesai, 2002. (ii) Europe & North Africa: Shetty & Singh, 1987. (iii) Europe & Temperate Asia: De Candolle, 1959.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
65.	Bhudughika	<i>Euphorbia thymifolia</i> Linn. Euphorbiaceae	W	Herb	Tropical America: Rajagopal & Panigrahi, 1965; Titiek <i>et al.</i> , 2015.
66.	Parpata	<i>Fumaria indica</i> (Haussk.) Pugseley Fumariaceae	W	Herb	(i) Pakistan & Afghanistan: Negi & Hajra, 2007. (ii) North Temperate Region: Rajagopal & Panigrahi, 1965.
67.	Punarnava	<i>Boerhavia repens</i> var. <i>diffusa</i> (Linn.) Hook.f. Nyctaginaceae	W	Herb	(i) South Africa: Struwig & Siebert, 2013. (ii) Tropical Africa: Panda <i>et al.</i> , 2018.
68.	Kumari	<i>Aloe vera</i> (L.) Burm.f. Liliaceae	C	Herb	(i) North America: Patil, 2003; Naik, 1998. (ii) America: Yadav & Sardesai: 2002. (iii) Mediterranean Region: Bailey, 1949.
69.	Mundi	<i>Sphaeranthus senegalensis</i> DC. Asteraceae	W	Herb	Africa: Kshirsagar, 2005.
70.	Kasamarda	<i>Cassia occidentalis</i> Linn. Caesalpiniaceae	W	Herb	South America: Patil, 2003; Chandra Sekar, 2012.
71.	Apamarga	<i>Achyranthes aspera</i> Linn Amaranthaceae	W	Herb	(i) Tropics: Medakkar & Sharma, 2016. (ii) South-East Africa and/or Africa: Singh <i>et al.</i> , 2015.
72.	Dronpushpi	<i>Leucas cephalotus</i> (Roth.) Spr. Lamiaceae	W	Herb	South Africa: Sheikh & Dixit, 2017.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
73.	Manaka	<i>Alocasia indica</i> (Lour.) Koch. Araceae	C	Herb	(i) Malay & China: Almeida, 2009. (ii) Malaya: Bailey, 1949.
74.	Mulaka	<i>Raphanus sativus</i> Linn. Brassicaceae	W	Herb	(i) Western Asia: Purseglove, 1968. (ii) China, Japan & West Asia: Voight, 1845. (iii) Europe & Temperate Asia: Patil, 1995. (iv) Europe: John, 1891.
75.	Tanduliya	<i>Amaranthus spinosus</i> Linn. Amaranthaceae	W	Herb	(i) Tropical America: Patil, 1995; Chandra Sekar, 2012. (ii) Probably Tropical Region of New World: Hewson & Thompson, 1993.
76.	Ahiphena	<i>Papaver somniferum</i> L. Papaveraceae	C	Herb	(i) Mediterranean Countries & Middle East: Shetty & Singh, 1987. (ii) Europe: Stewart, 1972. (iii) Probably Eurasia: Wilson, 1994.
77.	Dhattura	<i>Datura metel</i> Linn. Solanaceae	C	Herb	Tropical America: Srivastava, 1964; Chandra Sekar, 2012.
78.	Bhang	<i>Cannabis sativa</i> Linn. Cannabinaceae	W	Herb	(i) Central Asia: Chandra Sekar, 2012. (ii) Caspian Sea Region & Caucasus Mountains: Watt, 1908.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
79.	Kasha	<i>Saccharum spontaneum</i> Linn. Poaceae	W	Herb	Tropical West Asia: Reddy, 2008; Chandra Sekar, 2012.
80.	Darbha	<i>Imperata cylindrica</i> Beauv. Poaceae	W	Herb	(i) Tropical America: Reddy, 2008. (ii) Asia (Excl. India) & Europe: Kaul, 1986. (iii) Tropical Asia: Titiek <i>et al.</i> , 2015. (iv) Africa: Almeida, 2009.
81.	Rohisha	<i>Cymbopogon martini</i> (Roxb.) Wats. Poaceae	W	Herb	(i) Afro-Asian: Naik, 1998. (ii) Africa: Yadav & Sardesai, 2002.
82.	Bhutruna	<i>Hyptis suaveolens</i> (L.) Poit. Lamiaceae	W	Herb	Tropical America: Reddy, 2008; Patil, 2003; Naik, 1998.
83.	Chandreshura	<i>Lepidium sativum</i> L. Brassicaceae	C	Herb	(i) West Asia: Bailey, 1949. (ii) Asia (Excl. India): Stewart, 1972.
84.	Ashwabala	<i>Medicago sativa</i> L. Papilionaceae	C	Herb	(i) Africa & Europe: Dar <i>et al.</i> , 2002. (ii) West Temperate Asia: Patil, 1995, 2003. (iii) Western Asia & Mediterranean Region: Novak, 1966.
85.	Karpasi	<i>Gossypium herbaceum</i> L. Malvaceae	C	Herb	(i) Arabia & Asia Minor: Bailey, 1949. (ii) Africa & Asia: Purseglove, 1968.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
86.	Avartaki	<i>Cassia auriculata</i> Linn. Caesalpiniaceae	W	Shrub	Tropical America: Charan & Singh, 2018.
87.	Akashvalli	<i>Cassytha filiformis</i> Linn. Lauraceae	W	Climber	Tropical South America: Reena & David, 20230
88.	Matsyakshi	<i>Alternanthera sessilis</i> (Linn.) R.Br. Amaranthaceae	W	Herb	(i) Central America: Panda <i>et al.</i> , 2018. (ii) Tropical America: Veerasamy & Arumugan, 2014; Chandra Sekar, 2012.
89.	Tilaparni	<i>Cleome viscosa</i> Linn. Capparidaceae	W	Herb	(i) Tropical America: Reddy, 2008; Wagh & Jain, 2018. (ii) Central America: Panda <i>et al.</i> , 2018.
90.	Jalapippali	<i>Phyla nodiflora</i> Greene. (Syn. <i>Lippia nodiflora</i> Mich.) Verbenaceae	W	Herb	South America: Stewart, 1972.
91.	Jalakumbhi	<i>Pistia stratiotes</i> Linn. Araceae	W	Herb	(i) Tropical America: Reddy, 2008. (ii) South America: Lesley, 2020.
92.	Shaivala	<i>Ceratophyllum demersum</i> Linn. Ceratophyllaceae	W	Herb	(i) Tropical America: Chandra Sekar, 2012. (ii) America: Kak, 1990; Yadav & Sardesai, 2002. (iii) Asia & Tropical Africa: Almeida, 2003.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
93.	Barbari	<i>Ocimum basilicum</i> Linn. Lamiaceae	C	Shrub	(i) Persia: Pullaiah <i>et al.</i> , 2011. (ii) Afro-Asian: Patil, 2003.
94.	Saireyaka	<i>Barleria prionitis</i> Linn. Acanthaceae	C	Shrub	Tropical Africa: Medakkar & Sharma, 2016a.
95.	Irimed	<i>Vachellia farnesiana</i> (L.) Wight & Arn. (Syn. <i>Acacia farnesiana</i> Willd.) Mimosaceae	W	Tree	(i) Tropical South Africa: Reddy, 2008. (ii) Australia, Africa, Mexico & Texas: Graf, 1980. (iii) Australia: Chandra Sekar, 2012. (iv) Central America: Rania & Rim, 2021.
96.	Kinihi	<i>Albizia procera</i> (Roxb.) Benth. Mimosaceae	C	Tree	(i) South-East Asia & Australia: Singh <i>et al.</i> , 2015. (ii) Australia: Lesley, 2020.
97.	Palankya	<i>Spinacea oleracea</i> Linn. Polygonaceae	C	Herb	(i) Persia: De Candolle, 1959. (ii) Persia & Arabia: Jadhav, 2012. (iii) Asia (Excl. India): Dar <i>et al.</i> , 2002
98.	Brihaloni	<i>Portulaca oleracea</i> L. Brassicaceae	W	Herb	(i) Tropical South America: Reddy, 2008; Chandra Sekar, 2012. (ii) Africa & South America: Kaul, 1986. (iii) North Africa: Rajagopal & Panigrahi, 1965.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
99.	Kalambika	<i>Ipomoea aquatica</i> Forssk. Convolvulaceae	W	Climber	(i) China: Debnath & Debnath, 2017. (ii) Paleotropical: Singh & Srivastava, 2000.
100.	Lonika	<i>Portulaca quadrifida</i> Linn. Portulaceae	W	Herb	Tropical South America: Reddy, 2008; Chandra Sekar, 2012.
101.	Patragobi	<i>Brassica oleracea</i> var. <i>capitata</i> L. Linn. Brassicaceae	W	Herb	(i) Europe: Dar <i>et al.</i> , 2002. (ii) Western Europe & North Mediterranean Region: Chauhan, 1972.
102.	Chanchuka	<i>Corchorus aestuans</i> L. Tiliaceae	W	Herb	(i) America: Yadav & Sardesai, 2002. (ii) Tropical America: Patil, 2003. (iii) Central America: Panda <i>et al.</i> , 2018. (iv) South America: Singh & Inam, 2015.
103.	Pushpagdhi	<i>Brassica olercea</i> Linn. var. <i>botrytis</i> L. Portulacaceae	C	Herb	(i) Europe: Dar <i>et al.</i> , 2002. (ii) Greece To Great Britain, Cyperus, South Europe & Mediterranean Region: Chauhan, 1972.
104.	Shigru	<i>Moringa oleifera</i> Lam. Moringaceae	C	Tree	America: Singh & Srivastava, 2000.
105.	Agastha	<i>Sesbania grandiflora</i> (L.) Poir. Papilionaceae	C	Tree	Indonesia: Patil, 1995; Shetty & Singh, 1987.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
106.	Shalmalil	<i>Bombax ceiba</i> L. Bombacaceae	W	Tree	(i) America & Australia: Mukhopadhyay & Chakraverty, 2008. (ii) Brazil to Argentina: Singh <i>et al.</i> , 2015. (iii) Africa: Gaikwad & Garad, 2015.
107.	Alabu	<i>Lagenaria ciceraria</i> (Mol.) Standl. Cucurbitaceae	C	Climber	Africa: Singh & Nigam, 2017.
108.	Chinchida	<i>Trichosanthes anguina</i> Linn. Cucurbitaceae	C	Climber	Tropical Asia: John, 1891.
109.	Mahakoshataki	<i>Luffa cylindrica</i> (Linn.) M.J.Roem Cucurbitaceae	C	Climber	Egypt: John, 1891.
110.	Koshataki	<i>Luffa acutangula</i> (Linn.) Roxb. Cucurbitaceae	C	Climber	Tropical Asia: John, 1891.
111.	Bimbi	<i>Coccinia grandis</i> (L.) Voight Cucurbitaceae	W,C	Climber	Africa: Medakkar & Sharma, 2016a.
112.	Vartaka	<i>Solanum melongena</i> L. Solanaceae	C	Shrub	(i) East Indies: Singh, <i>et al.</i> , 2001. (ii) America: Gaikwad & Garad, 2015.
113.	Masha-shimbi	<i>Vigna unguiculata</i> (Linn.) Walp. Papilionaceae	C	Climber	(i) West Central Africa: Singh & Nigam, 2017. (ii) Central Africa: Patil, 2019a.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
114.	Gopa-shimpi	<i>Cyamopsis tetragonoloba</i> (Linn.) Taub. Papilionaceae	C	Herb	Africa: Patil, 2019a.
115.	Reeta-kushamanda	<i>Cucurbita maxima</i> Duch ex Lam. Cucurbitaceae	C	Climber	(i) South America: Dar <i>et al.</i> , 2002. (ii) Central America: Singh & Nigam, 2017.
116.	Rakta-vrintaka	<i>Lycopersicon lycopersicum</i> (L.) Karsten. Solanaceae	C	Herb	(i) Tropical America: Chauhan, 1972. (ii) Mexico & South America: Gaikwad & Garad, 2015. (iii) South America: Novak, 1996. (iv) Central South America: Yadav & Sardesai, 2002.
117.	Alooka	<i>Solanum tuberosum</i> Linn. Solanaceae	C	Climber	(i) America: Gaikwad & Garad. (ii) Andes: Purseglove, 1968. (iii) South America: Stewart, 1972. (iv) Mexico: Peru & Chile, Novak, 1966.
118.	Alooki	<i>Colocasia esculenta</i> (L.) Schott. Araceae	C	Shrub	(i) Brazil: Graf, 1980. (ii) Probably Tropical Asia: Lesley, 2020. (iii) Greece, Asia minor, Syria, Brazil & Jamaica: Almeida, 2009.
119.	Sitalooka	<i>Ipomoea batatas</i> (Linn.) Lam. Convolvulaceae	C	Climber	(i) Central America: Novak, 1966. (ii) America: Patil, 1998; Singh <i>et al.</i> , 1991.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
120.	Moolaka	<i>Raphanus sativus</i> Linn. Brassicaceae	C	Herb	(i) Western Asia: Purseglove, 1968. (ii) Europe: John, 1891. (iii) China, Japan & West Asia: Patil, 1995; Singh <i>et al.</i> , 1991.
121.	Garjara	<i>Daucus carota</i> Linn. Apiaceae	C	Herb	(i) Europe: Patil, 2003; Yadav & Sardesai, 2002. (ii) Europe & North Africa: Shetty & Singh, 1987. (iii) Europe & Temperate Asia: De Candolle, 1959.
122.	Shalayami	<i>Brassica rapa</i> Linn. Brassicaceae	C	Herb	(i) Central & Southern Europe: Purseglove, 1968. (ii) Eurasia: Gulden <i>et al.</i> , 2008.
123.	Amrataka	<i>Spondias pinnata</i> Linn. f. Anacardiaceae	C	Tree	Tropical Asia: Martin <i>et al.</i> , 1987.
124.	Naranga	<i>Citrus reticulata</i> Blanco Rutaceae	C	Tree	(i) Philippines: Almeida, 1996. (ii) Asia (Excl. India): Stewart, 1972.
125.	Tooda	<i>Morus alba</i> Linn. Moraceae	C	Tree	(i) China: Lesley, 2020. (ii) Probably China: Talbot, 1909-1911.
126.	Madhukarkati	<i>Citrus maxima</i> (Burm.) Merr. Rutaceae	C	Tree	(i) Malaysia: Debnath & Debnath, 2017. (ii) Probably South-East Asia: Hajra <i>et al.</i> , 1997.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
127.	Jambeera	<i>Citrus limon</i> (Linn.) Burm. f. Rutaceae	C	Tree	South-East Asia: Yadav & Sardesai, 2002.
128.	Nimbuka	<i>Citrus aurantifolia</i> (Christm. & Panz.) Swingle Rutaceae	C	Tree	(i) Malaya: Singh <i>et al.</i> , 2000. (ii) Guiana: Almeida, 1996. (iii) Malaysia: Yadav & Sardesai, 2002.
129.	Karmaranga	<i>Averrhoa carambola</i> L. Averrhoaceae	C	Tree	Tropical America: Gaikwad & Garad, 2015.
130.	Moshambi	<i>Cirus sinensis</i> (Linn.) Osb. Rutaceae	C	Tree	(i) China: Sinigh <i>et al.</i> , 2000. (ii) Asia (Ecal. India): Stewart, 1972. (iii) South China: Mukhopadhyay & Chakraverty, 2008.
131.	Phalgu	<i>Ficus carica</i> Linn. Moraceae	C	Tree	(i) Syria & Palestine: Naik, 1998. (ii) Mediterranean Region; Gaikwad & Garad, 2015. (iii) Europe: Dar <i>et al.</i> , 2002.
132.	Pishita	<i>Pistacia vera</i> L. Anacardiaceae	C	Tree	West Asia: Singh & Saxena, 2015.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
133.	Kaajitaka	<i>Anacardium occidentale</i> Linn. Anacardiaceae	C	Tree	(i) Tropical America: Patil, 1995, 2003. (ii) America: John, 1891. (iii) Brazil: Janick, 2013. (iv) America: Sorenson, 2005.
134.	Amaruta	<i>Psidium guajava</i> L. Myrtaceae	C	Tree	(i) Tropical America: Patil, 2003. (ii) Mexico: Shetty & Singh, 1987. (iii) Mexico, Central & South America & West Indies, Lesley, 2020.
135.	Erandkarkati	<i>Carica papaya</i> Linn. Caricaceae	C	Tree	(i) Tropical America: Patil, 2003; Bailey, 1949. (ii) West Indies & Central America: Shetty & Singh, 1987.
136.	Sitaphalam	<i>Annona squamosa</i> Linn. Annonaceae	W,C	Shrub	(i) Tropical America: Patil, 2003. (ii) West Indies: Talbot, 1909-1911.
137.	Litchi	<i>Nephelium chinensis</i> (Lour.) Almeida (Syn. <i>Litchi chinensis</i> Gaertn.) Sapindaceae	C	Tree	(i) China: Bailey, 1949; Negi & Hajra, 2007. (ii) South China: Talbot, 1909-1911.
138.	Badara	<i>Ziziphus mauritiana</i> Lam. Rhamnaceae	C	Tree	(i) Tropics & Warm Subtropics: Martin <i>et al.</i> , 1987. (ii) Australia: Veerasamy & Arumugan, 2014.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
139.	Kalindana	<i>Citrullus lanatus</i> (Thunb.) Mats. & Nakai Cucurbitaceae	C	Climber	(i) South Africa: Patil, 2003. (ii) Tropical Africa: Shetty & Singh, 1987. (iii) Africa: Stewart, 1972.
140.	Kharbuja	<i>Cucumis melo</i> L. var. <i>melo</i> Cucurbitaceae	C	Climber	(i) Asia (Excl. India): Stewart, 1972. (ii) Asia: Singh & Nigam, 2017.
141.	Tala	<i>Borassus flabellifer</i> Linn. Arecaceae	C	Tree	Tropical Asia: Reddy. 2008; Cooke, 1958. Chadra Sekar, 2012.
142.	Prachinmalaka	<i>Flacourтия jangomas</i> (Lour.) Raeusch. Flacourtiaceae	C	Tree	Tropical Asia: Martin <i>et al.</i> , 1987.
143.	Lavali	<i>Phyllanthus acidus</i> (L.) K.Skeels [Syn. <i>Cicca acida</i> (Linn.) Merr.] Euphorbiaceae	C	Tree	(i) Malay Islands & Madagascar: Patil, 2003. (ii) North East Brazil: Matthew, 1991.
144.	Yava	<i>Hordeum vulgare</i> L. Poaceae	C	Herb	(i) Ethiopia: Fekadu <i>et al.</i> , 2021a. (ii) Fertile Crescent: Badr <i>et al.</i> , 2000.
145.	Godhuma	<i>Triticum aestivum</i> L. Poaceae	C	Herb	Fertile Crescent: Singh & Nigam, 2017.
146.	Madhulika	<i>Eleusine coracana</i> (L.) Gaertn. Poaceae	C	Herb	(i) Africa: Singh & Nigam, 2017. (ii) Tropical Africa: Gaikwad & Garad, 2015.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
147.	Kangu	<i>Setaria italica</i> (Linn.) Beauv. Poaceae	C	Herb	(i) Near East (China): Singh & Nigam, 2017. (ii) East Asia: Naik, 1998.
148.	Chinaka	<i>Panicum miliaceum</i> Linn. Poaceae	C	Herb	(i) Asia (Excl. India): Kaul, 1986. (ii) Transcaucasia & China: Singh & Nigam, 2017.
149.	Kodrava	<i>Paspalum scrobiculatum</i> Linn. Poaceae	W,C	Herb	Tropical Africa: Singh & Nigam, 2017.
150.	Gaveduka	<i>Coix lachrymba-jobi</i> Linn. Poaceae	W	Herb	Tropical Asia: Singh <i>et al.</i> , 2015.
151.	Rajashimbi	<i>Glycine max</i> (L.) Merr. Papilionaceae	C	Herb	(i) South-East Asia: Shetty & Singh, 1987. (ii) Asia (Excl. India): Dar <i>et al.</i> , 2002.
152.	Masura	<i>Lens vulinaris</i> Medic. Papilionaceae	C	Herb	(i) Central Europe, Mediterranean Region & West Asia: Patil, 1995. (ii) Mediterranean Region & West Asia: Shetty & Singh, 1987.
153.	Adhaki	<i>Cajanus cajan</i> (Linn.) Millsp. Papilionaceae	C	Shrub	Tropical Africa: De Candolle, 1959; Gaikwad & Garad, 2015.
154.	Chanaka	<i>Cicer arietinum</i> L. Papilionaceae	C	Herb	(i) Mediterranean Region: Shetty & Singh, 1987. (ii) South Europe: Patil, 1990.

Sr. No. (1)	Sanskrit Plant Name (2)	Botanical Name & Family (3)	Cultivated (C)/ Wild (W) (4)	Habit (5)	Nativity & Reference (6)
155.	Kalaya	<i>Lathyrus sativus</i> Linn. Papilionaceae	C	Herb	(i) Balkan Peninsula: Kislev, 1989. (ii) Southern Europe & Western Asia:
156.	Atasi	<i>Linum usitatissimum</i> L. Linaceae	C	Herb	(i) Mediterranean Region: De Candolle, 1959. (ii) Europe: Dar <i>et al.</i> , 2002.
157.	Rajika	<i>Brassica juncea</i> L. Brassicaceae	C	Herb	(i) Middle East & Neighboring Region: Prakash, 1980. (ii) Eastern Europe & China: Spect & Dierichson, 2001. (iii) Tibet: Medakkar & Sharma 2016.
158.	Kusumba	<i>Carthamus tinctorius</i> Linn. Asteraceae	C	Herb	(i) West Asia: Yadav & Sardesai, 2002. (ii) South-West Asia; Patil, 2003; Cooke, 1958.
159.	Japa	<i>Hibiscus rosasinensis</i> L. Malvaceae	C	Shrub	(i) China: Patil, 1995, 2003. (ii) Sino-Japanese: Singh & Srivastava, 2000.