A REVIEW OF USE OF IOT INTHE CREATION OF SMART TRANSPORTATION

Om Prakash, Assistant Professor, Department of Computer Applications, Galgotias University

ABSTRACT

Along with the growth of the Internet of Things (IoT), apps have gotten smarter and linked appliances in every part of a contemporary city may be exploited. As the acquired data volume rises, Machine Learning (ML) approaches are used to boost intelligence and application capabilities. Intelligent transport attracted many researchers and was tackled using both ML and IoT approaches. Smart transport is considered an umbrella term for road-optimization, parking, street lighting, accident prevention/detection, road anomalies and infrastructure applications in this assessment. This study aims to conduct an independent analysis of ML approaches and IoT applications in Intelligent Transport Systems (ITS) and to acquire a comprehensive overview of the developments in the sectors listed above and to identify probable requirements for coverage. The papers evaluated show that there is a probable shortage of ML coverage for Smart Lighting Systems and Smart Parking. In addition, road optimisation, parking and accident/detection tend to be among academics' most favoured ITS applications.

KEYWORDS: IOT, Transportation, Smart, Machine Learning

INTRODUCTION

Applications based on mobile devices, sensors and actuators have gotten smarter during the past decade, allowing communication between devices and the performance of complicated tasks. The number of connected devices exceeded the world population in 2008 and continues to increase quickly till present. Smart phones, embedded systems, wireless sensors and almost all electronics are linked to a local network or the internet, which is the time of the Internet of Things (IoT). The quantity of data acquired by these devices is also rising as the number of devices is expanding. New applications develop to analysis of data for meaningful connections and judgments leading to the use of Machine Learning (ML) algorithms in Artificial Intelligence (AI).

Each linked device is taken into account in IoT terminology. It generally consists of physical sensors, actuators and an embedded microprocessor system. Things have to be communicated and machine-to-machine (M2M) communication has to be created. Communication may be in short distances through WiFi, Bluetooth, ZigBee, WiFi, LoRa, Sigfox, CAT M1, NB-IoT, GSM, GPRS, 3G, 4G, LTE, and 5G mobile networks. Because of the large use of IoT devices in all sorts of daily applications, the cost of IoT devices is important to maintain. In addition, IoT devices should also be able to execute basic activities such as data collecting, M2M communication and, depending on an application, even some preprocessing of the data. Therefore, it is necessary to strike a balance between costs, processing power and energy in the design or selection of an IoT device. IoT is also strongly connected to "big data" since IoT devices gather and share large numbers of information continually. Thus, an IoT infrastructure frequently

uses techniques for handling, storing, and analysing massive data. The utilisation of an IoT platform (such Kaa, Thingsboard, Deviceshive, Thingspeak, or Mainflux) to facilitate the M2M communication has become widespread practise using protocols like as MQTT, AMQP, STOMP, CoAP, XMPP, and HTTP. IoT solutions also include monitoring, node administration, data storage and analysis, customizable data-driven policies, etc. Depending on the application, some processing of data in the IoT devices is sometimes needed in lieu of some centralised node as it is in the "cloud computing" architecture. So, when the processing transfers partly to the end network parts, a new computer model termed "edge computing" is established. Since these devices are mostly low-end, however, they may not be ideal for intensive processing workloads. Therefore, an intermediate node with appropriate capacity is needed that is capable of handling advanced processing tasks positioned geographically near the terminal network components so that the overload produced by the enormous transmission of all the data to certain central nuclei is minimised. The answer was introduced by the "Fog nodes." Fog nodes enable IoT devices handle large data via storage, processing and networking services. Finally, data are saved on cloud servers, where they may be analysed using different ML approaches and shared with other devices, leading to the development of smart apps with enhanced added value.

MACHINE LEARNING

No new idea is Machine Learning (ML). ML has intimate relationships with artificial intelligence (AI). AI becomes through ML viable. Computers learn to execute tasks like categorization, clustering, predictions, pattern recognition, etc with ML. To archive the learning process, systems are taught to examine sample data using different algorithms and statistical models.The sampling data is generally marked by measurable properties called features and an ML algorithm tries to identify a link between functions and certain output values known as labels. The information gathered at the training stage is then utilised to discover patterns or to make judgments on the basis of fresh data. ML is appropriate for tasks like regression, classification, clustering and derivation of association rules.

IOT AND MACHINE LEARNING

IoT connects devices, communicates and collects a vast quantity of information each day. IoT devices may be designed to activate certain actions in numerous applications, depending either on certain specified circumstances or on feedback from the data obtained. However, human interaction is necessary to evaluate the data obtained and extract relevant information and construct smart applications. IoT devices need to be independent not just in collecting data and communicating with other devices. You must be able to make contextual judgments and learn from your data acquired. This need resulted in the development of the phrase "cognitive IoT" (CIoT).. Intelligent IoT devices are also required to construct automated smart apps with automatic resource allocation, communication, and network operations. The use of ML algorithms in an IoT infrastructure may significantly enhance the applications or the infrastructure itself. ML may be employed to optimise the network, prevent congestion and optimise resources allocations, but also to analyse and decide on data in real-time or offline.

SMART TRANSPORTATION

With the expansion of IoT technology, new applications are generated to improve the lives of people. Cities are being constructed for "smarter" and intelligent city applications to progress the newest technology developments. Transport systems begin to "feel" and think," leading to the development of intelligent transport systems by introducing IoT in the sphere of transport (ITS). Intelligent transport has drawn the attention of many researchers, since several possibilities for additional improvements exist. Navigation or route optimization is one of the most important topics of interest in smart transport. By using mobile user data or side units installed on certain road places, programmes attempt to assess traffic congestion and provide ideal route alternatives, thereby reducing vehicle emissions and energy usage to decrease trip times. In addition, to help reduce energy usage, street lights are planned that can detect traffic conditions and function in accordance with them rather than being continuously on time. IoT devices were also commonly employed for the creation of smart parking systems.. Researchers have suggested novel parking reservation systems using cameras or other wireless sensors such as magnetic fields or IR sensors that provide maximum parking availability and capacity and decrease the search time. Furthermore, devices have been suggested that identify irregularities of road surface based on data from sensors connected to automobiles or driver's telephones. Accidents might perhaps be prevented by identifying unfavourable road conditions. Efforts were also made to identify or prevent IoT devices in vehicle accidents. Finally, the communication option of the IoT M2M enabled vehicle communication and social networks to be developed, where cars may share important information with each other and provide many more possibilities for new applications.

CONCLUSION

There has been a review on Machine Learning and the Internet of Things Techniques used for smart transport applications. This research underlined the fact that for intelligent transport applications a large range of machine-learning algorithms have been suggested and assessed to show that the kind and size of IoT data in these applications is perfect for ML exploitation. Due to the present IoT and ML applications and infrastructure, a fairly little ML coverage is found for the smart lighting and parking applications. Therefore, further coverage in these fields from the ML viewpoint is definitely needed in the future. In relation to the IoT techniques in the ITS application categories, the most popular among them has shown route optimisation, parking and accident prevention / detection. In light of the difficulties addressed by intelligent transportation applications, certain common topics of interest were found in this assessment. These include: measures for the environment, transport financing, human security and time saving. In addition, considerable progress already made with IoT and ML in the area of intelligent transport has been obvious, while much greater development on this issue is predicted in the next years. Therefore, as the number of IoT devices increases, ML may develop a wide variety of relevant applications.

REFERENCES

1. Anam, H., Habib, A., Jafri, S. I., Amin, Y., & Tenhunen, H. (2017). Directly printable frequency signatured chipless RFID tag for IoT applications. *Radioengineering*, *26*(1), 139–146. https://doi.org/10.13164/re.2017.0139

2. Colella, R., Catarinucci, L., & Tarricone, L. (2016). Improved RFID tag characterization system: Use case in

the IoT arena. *2016 IEEE International Conference on RFID Technology and Applications, RFID-TA 2016*, 172–176. https://doi.org/10.1109/RFID-TA.2016.7750760

3. Fan, C., Wen, Z., Wang, F., & Wu, Y. (2012). A middleware of internet of things(iot) based on Zigbee and RFID. *IET Conference Publications*, *2011*(586 CP), 732–736. https://www.scopus.com/inward/record.uri?eid=2-s2.0-84864939256&partnerID=40&md5=48d6df2c9e0dd0aebcb7932fef789e55

4. Kubo. (2015). The research of IoT based on RFID technology. *Proceedings - 7th International Conference on Intelligent Computation Technology and Automation, ICICTA 2014*, 832–835. https://doi.org/10.1109/ICICTA.2014.199

5. Rekleitis, E., Rizomiliotis, P., & Gritzalis, S. (2014). How to protect security and privacy in the IoT: A policy-based RFID tag management protocol. *Security and Communication Networks*, *7*(12), 2669–2683. https://doi.org/10.1002/sec.400

6. Thakur, G., & Singh, G. (2017). Experimental investigation of heat transfer characteristics in Al2o3 – water based nanofluids operated shell and tube heat exchanger with air bubble injection. *International Journal of Mechanical and Production Engineering Research and Development*, *7*(4), 263–274. https://doi.org/10.24247/ijmperdaug201727

1. Aazam, M., & Huh, E.-N. (2015). Fog computing micro datacenter based dynamic resource estimation and pricing model for IoT. In X. F. E. T. P. J. H. Takizawa M. Barolli L. (Ed.), *Proceedings - International Conference on Advanced Information Networking and Applications, AINA* (Vols. 2015-April, pp. 687–694). Institute of Electrical and Electronics Engineers Inc. https://doi.org/10.1109/AINA.2015.254
2. Chen, M., Wan, J., & Li, F. (2012). Machine-to-machine communications: Architectures, standards and applications. *KSII Transactions on Internet and Information Systems*, *6*(2), 480–497. https://doi.org/10.3837/tiis.2012.02.002
3. Dastjerdi, A. V, Gupta, H., Calheiros, R. N., Ghosh, S. K., & Buyya, R. (2016). Fog Computing: Principles, architectures, and applications. In *Internet of Things: Principles and Paradigms*. Elsevier Inc. https://doi.org/10.1016/B978-0-12-805395-9.00004-6
4. Doukas, C., & Maglogiannis, I. (2012). Bringing IoT and cloud computing towards pervasive healthcare. *Proceedings - 6th International Conference on Innovative Mobile and Internet Services in Ubiquitous Computing, IMIS 2012*, 922–926. https://doi.org/10.1109/IMIS.2012.26
5. Fan, Y. J., Yin, Y. H., Xu, L. D., Zeng, Y., & Wu, F. (2014). IoT-based smart rehabilitation system. *IEEE Transactions on Industrial Informatics*, *10*(2), 1568–1577. https://doi.org/10.1109/TII.2014.2302583
6. Gia, T. N., Jiang, M., Rahmani, A.-M., Westerlund, T., Liljeberg, P., & Tenhunen, H. (2015). Fog computing in healthcare Internet of Things: A case study on ECG feature extraction. In J. S. L. L. C. R. A. H. J. M. G. G. N. W. Y. Atzori L. Jin X. (Ed.), *Proceedings - 15th IEEE International Conference on Computer and Information Technology, CIT 2015, 14th IEEE International*

Conference on Ubiquitous Computing and Communications, IUCC 2015, 13th IEEE International Conference on Dependable, Autonomic and Secure Computing, DASC 2015 and 13th IEEE International Conference on Pervasive Intelligence and Computing, PICom 2015 (pp. 356–363). Institute of Electrical and Electronics Engineers Inc. https://doi.org/10.1109/CIT/IUCC/DASC/PICOM.2015.51

7. He, D., & Zeadally, S. (2015). An Analysis of RFID Authentication Schemes for Internet of Things in Healthcare Environment Using Elliptic Curve Cryptography. *IEEE Internet of Things Journal*, *2*(1), 72–83. https://doi.org/10.1109/JIOT.2014.2360121
8. Hiremath, S., Yang, G., & Mankodiya, K. (2015). Wearable Internet of Things: Concept, architectural components and promises for person-centered healthcare. *Proceedings of the 2014 4th International Conference on Wireless Mobile Communication and Healthcare - "Transforming Healthcare Through Innovations in Mobile and Wireless Technologies", MOBIHEALTH 2014*, 304–307. https://doi.org/10.1109/MOBIHEALTH.2014.7015971
9. Hossain, M. M., Fotouhi, M., & Hasan, R. (2015). Towards an Analysis of Security Issues, Challenges, and Open Problems in the Internet of Things. In Z. L.-J. Bahsoon R. (Ed.), *Proceedings - 2015 IEEE World Congress on Services, SERVICES 2015* (pp. 21–28). Institute of Electrical and Electronics Engineers Inc. https://doi.org/10.1109/SERVICES.2015.12
10. Minoli, D., Sohraby, K., & Occhiogrosso, B. (2017). IoT Considerations, Requirements, and Architectures for Smart Buildings-Energy Optimization and Next-Generation Building Management Systems. *IEEE Internet of Things Journal*, *4*(1), 269–283. https://doi.org/10.1109/JIOT.2017.2647881
11. Qi, J., Yang, P., Min, G., Amft, O., Dong, F., & Xu, L. (2017). Advanced internet of things for personalised healthcare systems: A survey. *Pervasive and Mobile Computing*, *41*, 132–149. https://doi.org/10.1016/j.pmcj.2017.06.018
12. Rahmani, A.-M., Thanigaivelan, N. K., Gia, T. N., Granados, J., Negash, B., Liljeberg, P., & Tenhunen, H. (2015). Smart e-Health Gateway: Bringing intelligence to Internet-of-Things based ubiquitous healthcare systems. *2015 12th Annual IEEE Consumer Communications and Networking Conference, CCNC 2015*, 826–834. https://doi.org/10.1109/CCNC.2015.7158084
13. Rajandekar, A., & Sikdar, B. (2015). A survey of MAC layer issues and protocols for machine-to-machine communications. *IEEE Internet of Things Journal*, *2*(2), 175–186. https://doi.org/10.1109/JIOT.2015.2394438
14. Rao, B. B. P., Saluia, P., Sharma, N., Mittal, A., & Sharma, S. V. (2012). Cloud computing for Internet of Things & sensing based applications. *Proceedings of the International Conference on Sensing Technology, ICST*, 374–380. https://doi.org/10.1109/ICSensT.2012.6461705
15. Ravi, D., Wong, C., Lo, B., & Yang, G.-Z. (2017). A Deep Learning Approach to on-Node Sensor Data Analytics for Mobile or Wearable Devices. *IEEE Journal of Biomedical and Health Informatics*, *21*(1), 56–64. https://doi.org/10.1109/JBHI.2016.2633287
16. Raza, S., Shafagh, H., Hewage, K., Hummen, R., & Voigt, T. (2013). Lithe: Lightweight secure

CoAP for the internet of things. *IEEE Sensors Journal*, *13*(10), 3711–3720. https://doi.org/10.1109/JSEN.2013.2277656

17. Tokognon A.C., J., Gao, B., Tian, G. Y., & Yan, Y. (2017). Structural Health Monitoring Framework Based on Internet of Things: A Survey. *IEEE Internet of Things Journal*, *4*(3), 619–635. https://doi.org/10.1109/JIOT.2017.2664072
18. Vermesan, O., & Friess, P. (2014). Internet of things applications: From research and innovation to market deployment. In *Internet of Things Applications: From Research and Innovation to Market Deployment*. River Publishers. https://www.scopus.com/inward/record.uri?eid=2-s2.0-85071892740&partnerID=40&md5=4221011e71133c5d1e9ee09f13de191c
19. Yang, Z., Zhou, Q., Lei, L., Zheng, K., & Xiang, W. (2016). An IoT-cloud Based Wearable ECG Monitoring System for Smart Healthcare. *Journal of Medical Systems*, *40*(12). https://doi.org/10.1007/s10916-016-0644-9
20. YIN, Y., Zeng, Y., Chen, X., & Fan, Y. (2016). The internet of things in healthcare: An overview. *Journal of Industrial Information Integration*, *1*, 3–13. https://doi.org/10.1016/j.jii.2016.03.004
21. Zhang, J., Tian, G. Y., Marindra, A. M. J., Sunny, A. I., & Zhao, A. B. (2017). A review of passive RFID tag antenna-based sensors and systems for structural health monitoring applications. *Sensors (Switzerland)*, *17*(2). https://doi.org/10.3390/s17020265
22. Zhang, K., Ni, J., Yang, K., Liang, X., Ren, J., & Shen, X. S. (2017). Security and Privacy in Smart City Applications: Challenges and Solutions. *IEEE Communications Magazine*, *55*(1), 122–129. https://doi.org/10.1109/MCOM.2017.1600267CM
23. Moosavi, S. R., Gia, T. N., Nigussie, E., Rahmani, A. M., Virtanen, S., Tenhunen, H., & Isoaho, J. (2016). End-to-end security scheme for mobility enabled healthcare Internet of Things. *Future Generation Computer Systems*, *64*, 108–124. https://doi.org/10.1016/j.future.2016.02.020
24. Moosavi, S. R., Gia, T. N., Rahmani, A.-M., Nigussie, E., Virtanen, S., Isoaho, J., & Tenhunen, H. (2015). SEA: A secure and efficient authentication and authorization architecture for IoT-based healthcare using smart gateways. In S. E. (Ed.), *Procedia Computer Science* (Vol. 52, Issue 1, pp. 452–459). Elsevier B.V. https://doi.org/10.1016/j.procs.2015.05.013
25. Nawir, M., Amir, A., Yaakob, N., & Lynn, O. B. (2017). Internet of Things (IoT): Taxonomy of security attacks. *2016 3rd International Conference on Electronic Design, ICED 2016*, 321–326. https://doi.org/10.1109/ICED.2016.7804660
26. Pang, Z., Zheng, L., Tian, J., Kao-Walter, S., Dubrova, E., & Chen, Q. (2015). Design of a terminal solution for integration of in-home health care devices and services towards the Internet-of-Things. *Enterprise Information Systems*, *9*(1), 86–116. https://doi.org/10.1080/17517575.2013.776118
27. Petajajarvi, J., Mikhaylov, K., Hamalainen, M., & Iinatti, J. (2016). Evaluation of LoRa LPWAN technology for remote health and wellbeing monitoring. *International Symposium on Medical Information and Communication Technology, ISMICT*, *2016-June*.

https://doi.org/10.1109/ISMICT.2016.7498898

28. Rodrigues, J. J. P. C., De Rezende Segundo, D. B., Junqueira, H. A., Sabino, M. H., Prince, R. M., Al-Muhtadi, J., & De Albuquerque, V. H. C. (2018). Enabling Technologies for the Internet of Health Things. *IEEE Access*, *6*, 13129–13141. https://doi.org/10.1109/ACCESS.2017.2789329

29. Roehrs, A., Da Costa, C. A., Da Rosa Righi, R., & De Oliveira, K. S. F. (2017). Personal health records: A systematic literature review. *Journal of Medical Internet Research*, *19*(1). https://doi.org/10.2196/jmir.5876

30. Rohokale, V. M., Prasad, N. R., & Prasad, R. (2011). A cooperative Internet of Things (IoT) for rural healthcare monitoring and control. *2011 2nd International Conference on Wireless Communication, Vehicular Technology, Information Theory and Aerospace and Electronic Systems Technology, Wireless VITAE 2011*. https://doi.org/10.1109/WIRELESSVITAE.2011.5940920