JETIR.ORG ISSN: 2349-5162 | ESTD Year : 2014 | Monthly Issue
JOURNAL OF EMERGING TECHNOLOGIES AND INNOVATIVE RESEARCH (JETIR)
An International Scholarly Open Access, Peer-reviewed, Refereed Journal

BLACK SOLDIER FLY BIOCONVERSION: AN ALTERNATIVE AND ECONOMICAL APPROCH TO MUNICIPAL ORGANIC WSTE MANAGEMENT

[1]Shubham D. Ambhore, [2]Amarsinh B. Landage
[1]Research scholar, [2]Assistant professor
[1] Construction Management, Government College of Engineering Karad, Maharashtra, India,
[2] Department of Civil Engineering, Government College of Engineering Karad, Maharashtra, India
Dist. Satara, Maharashtra, India

Abstract: Municipal finances are constantly strained by the ever-growing crisis of municipal solid waste (MSW) management. A significant portion of MSW is organic waste, which decomposes anaerobically in landfills, generating methane, a potent greenhouse gas that accelerates climate change. Traditional composting methods, while beneficial, often lack economic viability due to slow processing times and space requirements. This research explores Black Soldier Fly (BSF) larvae as a potential game-changer for municipalities seeking a cost-effective and environmentally friendly solution. BSF larvae are nature's decomposers, known for their rapid breakdown of various organic materials. This study focuses on the economic feasibility of establishing BSF farms specifically designed to process municipal organic waste. This aim of the research is to develop a comprehensive cost-benefit analysis, providing municipalities with a clear picture of BSF technology's potential to transform waste management. Beyond economic benefits, BSF farms have the potential to significantly reduce landfill methane emissions and promote a more sustainable waste management cycle.

***Index Terms* - Black Soldier Fly (BSF), Organic waste management, Municipal waste reduction, Sustainable waste management**

I. INTRODUCTION

The ever-growing mountains of municipal solid waste (MSW) pose a significant environmental and economic challenge (S. et al., 2019). A major portion of MSW comprises organic waste, which decomposes anaerobically in landfills, releasing methane, a potent greenhouse gas that accelerates climate change (Muhammad et al., 2022). Traditional composting methods, while helpful in diverting waste from landfills, often have limitations. These methods can be slow, requiring significant space and ongoing maintenance (Ucu et al., 2020). This research investigates an innovative solution with the potential to be both environmentally friendly and economically beneficial: Black Soldier Fly (BSF) larvae (Muhammad et al., 2021). These natural decomposers boast a remarkable ability to break down a wide range of organic materials rapidly and efficiently (Irfana et al., 2022). This study focuses on the economic viability of establishing BSF farms specifically designed to process municipal organic waste (Anni, Ismaria, & Fanira, 2021). By exploring the costs associated with setting up and operating a BSF farm, we also evaluate the potential revenue streams generated from valuable BSF products. These products include insect-based protein, a promising and sustainable alternative protein source for animal feed, and frass (residue), a high-quality fertilizer that can replenish nutrients in soil (Rena et al., 2022). Ultimately, this research has the potential to empower municipalities with a practical and profitable solution that diverts organic waste from landfills, reduces greenhouse gas emissions, and creates a circular waste management system (Novianti & Maulidya, 2022).

II. METHODOLOGY

This study employed a structured methodology to establish and evaluate a Black Soldier Fly (BSF) farm capable of processing 2 tons of municipal solid organic waste daily. The site selection process prioritized proximity to organic waste sources and suitability for BSF larvae breeding (Dave, Emil, & Bayu, 2022). Site preparation involved clearing, levelling, and setting up infrastructure such as larvae rearing bins and environmental controls. Design specifications were derived from industry best practices and consultations with BSF farm operators (Nur et al., 2022). Installation procedures included the procurement of equipment and BSF larvae from multiple suppliers to ensure cost-effectiveness and operational efficiency. Cost analysis encompassed initial setup costs, including infrastructure, equipment, and procurement of larvae and feedstock (Pastapure, Singh, & Kumar, 2022). Operational procedures were established, focusing on daily feeding schedules, monitoring larvae development, and managing waste through composting (Listya & Khasanah, 2022). Data collection included measuring waste decomposition rates, larvae growth, and financial metrics like revenue from selling larvae and compost (Navarro et al., 2023). The study highlights challenges faced during implementation and offers insights for optimizing the BSF farming process for large-scale organic waste management (Chin et al., 2022).

The following six stages outline the process of conducting data collection and analysis for evaluating the feasibility and profitability of the BSF farm. Each stage includes specific actions that gather the necessary data for later analysis, ensuring a complete evaluation (Markus et al., 2022):

1. Site Visits and Consultations
2. Supplier Engagement
3. Cost Analysis
4. Operational Data Collection
5. Revenue Estimation
6. Profitability Calculation

III. RESEARCH ANALYSIS

In this research, a comprehensive cost analysis was conducted to establish a Black Soldier Fly (BSF) farm, focusing on evaluating the various farm components, their quantities, and the current market values of these items. The study aimed to quantify the initial capital investment required for the infrastructure, equipment, and operational facilities necessary for effective municipal organic waste management using BSF larvae bioconversion. Each component necessary for the BSF farm, such as rearing containers, breeding areas, feedstock preparation zones, and waste processing units, was identified, and their quantities were assessed based on the scale of the operation aimed at processing 2 tons of organic waste per day. Current market values for the identified components were gathered by sourcing price quotations from various suppliers and vendors, ensuring that the most cost-effective and durable options were considered.

By compiling the costs of infrastructure, equipment, and operational facilities, the total initial capital investment required was calculated. This included not only the direct costs of purchasing equipment and constructing facilities but also ancillary costs such as transportation, installation, and initial training for personnel. Beyond the initial setup, ongoing operational costs, including feedstock acquisition, larvae maintenance, labour, and utilities, were estimated to provide a holistic view of the financial requirements of running the BSF farm. Additionally, the study explored the potential revenue streams from the BSF farm, such as the sale of larvae as animal feed, compost from residue, and other by-products. This analysis aimed to highlight the economic benefits and sustainability of the BSF bioconversion method in comparison to traditional waste management practices.

By conducting this detailed cost analysis, the research provides valuable insights into the financial feasibility of implementing BSF technology for organic waste management. The findings serve as a practical guide for municipalities and private entities considering the adoption of BSF larvae bioconversion as a sustainable solution for reducing organic waste, promoting environmental health, and generating economic value.

Table 1. BSF Farm Analysis Chart

Sr.No.	**Item**	**Quantity**	**Unit Price (INR)**	**Total Cost (INR)**
	Infrastructure and Area Requirements			
1	Rearing Containers	267 square meters	₹111.24	₹29,697.48
2	Waste Pre-processing	100 square meters	₹111.24	₹11,124
3	Composting Area	200 square meters	₹111.24	₹22,248
4	Conversion Area	150 square meters	₹111.24	₹16,686
5	Breeding Area	53.33 square meters	₹111.24	₹5,933.26
6	Administrative Area	37 square meters	₹111.24	₹4,110.88
7	Storage Area	127 square meters	₹111.24	₹14,133.48
	FENCING			
	(1) Fencing Costs			
8	Fencing Material	169 square meters	₹75 per square meter	₹12,675
9	Fence Posts	68 posts	₹150 per post	₹10,200
10	Chain Link Gate	1 gate	₹5,000	₹5,000
	(2) Concrete and Gravel Costs			
11	Concrete	2.856 cubic meters	₹5,000 per cubic meter	₹14,280
12	Gravel	6.8 cubic meters	₹1,200 per cubic meter	₹8,160

	(3) Hardware Costs			
13	Eye Bolts	204	₹10 per eye bolt	₹2,040
14	Bolts	204	₹5 per bolt	₹1,020
15	Drilling Cost	204 holes	₹2 per hole	₹408
16	Tie Wires	68 meters	₹15 per meter	₹1,020
17	Gate Hardware	1 set	₹1,500	₹1,500
	(4) BSF shelter			
18	Metal Beams	945 linear meters	₹100 per linear meter	₹94,500
19	Metal Columns	68 columns	₹200 per linear meter	₹40,800
20	Wire Mesh	2700 square meters	₹75 per square meter	₹202,500
21	Metal Roofing	1263 square meters	₹250 per square meter	₹315,750
22	Concrete Footings	81 footings	₹4,000 per cubic meter	₹162,000
	(5) Breeding cage			
23	PVC Pipes	171.2 meters	₹40	₹6,848
24	Fine Mesh or Netting	111.69 square meters	₹75	₹8,377
25	LED Lights	11 units	₹450	₹4,950
26	Corrugated Cardboard	571.43 square meters	₹25	₹14,286
27	Netting Patches	5.58 square meters	₹75	₹419
28	Adhesives	11.17 litters	₹225	₹2,513
29	Sewing Kit	3 kits	₹150	₹450
	Water supply and plumbing			
	(1) Water Supply			
30	Overhead Water Tank	1 unit (5,000 liters)	₹30,000	₹30,000
31	Piping (PVC or HDPE)	300 meters	₹100	₹30,000
32	Gate Valves	4 units	₹500/unit	₹2,000
33	Ball Valves	6 units	₹400/unit	₹2,400
34	Booster Pump	1 unit	₹15,000	₹15,000
35	Sediment Filter	1 unit	₹5,000	₹5,000
	(2) Sanitation			
36	Toilet Units	2 units	₹5,000/unit	₹10,000
37	Washbasins	2 units	₹3,000/unit	₹6,000
38	Septic Tank	1 unit	₹50,000	₹50,000
39	Drainage Pipes (PVC, 4")	50 meters	₹200/meter	₹10,000
40	**Hand Washing Stations**			
41	Sinks with Water Supply	2 units	₹2,500/unit	₹5,000
	(3) Cleaning Purposes			
42	Hose Pipes with Spray Nozzles	2 units	₹1,000/unit	₹2,000
43	Floor Drains with Grates	4 units	₹1,000/unit	₹4,000
	BSF tray number			
44	Trays	57	₹400	₹28000
	Waste Grinding/Shredding Equipment			

45	The double shaft organic waste shredding machine manufactured by Saratech Equipment's Pune	1 unit	125000	125000
	Signage and marking			
46	Main Entrance Sign	1	₹2,000	₹2,000
47	Boundary Markers	8	₹150	₹1,200
	(1) Section Signs			
48	Waste Collection Area	1	₹750	₹750
49	Processing Area	1	₹750	₹750
50	Larvae Rearing Area	1	₹750	₹750
51	Storage	1	₹750	₹750
	(2) Safety Signage			
52	Warning Signs	4	₹300	₹1,200
53	Emergency Exit Signs	2	₹400	₹800
54	First Aid Sign	1	₹400	₹400
55	Fire Safety Sign	1	₹400	₹400
56	Process Flow Charts	2	₹750	₹1,500
	Leachate Collection System			
57	Main Drainage Pipes (4-inch dia.)	150meter	₹250	₹37,500
58	Pipe Clamps and Connectors	100 units	₹50	₹5,000
59	Central Collection Tank	1 unit	₹20,000	₹20,000
	Personal Protective Equipment (PPE) Items			
60	Disposable Nitrile Gloves	26 pairs	₹12	₹312
61	Heavy-Duty Work Gloves	13 pairs	₹75	975
62	Disposable Masks	13 masks	₹8	₹104
63	Coveralls or Aprons	13 sets	₹350	4450
64	Rubber Boots	13 pairs	₹750	₹9750
65	Hand Sanitizer (500ml)	1 bottle	₹150	₹150 (monthly replacement)
66	Antibacterial Soap	-	₹30	₹30
67	First Aid Kit	1 kit	₹750	₹750
	Sieving Machine			
68	Circular 1hp vibro shifter machine gmp model, shivam industry	1	₹55000	₹55000
	Packing Material			
69	Packaging Bags	360	₹5	₹1800
70	Sealing Equipment	1	₹2000	₹2000
71	Weighing Scales	1	₹3000	₹3000
72	Labelling Materials	360	₹2	₹720
73	Label Printer	1	₹5000	₹5000
74	Handling Tools	2	₹500	₹1000
75	Storage Bins	7	₹1500	₹10500

IV. RESULT AND DISCUSSION

The implementation of a Black Soldier Fly (BSF) larvae-based system for managing municipal organic waste has been thoroughly analysed, revealing several key outcomes. This section outlines the financial investment required, the efficiency of the waste management process, and the broader environmental, economic, and community impacts associated with the BSF farm.

- **Investment Required:** ₹15,06,670.10 is needed for the installation of a BSF farm capable of processing 2 tons of organic waste per day.
- **Waste Management Efficiency:** The BSF farm efficiently converts 2 tons of organic waste daily into valuable by-products, significantly reducing the amount of waste that would otherwise end up in open dumps or landfills.
- **Environmental Benefits:** The BSF system helps mitigate environmental pollution by reducing greenhouse gas emissions and supporting a cleaner local ecosystem through effective waste processing.
- **Economic Advantages:** The project creates job opportunities for local residents, contributing to the local economy. Additionally, revenue generated from the sale of BSF larvae and by-products supports the financial sustainability of the farm.
- **Sustainability and Resource Utilization:** The BSF larvae-based system promotes sustainability by converting waste into useful products, enhancing resource efficiency, and supporting a circular economy.
- **Community Impact:** The implementation of the BSF farm encourages community involvement and awareness regarding sustainable waste management practices, fostering a collective approach to environmental conservation.

V. CONCLUSION

In conclusion, this study has explored the feasibility of implementing a black soldier fly (BSF) farm as a cost-effective and sustainable solution for managing organic waste. By meticulously estimating the setup and operational costs associated with establishing such a facility, we have demonstrated that BSF technology not only effectively reduces organic waste but also holds potential for generating revenue through the sale of larvae and nutrient-rich compost. This dual benefit not only offsets initial investment costs but also positions BSF farms as economically viable entities in municipal waste management strategies. Furthermore, beyond economic considerations, BSF farming offers substantial environmental benefits by minimizing greenhouse gas emissions and reducing reliance on landfilling. The nutrient-dense compost produced through BSF larvae digestion supports sustainable agriculture practices, enhancing soil health and crop productivity. Moreover, the scalability of BSF farms makes them adaptable to various community waste management needs, fostering local resilience and environmental stewardship. As municipalities and organizations seek innovative solutions to address waste challenges, integrating BSF farms presents a promising avenue towards achieving both environmental sustainability and economic efficiency in waste management practices.

VI. REFERENCES

[1] S., N., Rindhe, M., Kumar, C., Rajesh, V. Wagh, A., Kaur, N., Mehta, P., Kumar, O. P., & Malav. (2019). Black soldier fly: A new vista for waste management and animal feed. *International Journal of Current Microbiology and Applied Sciences, 8*(01), 1329-1342. https://doi.org/10.20546/IJCMAS.2019.801.142

[2] Ucu, J., Siti, F., Yani, S., Ida, K., Lulu, L., Fitri, A. D., & Permana, A. (2020). Bioconversion of food waste by black soldier fly, Hermetia illucens larvae (Diptera: Stratiomyidae L.) for alternative animal feed stock. https://doi.org/10.4108/EAI.11-7-2019.2297613

[3] Muhammad, S., Fakhri, A., Shi, D., Ghulam, N., Shahzadi, A., Shabi, U. H., Usman, M. A., Mian, A. S., Jamil, H., Nisar, A., & Bilal, M. (2021). Exploring the role of black soldier fly larva technology for sustainable management of municipal solid waste in developing countries. *Environmental Technology and Innovation, 24*, 101934. https://doi.org/10.1016/J.ETI.2021.101934

[4] Anni, R., Ismaria, S., & Fanira, S. (2021). Analysis of kitchen organic waste for processing using black soldier flies in Kecamatan Cibiru, Bandung, West Java. *IOP Conference Series: Earth and Environmental Science, 737*(1), 012073. https://doi.org/10.1088/1755-1315/737/1/012073

[5] Novianti, A. R., & Maulidya, D. (2022). Waste reduction performance by black soldier fly larvae (BSFL) on domestic waste and solid decanter. *Biotropika: Journal of Tropical Biology, 10*(2), 141-145. https://doi.org/10.21776/ub.biotropika.2022.010.02.08

[6] Dave, M., Emil, R. K., & Bayu, M. (2022). Black soldier fly larvae (Hermetia illucens) for biodiesel and/or animal feed as a solution for waste-food-energy nexus: Bibliometric analysis. *Sustainability, 14*(21), 13993. https://doi.org/10.3390/su142113993

[7] Nur, F. A., Irfana, K. A., Noor, E. A., Basri, F. S., Nurul, A. J., & Azman, N. (2022). A review of organic waste treatment using black soldier fly (Hermetia illucens). *Sustainability, 14*(8), 4565. https://doi.org/10.3390/su14084565

[8] Listya, P., & Khasanah, H. (2022). Black soldier fly (Hermetia illucens) as a potential agent of organic waste bioconversion. *ASEAN Journal on Science & Technology for Development, 39*(2). https://doi.org/10.29037/ajstd.780

[9] Chin, S. L., Guo, R. M., Eman, A. A., Ratchaprapa, R., Rawindran, H., Worapon, K., Mardawani, M., Anita, R., Normawati, M. Y., Kee, L. M., Wen, D. O., & Jun, W. W. (2022). Correlating black soldier fly larvae growths with soluble nutrients derived from thermally pre-treated waste activated sludge. *Environmental Research, 210*, 112923. https://doi.org/10.1016/j.envres.2022.112923

[10] Pastapure, V., Singh, D., & Kumar, S. (2022). Effects of open dumping of municipal solid waste on surrounding soil characteristics: A review. *Lecture Notes in Civil Engineering, 47-54*. https://doi.org/10.1007/978-981-19-4731-5_4

[11] Markus, S., Setya, K., Dep., W. R., Rianne, D. M., & Hersade, M. (2022). Bioconversion and decomposing with black soldier fly to promote plant growth. *KnE Life Sciences*. https://doi.org/10.18502/kls.v7i3.11172

[12] Irfana, K. A., Nur, F. A., Noor, E. A., Basri, F. S., Nurul, A. J., & Jalil, N. (2022). The efficiency of effective microorganism (EM) as a catalyst in food waste composting using black soldier fly larvae. *E3S Web of Conferences, 347*, 04016. https://doi.org/10.1051/e3sconf/202234704016

[13] Muhammad, Y. S., Shahzadi, A., Fakhri, A., Ghulam, N., Shi, D., Ullah, W., Sumbal, A., Nisar, A., & Bilal, M. (2022). Effect of different environmental conditions on the growth and development of black soldier fly larvae and its utilization in solid waste management and pollution mitigation. *Environmental Technology and Innovation*, *28*, 102649. https://doi.org/10.1016/j.eti.2022.102649

[14] Rena, M., Shimoda, M., Furukawa, S., & Uehara, T. (2022). Inoculation with black soldier fly larvae alters the microbiome and volatile organic compound profile of decomposing food waste. *Scientific Reports*, *13*(1). https://doi.org/10.1038/s41598-023-31388-z

[15] Navarro, F., Paoli, R., Romagnoli, F., Tettamanti, G., Bruno, D., & Torretta, V. (2023). Environmental impact scenarios of organic fraction municipal solid waste treatment with black soldier fly larvae based on a life cycle assessment. *Environmental Science and Pollution Research*. https://doi.org/10.1007/s11356-023-27140-9