NEWS AUTHENTIX ANALYSER

Guide name - Asst. Prof Umesh M Dept of ISE

Nikitha H, R Brindha, Rachana V, Raksha S Kumar

Abstract **The quick spread of fake news causes big problems for society pushing researchers to create automatic ways to spot it. Using deep learning, natural language processing, and methods that combine different types of data, new advances look at various aspects like the words used, how users interact with the content, and how it appears on different platforms to get more accurate results. Some tools they use are CNNs, BERT, and systems that look at both text and images together to understand the context better. Important sets of data like LIAR, Fakeddit, and COVID-19 Fake News help train these models and compare how well they work. This project brings all these ideas together to build strong large-scale tools that can spot false information as it happens.**

Keywords---- Machine Learning and Deep Learning, NLP , Social Media Analysis, Mutltimodal and Hybrid models, Explainability andInterpretability

I. INTRODUCTION

In recent years fake news has become a big worry around the world. Social media and other online platforms have made it easy to spread information and . Fake news has a big impact on howpeople see things, how much they trust the media, and even on politics. As a result more research is happening to find ways to spot fake news . The goal is to catch and stop wrong information before lots of people see it [1], [2]. People have come up with many ways to spot fake news using machine learning and deep learning. Some of the main methods use Natural Language Processing (NLP) models. These look at the words in a story to find patterns in language, feelings, and what's being talked about. Other methods use more than just words. They look at text, pictures, and other data together to get a better understanding [3]-[5]. Also, studying how users act and connect on sites like Twitter and Facebook has become important. Looking at these networks can show how false information gets around [6], [7].

This paper takes a close look at the latest progress in spotting fake news. It zeroes in on different model designs, like CNNs and BERT-style transformer models as well as key datasets such as LIAR and FakeNewsNet. These datasets play a big role in helping to build and test models [8]-[10]. By bringing together these varied approaches, the paper takes a hard look at where fake news detection tech stands today. It tackles issues like making models easier to understand, catching fake news across different platforms, and the need for solid benchmarks. This review aims to be a go-to resource for those in research, development, and policy who want to fight misinformation with powerful large-scale answers.

In this changing area, there's a big push to create strong detection models that work across different platforms and cultures. Because lies can take so many forms depending on the area, language, and culture, these models need to learn from a mix of data to stay sharp. So now researchers are diving into data that covers lots of different news and types of false info. By tackling these differences in areas and ways of life, truth-checking tools can get way better at shutting down lies all over the world, no matter the language or local ways [2] [8].

II. ESSENTIAL CHARACTERISTICS OF FACTCHECK ANALYZER AND ITSIMPLICATIONS

In the world of spotting fake news and checking the facts, there are a few key traits we always see that help make things more accurate big-scale, and hit the

mark better. Recent research points to these traitsbeing super important:

A. Characteristics of Fact Check Analyzer

● *Reliance on Multimodal Analysis*: Fake news is sneakily mixing up shady text with photos and videos that trick you. The best tools to catch this use something called "multimodal analysis." They look at words, pictures, and sometimes even videos to make sure what's being claimed is legit.

● *Use of Machine Learning and Deep Learning Models*: At the heart of those fact-checking tools are brainy systems known as machine learning (ML) and deep learning (DL). They're like the detectives of the digital world pulling out clues, getting the context, and figuring out the mood behind the info.

● *Dataset Diversity and Real-World Relevance*: Proper fact-checking needs learning from diverse datasets that mirror the real-world mix-up of false info. Folks often use sets like LIAR, FakeNewsNet, and PolitiFact 'cause they've got labeled claims and loads of different news bits, which are good for making detection models better at general stuff.

● *User Behavior and Social Context Analysis*: It's not just about the stuff that's written—lots of systems also peek at how all the social stuff around a post works. They look at how much people are into posts how they're passing things around, and if any bots are messing around.

● *Explainability and Interpretability*: Making detection tools clear is key for earning trust with users and fitting them for use in the real world. By opting for AI models that people can understand, experts can make it clear why they label something as not true. This clarity boosts how much journalists big decision-makers, and all of us accept the system. Explainability plays a big role in making sure AI is ethical and follows rules, and it keeps these models easy to get and free from bias [9].

B. Implications of Fact Check Analyzer

The meaning behind a fact check analyzer goes way past just spotting what's not true; it touches on lots of stuff like society, money, and doing the right thing:

● *Improved Detection Accuracy*: Using multiple methods and ML tech, the systems get really good at spotting tricky patterns and things that don't match up in all sorts of info. This leads to trustier systems for checking facts.

● *Scalability and Real-Time Application*:Being automatic and looking at the social side of things lets these systems manage tons of info super fast, which is a must-have for places with heaps of people dropping in every day.

● *Ethical and Regulatory Compliance*: When models are easy to understand and see through, people trust them more. This helps keep the fact-checking on the straight and narrow and fits the rules for how to handle content on social sites.

● *Cross-Cultural and Cross-Platform Adaptability*: By using a mix of data from different places, the models stay sharp no matter the language or area. That way, the fact-checking tool works well for everyone, no matter where they are.

III. ARCHITECTURE

The suggested design for spotting false information combines several cutting-edge methodsto boost precision and adaptability. It uses both text and multi-format (picture, video) data extraction techniques to grasp the full background of a statement. The setup uses top-notch machine learning models, like deep learning approaches such as transformers (e.g., BERT) and mixed CNN-LSTM structures, to judge the truthfulness of the content.

Besides analyzing the content, the system looks at social context clues like user actions and network trends to spot the spread of wrong information. Explanation tools, like attention-based models, make the system's choices clear, ensuring results are both correct and understandable. This design, based on recent progress, offers a strong framework forreal-time, wide-scale fake news detection across various platforms and content types [1], [2], [3], [4].

A. Components of the Architecture

1. Input Layer and Data Preprocessing

The process starts with handling unprocessed information, encompassing text, visuals, videos, and social media metadata. Initial steps involve tokenizing, stemming, and removing stop-words for textual data [1], [2]. Systems dealing with multiple formats also prepare images (e.g., resizing, standardizing) and videos to ensure uniformity and enable feature extraction [3].

2. Feature Extraction

● Textual Features: Natural Language Processing (NLP) methods pull out language traits like how folks feel in the text, the style of writing, and word patterns. Folks often use models like Term Frequency-Inverse Document Frequency (TF-IDF) and stuff like Word2Vec or GloVe [4].
● Visual Features:When it comes to pictures and clips, Convolutional Neural Networks (CNNs) are the go-to for yanking out the visual stuff. They're real good at spotting things that don't add up, which might mean someone's been monkeying with them [5].
● Social Context Features: Analyzing social networks means looking at how much people interact, what they do, and how stuff spreads. Looking at things like how many times a tweet's been retweeted, if folks are reliable, and who's who in the network gives us the extra scoop on how fake news gets around [6].

3. Classification Layer (Machine Learning Models)

4. The system applies machine learning and deep learning classifiers to predict the veracity of the content:

● Transformer-Based Models: BERT and similar transformer setups get the context in writing, which helps a ton to get classifications right [7], [8].
● Hybrid Models: When you mix together CNN-LSTM or CNN-GRU structures, you get good at looking at space and time patterns in different kinds of data. This way,it can manage words and pictures well [9], [10].

5. Decision Layer and Explainability

Explainable AI methods like attention mechanisms shine a light on the specific words, phrases, or parts of an image that had the most say in the model's choices. This part boosts trust from users and meets legal rules [11].

6. Output Layer

The machine spits out a truth tag (like “true” or “false”), adds some sureness numbers, and throws in some justifications. That way, reporters and folks who make laws, and regular users can make smart choices.

B. High Level Design of the Architecture

A recommended setup for sniffing out bogus news based on the big themes spotted in the early studies often rolls out with bits and pieces like these:

● *Data Collection and Preprocessing*: This bit is all about hoovering up the goods from places like news sites, social media, and truth-squadding hubs. Grooming the text means chopping it up into bits, ditching filler words, snipping word ends, and maybespotting names and places.

● *Feature Extraction and Embedding*: Loads of brainy types in the know-how use tricks like word counts weighted by rarity (TF-IDF), word pairings (like Word2Vec,

GloVe), and smarty-pants models like BERT that transform scribbles into digits. These cozy numbers juggle the deep-down gist andsetting of words.

● *Modeling and Classification*: Machine learning wizards use different spells for theircraft, from the classic ones like SVM and logistic regression to the fancy new deep learning stuff with CNNs and RNNs. These days, they're throwing in transformers and attention bits, so their magic can deal with tricky long spells and spot the tiny details.

● *Ensemble and Hybrid Models*: Mixing potions can sometimes give you the best brew, and that's what they do with machine learning models too, mixing up stuff like CNNs with LSTMs to cast even stronger spells. Stacking different models together makes their predictions better and tougher against errors.

● *Explainability and Trust*: Researchers also incorporate interpretability to increase model transparency. Tools like 'SHAP values' and 'LIME' are being used to clue us in on why a model might call a piece of news fake, which helps everyone trust the magic and makes sure it plays nice with the rule book.

● *Evaluation and Benchmarking*: To figure out how well a model's doing, folks use typical standards and datasets, stuff like LIAR and FakeNewsNet. They check how good it is based on things like if it's hitting the mark right, F1-score, and whether it remembers the components correctly.

This general architecture provides a foundation for fake news detection systems, which continue to evolve with advances in

NLP and machine learning.

C. Methodological Approaches

These methodological approaches form thecore of current fake news detection research, with ongoing refinements to handle evolving patterns andimprove robustness across languages and platforms.

● *Text-Based Machine Learning Models*: Many studies apply traditional supervised algorithms, like Support Vector Machines (SVM) and logistic regression, leveragingtextual features such as TF-IDF, bag-of-words, and n-grams. These methods help detect linguistic patterns commonly associated with fake news.

● *Deep Learning Approaches*: Convolutional Neural Networks (CNNs) and Recurrent Neural Networks (RNNs), especially LSTMs, are widely used to capture semantic and contextual nuances in text. These models excel in analyzing longer articles and identifying dependencies between words, improving accuracy in classifying news as fake or real.

● *Transformer-Based Models*: More recent studies utilize transformers like BERT, which uses attention mechanisms to handle complex dependencies. These models improve context-awareness, allowing for a better grasp of subtle cues in text.

● *Hybrid and Ensemble Models*: Combining multiple models or architectures, such as CNN + LSTM or ensemble learning techniques, has shown success in balancing strengths and weaknesses across models. This approach helps in achieving higher accuracy and resilience across diverse datasets.

● *Multimodal Analysis*: Some research integrates non-textual data, such as images or metadata (e.g., user profiles, publication timestamps), to improve the context. These multimodal models leverage both textual and visual cues, making them effective for platforms where fake news is spread throughmemes or videos.

● *Explainability Techniques*: Recognizing the importance of transparency, some papers

emphasize explainable AI, using methods like SHAP or LIME to clarify why specific texts are flagged as fake. This focus on interpretability aids in user trust and regulatory compliance.

D. Advantages of Proposed Architecture

● *Improved Accuracy*: Hybrid and Multimodal architectures increase detection capabilities by better feature capture in text as well as images.

● *Context Awareness*: The Transformer models will give better insights to the language nuances. It is reliable as well.

● *Robustness*: It has robustness because it combines many kinds of data, which in turn makes it extremely adaptive for any kind of platform or language.

● *Transparency*: This Explainable AI system makes the system transparent, thus explaining the predictions made by it to the users, and gains user confidence.

E.*Adaptability*: It adapts to the changing trendsof fake news and can eventually be trusted in the long run.System Architecture and Block Diagram



IV. EXISTING SURVEY WORKS This section

presents the available survey work
in the fact check analyser domain and provides the proliferation and advancement of research work in this field. Fact check analyser is one of the crucial subjects that have gained immense popularity from researchers in the past years. We came across approximately 17 survey papers related to the concerned issues and advancements in the context of fact check, and this paper deals with the most relevant 13 survey papers presented in recent times. We used a Likert scale of 1-5 for the evaluation of the informative content of these survey papers, where 1 would indicate less information and 5 would indicate more informative.

● **P1**: Extent of theoretical discussion
● **P2**: Extent of implementation discussion
● **P3**: Comparative discussion of multiplestudies
● **P4**: Identification of research gaps

Year	Author(s)	P1: Theoretical Discussion	P2: Implementation Discussion	P3: Comparative Discussion	P4: Identification of Research Gaps
2017	Zhou et al.	4	3	3	3
2018	Shu et al.	5	4	4	5
2019	Wang et al.	4	3	4	4
2019	Ruchansky et al.	5	4	4	4
2020	Qian et al.	5	2	3	5
2020	Kumar et al.	4	3	4	4
2021	Kim & Oh	4	4	4	3
2021	Shu et al.	5	4	5	4
2022	Singh et al.	5	3	5	4
2023	Li et al.	5	4	4	5

TABLE I. EXISTING SURVEY WORK ON SOFTWARE PIRACY DETECTION

The table above evaluates 10 research articles on fake news detection based on four key criteria: discussion of theory (P1), description of the practice (P2), comparative study (P3), and identification of future scope of research (P4). The idea is to know how these articles help forward the state of the field in their theory, practice, and further research.

P1 means it is where the theoretical analysis gets deep into the ground of the topics, such as from thosepapers such as the papers by Shu et al. 2018 as well as those by Li et al., 2023, when their articles acquired high due to details found in papers about techniques or methodologies leading to fake news detection, say NLP model application and others through use o f machine algorithms. There have been related papers helpful towards understanding those conceptual approaches pushing the scientific researchalong.

P2 (implementation discussion) There is some variation as can be seen in the table. For example, Qian et al. (2020) scored lower with fewer details on practical implementation. This parameter assesses to what extent the studies describe actual applications, system integration and practical challenges, with papers focusing more on theoretical exploration than to how the proposed solutions are to be deployed or tested in practice.

Comparisons of other approaches and works with the P3 parameter show how informative the papers are. Useful comparisons of various models, techniques,

and datasets involving fake news detection were reported in papers, from which good scores were obtained. Such comparative discussions clarify strengths and weaknesses in their approaches and steer further research and development.

P4 verifies how well the papers are in identifying the lacunae existing in the current state of research. Qian et al. (2020) and Li et al. (2023) are some examples that gained high scores, as they have identified significant areas wherein further attention is still needed-for example, better multimodal models or approaches that could process real-time data. This would identify the gaps in this field and where studies need to be conducted to be able to move forward with the detection of fake news.

This table summarizes and organizes contributions and limitations of these papers toward fake news detection. Using strength evaluation along various parameters, the table highlights what significant progress has been achieved in particular areas and where there still remains room for more investigation.This is helpful for a better understanding of theoretical and practical developments within the domain and for providing a source of insightful ideastoward further research directions.

V. EXISTING RESEARCHTRENDS

A. Frequently Investigated Problems

Several key research areas have received considerable attention from the academic communityin software piracy detection:

● *Feature Extraction and Representation*: Research often focuses on extracting meaningful features from textual data, such as syntactic structures, sentiment, linguistic patterns, and metadata. These features are crucial for distinguishing between real and fake news, and studies explore different methods to improve feature selection for better classification.

● *Model Robustness*: One of the significant challenges is ensuring that any deployed fake news detection model works well on a

diverse set of datasets, domains, and languages. The question among all such researchers is how to train models to be robust against a variety of sources and ever increasing changeability of a piece of misinformation.

● *Multimodal Detection*: Since the explosion of online multimedia content, most researchers nowadays include text, images, videos, and metadata in the detection process for a more comprehensive assessment. Multimodal detection brings together different sources of data with the intention of boosting the accuracy in detection, which is important in the fight against fake news, as visual content is mostly used in combination with textual content.

● *Scalability and Real-time Detection*: The volumes of content are too high for the system to scale effectively. The paper discusses the approaches followed to scale up the model to detect fake news based on real-time data feeds without causing bottlenecks and keeping pace with new pieces of content coming online.

● *Explainability*: As trust in automated systems is the prime necessity, most papers research techniques to make the fake news detection models explainable. Techniques ofXAI allow the users to understand why a model arrived at a certain decision and increase the user's confidence in the system'spredictions.

B. Less Explored Problems

● *Cross-lingual Detection*: Most models are trained on specific datasets of the language. Detection capability for fake news in multiple languages remains very less explored. Efficient cross-lingual fake news detection can add immense applicability to this globally.*Bias and Fairness*: In accuracy in models, it concentrates less on bias and fairness in detection of fake news. One has to be positive that the model is not biased toward one kind of content or other kinds of political ideologies.

● *Adversarial Attacks*: Though the research was on how to make this mechanism to perform even better detection, adversarial methods are also highly understudied and lack understanding, where systems developed get easily deceived and these make huge concerns regarding their robustness for models to fight the propaganda of fake news.

● *Long-Term Effectiveness*: In case of effective sustainability of detection models pertaining to news over long terms mainly after they prove efficient performance under short term news-changing dynamic situations is relatively seldom understood.

● *Low-resource Environments*: Many researchers assume that it operates with large labeled datasets. But little work has been carried out on how to best identify fake news with minimal resources like small datasets or even environments with scarce labeled data. VI.

VI. EXISTING RESEARCH GAPS

The section below discusses the research gaps that exist in software piracy detection, based on a review of relevant literature and methodologiesapplied in previous studies.

Human-Written vs. Machine-Generated Fake News: There is a huge gap in detecting human-written fake news as compared to machine-generated content. Whereas models are doing well in finding the machine-generated disinformation, they fail when dealing with human-authored fake news. This happens based on the fact that there are different styles, intended goals, and usage of language. It is recommended from the research that more training data based on the human propaganda techniques may be the answer to such detection.

● *Contextual Understanding in Detection*: Generally, fake news detection systems lack the understanding of contextual factors that affect the news content. This would be in thepolitical, social, or cultural contexts. These contextual factors can further improve detection. Failure to take these factors into account leads to false positives or negatives and that is a key gap.

● *Adversarial Attacks on Detection Models*:Detection models are vulnerable to adversarial attacks. Here the attackers try to manipulate content into misleading the detection model. There is a partial effort in detection of such attacks but further researchon detection models that should be able to diffuse these manipulations is anticipated.

● *Dataset Diversity*: Most fake news detection models are based on limited datasets that don't represent the diversity of news content, languages, or regions. Such models underperform when applied to other domains or cultures. Hence, expanding and diversifying datasets is very important in developing more generalizable and robust fake news detection systems.

● *Real-Time Detection and Scalability*: Though existing models are primarily tested in offline environments, the real-time detection of fake news on platforms such as social media is still an issue. Improving the systems in terms of speed and scalability to handle large volumes of content in real time can be regarded as a huge gap in conducting research.

● *Feature Extraction Beyond Text*: Feature extraction beyond the realm of text Most of the models adopted for the detection of fake news rely heavily on text features, such as linguistic cues or word embeddings.There is vast scope to be explored in the detection of fake news if multimodal features such as images and videos are probed into, and alsouser engagement data may be incorporatedto enhance model performance

● *Evaluating Fake News Detection Systems*: Accuracies, precision, and recall were the basic measures used during the evaluation of fake news detection systems. These do not completely work with a skewed dataset. So in this regard, F1-score and AUC has to be used in the performance check of the model.

VII. CONCLUSION

In conclusion, although quite some progress has been seen in the area of fake news detection, many challenges remain to be addressed. This research has shown that the methods used in machine learning and natural language processing are indeed capable of identifying fake news, but much still has to be accomplished to get systems more reliable and versatile.Most of the models in existence do not distinguish between human-generated and machine generated disinformation, especially in complicated or context-dependent situations. Additionally, most ofthe studies depend on text based features while the multimodal data, such as images, videos, and the metrics of user engagement are a very rich and unexplored area that would make the detection muchmore accurate if used.

Another critical limitation is that it relies heavily on extremely small datasets that are far from the rangeof languages, cultures, or types of news that real-life scenarios would entail. Many models are thus tested in controlled offline environments and thus with much limited real-time applications of high scales on social media. Second, most systems which are constructed for the purposes of the detection system do lack robustness against adversarial attacks - attacks in which bad actors actively

manipulate the input with the hopes of bypassing the detecting algorithms. This calls upon the development of robust systems that would accommodate manipulation with no compromises on performance. Other models of fake news detection may demand a more significant assessment other than just accuracy, precision, and recall. F1- score, AUC, precision-recall curves shouldalso be considered during evaluation, as they may help analyze a model better in case there are imbalanced datasets. Real-time scalability and speed

still remains an open issue, as most of the models are yet to be deployed into production environments where high-speed processing of large contentvolumes is of paramount importance.

Future Scope, several key directions are promisingfor the future of fake news detection research. For one, a need for contextual understanding in detection systems. This may involve incorporating political, social, and cultural context into algorithms to improve the detection of fake news effectively across domains. The design of models that can learn the context of different regions or communities and adapt accordingly would be key to enhancing reliability in detecting fake news under various real-world scenarios.

Critical areas are the need to make datasets applied intraining the detecting models much wider. Datasetscurrently used in modeling are narrow and, therefore narrow and, therefore, have poor generalization
across different platforms and languages. More robust and generalized models will develop from more diverse datasets, which reflect a wide variety of sources and languages. Adversarial robustness: another promising direction of research is the design of adversarially robust detection systems against fake news, which need to be resistant to the design of attacks explicitly altering content in ways designed to mislead models used in detection. The critical work in this direction will enable the further enhancement of security and trustworthiness in the detection algorithms deployed in real-world applications.

Another promising area of research lies in adversarialrobustness. Fake news detection systems must be designed to withstand malicious attacks where attackers intentionally manipulate content to fool detection models. Research in this area will be crucialto improving the security and trustworthiness of detection algorithms in real-world applications.

Finally, the development of real-time detection systems remains a priority. As fake news spreads rapidly across platforms like social media, real-time detection will be essential for preventing harm. Future work should focus on creating scalable, fast, and efficient detection systems that can process vast amounts of data in real-time while maintaining high accuracy.In summary, while much progress has been made, addressing these gaps and exploring new avenues of research will be crucial in advancing fake news detection systems. The future of the field lies in developing more adaptive, real-time, and contextually aware models, as well as expanding the datasets and features used to train these systems.

VIII. REFERENCES

[1] S. Kumar, N. Shah, "False Information on Web and Social Media: A Survey," ACM Comput. Surv., vol. 53, no. 2, pp. 1–37, May 2020.

[2] S. Shu, D. Mahudeswaran, H. Liu, "Fake News Detection on Social Media: A Data Mining Perspective," SIGKDD Explor. Newsl., vol. 19, no. 1,pp. 22–36, 2017.

[3] Y. Wang, F. Wang, Y. Ma, "Explainable Fake News Detection Using NLP and Deep Learning," Proc. IEEE BigData, 2021, pp. 3567–3574.

[4] P. Vo, M. Lee, "Hybrid CNN-LSTM Model for Fake News Detection," IEEE Access, vol. 8, pp. 195019–195031, 2020.

[5] T. Li, et al., "Multimodal Fake News Detection Using Cross-Platform Analysis," Proc. Int. Conf. Artif. Intell., 2019, pp. 1189–1195.

[6] Z. Jin, et al., "Detection and Analysis of Social Bots in Online Social Networks," IEEE Access, vol. 6, pp. 7244–7253, 2018.

[7] A. Gupta, H. Lamba, P. Kumaraguru, "Faking Sandy: Characterizing and Identifying Fake Images on Twitter During Hurricane Sandy," Proc. WWW, 2013, pp. 729–736.

[8] W. Y. Wang, "'Liar, Liar Pants on Fire': A New Benchmark Dataset for Fake News Detection," Proc. ACL, 2017, pp. 249–254.

[9] Y. Zhou, R. Zafarani, "Fake News Detection Using Content, Social Context, and Engagement Data," IEEE Trans. Inf. Forensics Secur., vol. 15, pp. 2819–2832, 2020.

[10] S. Raza, et al., "A Survey of Datasets for Fake News Detection," Proc. IEEE BigData, 2020, pp. 4777–4784.

[11] P. Ahmed, A. P. D. D. Mishra, S. K. Patil, "A Hybrid Deep Learning Framework for Fake NewsDetection," IEEE Access, vol. 10, pp. 102542–102553, 2022.

[12] M. K. Singh, S. Sharma, "Review on Fake News Detection in Social Media Using Machine Learning and NLP," J. Comput. Sci., vol. 13, no. 4, pp. 678–692, 2022.

[13] P. Shankar, K. Jain, "Fake News Detection in Social Media Using NLP and Ensemble Learning," IEEE Transactions on Computational Social Systems,vol. 10, no. 1, pp. 95-107, Jan. 2023.

[14] R. Gupta, "Fake News Detection on TwitterUsing Deep Neural Networks," IEEE Access, vol. 9, pp. 12258–12270, 2021.

[15] M. K. Kumar, et al., "DeepFake News Detection: A Survey of Data and Methods," IEEE Transactions on Artificial Intelligence, vol. 4, pp. 231–245, 2023.

[16] A. S. Krizhevsky, "Automated Fake News Detection with BERT," IEEE Transactions on Neural Networks and Learning Systems, vol. 32, no. 8, pp. 1452-1465, Aug. 2021.

[17] C. McDonald, S. Tan, "Multimodal Fusion Models for Fake News Detection: A Survey," IEEE Transactions on Big Data, vol. 7, no. 2, pp. 234–246, June 2021.

[18] Z. Zhang, T. Wei, "Semi-supervised Learning for Fake News Detection," IEEE Transactions on Knowledge and Data Engineering, vol. 35, no. 9, pp. 1736–1749, Sept. 2023.

[19] M. Gupta, A. Chaudhury, "Fake News Detection Using Ensemble Learning Techniques," IEEETransactions on Artificial Intelligence, vol. 3, no. 5, pp. 732-744, May 2022.

[20] R. Shah, V. Gupta, "Investigating the Role of Fake News Detection in Combating Disinformation in Healthcare," IEEE Access, vol. 10, pp. 13541–13555, Mar. 2022.