JETIR.ORG ISSN: 2349-5162 | ESTD Year : 2014 | Monthly Issue
JOURNAL OF EMERGING TECHNOLOGIES AND INNOVATIVE RESEARCH (JETIR)
An International Scholarly Open Access, Peer-reviewed, Refereed Journal

Detecting Fake News through Web Engineering: A Content-Based Machine Learning Perspective

[1] Arpita Agarwal, [2] Shreerag Kurup, [3] Adarsh Chandrasekharan, [4] Ankur Patil, [5] Suryakant Sahoo

[1] Assistant Professor,[2][3][4][5] Student,
[1] Department of Information Technology,
Pillai College Of Engineering, New Panvel, India

Abstract: The proliferation of fake news poses a significant threat to society, eroding trust in media outlets and manipulating public opinion on critical issues. Machine learning techniques have emerged as a powerful tool in the fight against fake news. This paper explores web engineering-based approaches that leverage machine learning with content-based filtering for fake news detection. By integrating web scraping techniques, content analysis methods, and machine learning algorithms, we can create robust and scalable systems to identify and mitigate the spread of fake news.

Index Terms **- Fake news, Machine learning, Content-based filtering, Web engineering, Text analysis, Data scraping**

I. INTRODUCTION

1.1 Fundamentals

Fake news, defined as fabricated or misleading information presented as news, has become a pervasive issue in the digital age. The ease of online content creation and dispersion allows for the rapid-fire spread of fake news, eroding trust in licit news sources and potentially impacting public opinion on critical issues similar as choices, public health, and social movements. Machine literacy has surfaced as a promising approach tog this challenge.

By training algorithms on labeled datasets of real and fake newspapers, machine literacy models can learn to identify patterns and features in the content that distinguish between the two orders. This paper explores how web engineering ways can be integrated with machine literacy to develop effective systems for fake news discovery.

1.2 Objectives

Develop a Web Scraping and Content Analysis Module: This module will automate the collection of newspapers from colorful online sources. It will also dissect the content using ways like vocabulary analysis, sentiment analysis, named reality recognition, and readability analysis. The ideal is to prize applicable features that can be used to identify fake news.

Train a Machine Learning Model for Fake News Classification: This ideal focuses on erecting a machine literacy model that can effectively distinguish real news from fake news. The model will be trained on labeled datasets of real and fake newspapers. Uprooted features from the content analysis module will serve as the training data for the model. Common algorithms like Naive Bayes, Support Vector Machines, or deep literacy ways (CNN LSTMs) could be explored depending on design coffers and asked for delicacy.

Integrate Web Engineering and Machine Learning for Real-World Application**:** This ideal involves combining the web scraping content analysis module with the trained machine literacy model. The thing is to produce a functional system that can dissect suspicious news content submitted by druggies or recaptured from online sources. The system will use the machine learning model to classify the content as real or fake, furnishing precious receptivity to druggies and potentially contributing to combating the spread of fake news.

1.3 Scope

This design focuses on developing a system for fake news discovery using a hybrid approach that combines web engineering ways with machine literacy.

In Scope:

- **Web Scraping and Content Analysis:**
  - Develop web scraping scripts to gather newspapers from a defined set of online sources (considering website terms of service and ethical scraping practices).

- Instrument content analysis ways like vocabulary analysis, sentiment analysis, named reality recognition, and readability analysis.
- Pre-process the pulled data to prepare it for machine knowledge.

- **Machine Learning for Classification:**
  - Select and train a machine learning model (e.g., Naive Bayes, SVM, or deep learning) using labelled datasets of real and fake newspapers.
  - Estimate the model's performance using criteria like delicacy, perfection, and recall.
  - Fine-tune the model parameters for optimal classification performance.
- **System Integration:**
  - Develop a user interface (optional) that allows users to submit suspicious news content for analysis.
  - Integrate the web scraping/content analysis module with the trained
  - machine learning model.
  - Display the model's prediction to the user.

Out of Scope:

- Building a large-scale web scraping infrastructure for comprehensive news coverage. (Focus on a defined set of sources initially)
- Developing a sophisticated fact-checking engine to verify the factual accuracy of named entities.
- Deploying the system as a large-scale public application. (The initial focus could be a proof-of-concept prototype)
- Addressing advanced challenges like adversarial attacks where fake news creators deliberately manipulate content to bypass detection algorithms.

Deliverables:

- Functional web scraping and content analysis module.
- Trained machine learning model for fake news classification.
- Integrated system prototype for user testing and evaluation.
- Project documentation outlining the system design, implementation details, and evaluation results.

This scope focuses on creating a core system demonstrating the feasibility of the proposed approach. Further development can expand the scope based on project resources and future needs.


II. RESEARCH METHODOLOGY

The system overview is presented in this Section. The classification of various techniques the domain is given: This project proposes a web browser extension for real-time fake news detection that leverages a hybrid approach. The system core relies on Content-Based Filtering (CBF) by capturing web page content, performing pre-processing and feature extraction (e.g., word usage, sentiment analysis). A Machine Learning model trained on labelled data then analyses these features to predict the likelihood of fake news. To enhance accuracy, the system incorporates Collaborative Filtering (CF) by analysing user interactions (flagging news as fake) to identify patterns and adjust detection accordingly. Additionally, Knowledge-Based Filtering (KBF) is integrated by utilizing external knowledge bases like fact-checking APIs and blacklisted URLs to verify information within the content. This combined analysis (CBF, CF, KBF) is then used to classify the news item and provide informative feedback to the user through the browser extension. Users can see highlighted suspicious content, warnings with varying severity levels based on confidence scores, and even have the option to report suspicious content or offer feedback on the system's accuracy. This user-centric approach that combines content analysis with user behaviour and external knowledge sources aims to provide a more robust and informative solution for fake news detection.

Limitations:
Limited training data or bias can hinder model performance. Evolving fake news tactics may outpace model detection capabilities. Ethical scraping and website countermeasures pose data collection challenges. Complex models might lack transparency, reducing user trust.


2.1 Existing System Architecture

Similar to recommender systems, existing fake news detection systems often utilize a content-based approach. Here's a breakdown of a potential architecture for such systems:
1. Content Analyzer: Analyses incoming news articles or social media posts. Carries out tasks such as text extraction, entity recognition, and sentiment analysis, often utilizing Natural Language Processing (NLP) tools and methods.
2. Feature Engineering: Extracts relevant features from the analysed content to represent the "news item." Features could include word usage patterns, sentiment scores, source credibility indicators (website domain, author reputation), and external fact-checking API results (if available).
3. Classification Model: A pre-trained machine learning model trained on labelled datasets of real and fake news. Models like Support Vector Machines (SVMs) or deep learning models (e.g. Recurrent Neural Networks - RNNs) can be used. The model analyses the extracted features and predicts the likelihood of the news item being fake.
4. Filtering/Classification: Based on the model's prediction score and potentially pre-defined thresholds, the system classifies the news item as legitimate, suspicious, or confirmed fake news.
5. Output/Alerting (Optional): Depending on the system's purpose, the classified news item can be flagged, displayed with warnings, or filtered from search results. This existing system architecture focuses on analysing the content itself to identify potential fakeness. Your proposed system can differentiate itself by integrating this existing architecture with a browser extension for real-time analysis and user interaction.




2.2 Proposed System Architecture

Similar to recommender systems that leverage hybrid approaches, our fake news detection system can benefit from a hybrid approach like recommender systems. Building on content-based filtering (analysing content and using machine learning for classification), we can integrate collaborative filtering (analysing user interactions like flagging fake news) and knowledge-based filtering (verifying information using fact-checking APIs and blacklisted URLs). This creates a robust architecture with a content analyser extracting features, a machine learning model predicting fakeness, CF integration incorporating user feedback and blacklisted websites, and KBF integration verifying information with external knowledge bases. The system would then leverage a browser extension for real-time analysis, highlighting suspicious content, displaying warnings with severity levels, and offering options for user reporting and feedback. This combination of content analysis, user behaviour, and external knowledge sources can lead to improved accuracy and a more user-friendly experience.



III. RESULTS AND DISCUSSION



ROC Curve for Model Performance Evaluation

IV. CONCLUSION

Our project proposes a hybrid fake news detection system that combines content analysis with machine learning, user behaviour, and external knowledge bases. This approach offers a more comprehensive and user-centric experience compared to traditional methods. By leveraging a browser extension for real-time analysis and informative feedback, the system empowers users to navigate the online world more critically. While limitations like data bias and evolving tactics exist, the proposed future scope, including advanced detection techniques, user trust mechanisms, and functionality expansion, paves the way for a robust and impactful tool in the fight against fake news.

V. ACKNOWLEDGMENT

We express our sincere gratitude to our esteemed Guide, Prof. Arpita Agarwal, whose unwavering support and invaluable guidance propelled us through the intricacies of developing this advanced agricultural system. Their expertise and encouragement were instrumental in shaping our vision into reality.

We sincerely thank our Head of Department, Dr. Satishkumar L. Varma, for his unwavering support and motivation throughout this project. Their insightful feedback and encouragement provided us with the necessary motivation to overcome challenges and achieve our objectives.

We are deeply thankful to our Principal, Dr. Sandeep Joshi, for their visionary leadership and unwavering support for innovative projects like ours. Their encouragement and belief in our capabilities have been pivotal in fostering an environment conducive to creativity and exploration. Lastly, we extend our gratitude to all other faculty members, peers, and stakeholders who contributed to the success of this project. Their collective efforts and collaboration have been invaluable in bringing our vision to fruition.

REFERENCES

[1] Nihel Fatima Baarir; Abdelhamid Djeffal, "Fake News Detection Using Machine Learning" in 2020 2nd International Workshop on Human-Centric Smart Environments for Health and Well-being (IHSH).

[2]-Fatima Salahdine; Zakaria El Mrabet; Naima Kaabouch "Phishing Attacks Detection: A Machine Learning-Based Approach," 2022 School of Electrical Engineering & Computer Sciences, University of North Dakota Grand Forks, ND-58203, USA 2 Department of Electrical and Computer Engineering, the University of North Carolina at Charlotte, Charlotte, NC-28223, USA

[3] Michael A. Ivanov; Bogdana V. Kliuchnikova; Ilya V. Chugunkov; Anna M. Plaksina, "Phishing Attacks and Protection Against Them," 021 IEEE Conference of Russian Young Researchers in Electrical and Electronic Engineering (ElConRus) | 978-1-6654-0476-1/20/$31.00 ©2021 IEEE | DOI: 10.1109/ElConRus51938.2021.9396693

[4] -Ronak Agarwal; Dilip Kumar Sharmaz, "Detecting Fake Reviews using Machine learning techniques: a survey,"022 2nd International Conference on Advance Computing and Innovative Technologies in Engineering (ICACITE) | 978-1-6654-3789-9/22/$31.00 ©2022 IEEE | DOI: 10.1109/ICACITE53722.2022.9823633

[5]-Jibrilla Tanimu; Stavros Shiaeles, "Phishing Detection Using Machine Learning Algorithm," 2022 IEEE International Conference on Cyber Security and Resilience (CSR) | 978-1-6654-9952-1/22/$31.00 ©2022 IEEE | DOI: 10.1109/CSR54599.2022.9850316

[6]-Digvijay Singh; Minakshi Memoria; Rajiv Kumar,"023 International Conference on Advancement in Computation & Computer Technologies (InCACCT) | 979-8-3503-9648-5/23/$31.00 ©2023 IEEE | DOI: 10.1109/InCACCT57535.2023.10141826

