



A COMPREHENSIVE REVIEW OF KAUMARBHRITYA KALPAS IN YOGARATNAKARA SAMHITA: PHARMACOLOGICAL DYNAMICS, SAFETY PROFILES, AND CLINICAL RELEVANCE IN MODERN PEDIATRICS

Vd.Dinesh Bhagwatrao Kakade¹ Vd.Kiran shinde¹ Vd.Bhaskar Jadhav²

¹PG Scholar, Department of Kaumarbhritya, Shree Saptashrungi Ayurved Mahavidyalaya and Hospital Nashik.

²Professor, Department of Kaumarbhritya, Shree Saptashrungi Ayurved Mahavidyalaya and Hospital Nashik.

³Assistant Professor, Department of Kaumarbhritya, Shree Saptashrungi Ayurved Mahavidyalaya and Hospital Nashik.

ABSTRACT

Background: Kaumarbhritya (Ayurvedic Pediatrics) requires specialized therapeutic approaches due to the inherent physiological fragility (Sukumaratva) and immature tissue status (Aparipakwa-Dhatu) of pediatric patients. "Yogaratanakara Samhita" (17th century CE) serves as a milestone clinical compendium that effectively bridges classical Ayurvedic doctrines with highly practical, low-dose, high-potency formulations (Kalpas), including sophisticated herbo-mineral nano-crystalline preparations (Rasaushadhis).

Aim: To critically evaluate and systematically prioritize the classical pharmacodynamics, multi-targeted mechanisms, safety profiles, and contemporary pediatric relevance of the core formulations detailed in the Balaroga Chikitsa section of "Yogaratanakara Samhita".

Materials and Methods: A comprehensive literary review of the Balaroga chapter of "Yogaratanakara" was coupled with a systematic search of contemporary scientific literature across electronic databases including PubMed, Scopus, Google Scholar, and the DHARA portal up to 2026. Iconic formulations—specifically Balachaturbhadra Churna, Kumarakalyana Rasa, Aravindasava, and Saraswata Ghrita—were evaluated for their phytochemical, toxicological, and clinical evidence.

Review Findings: The selected Kalpas demonstrate a sophisticated network pharmacology tailored to children. Balachaturbhadra Churna provides dual anti-secretory and bronchodilatory actions.

Kumarakalyana Rasa safely upregulates immunoglobulins (IgG/IgM) via biocompatible nano-structures without hepatorenal toxicity. Aravindasava optimizes the gut-brain axis to treat functional dyspepsia, while the lipophilic nature of Saraswata Ghrita facilitates transport across the blood-brain barrier to enhance neuroplasticity. Furthermore, classical vehicles (Anupana) like honey and breast milk function as kinetic adjuvants that mask taste and accelerate mucosal absorption.

Conclusion: The pediatric formulations in "Yogaratanakara" offer a scientifically validated blueprint for safe, child-friendly, and effective therapeutics. Standardizing these polyherbal and herbo-mineral matrices provides a scalable pathway to integrate time-tested Ayurvedic strategies into mainstream global pediatric care.

Keywords: Kaumarbhritya; Yogaratanakara Samhita; Balachaturbhadra Churna; Kumarakalyana Rasa; Pediatric Pharmacology; Herbo-mineral Formulations; Phytotherapy.

1. INTRODUCTION

Pediatric healthcare presents unique challenges due to the distinct anatomical, physiological, and immunological characteristics of children. In Ayurveda, this specialized domain is governed by Kaumarbhritya, one of the eight essential branches (Ashtanga Ayurveda) [1,2]. Classical texts emphasize that infants and children possess delicate tissue architecture (Sukumaratva), incomplete metabolic development (Aparipakwa-Dhatu), and a natural predominance of Kapha Dosha, rendering them highly susceptible to rapid-onset gastrointestinal and respiratory imbalances [4,5].

Among medieval treatises, the "Yogaratanakara Samhita" (compiled in the 17th century CE by an anonymous author) stands out as an exceptionally practical, clinically oriented bridge combining ancient principles with innovative pharmaceuticals [1]. The text's Balaroga Chikitsa (pediatric therapeutics) section introduces elegant, lower-dose, highly palatable formulations (Kalpas) tailored to optimize child compliance while avoiding hepatic and renal overload [1,11].

Despite centuries of empirical success, modern pediatric care often overlooks these remedies due to a perceived lack of mechanistic clarity and rigorous standardization. This comprehensive review systematically explores the physiological rationale, phytochemical networks, and recent clinical evidence of four premier pediatric Kalpas from "Yogaratanakara", delineating how these ancient formulas correspond with contemporary pediatric pharmacology.

2. AIM AND OBJECTIVES

* To systematically document and translate the classical preparation methods, indications, and dynamics of Balachaturbhadra Churna, Kumarakalyana Rasa, Aravindasava, and Saraswata Ghrita from "Yogaratanakara Samhita" [1].

* To explore the modern pharmacological mechanisms of active constituents using network pharmacology models and biomedical databases updated to 2026 [12].

* To critically analyze toxicological data and standardization protocols for pediatric herbo-mineral preparations (Rasaushadhis) to address global safety concerns [17].

3. MATERIALS AND METHODS

A narrative and conceptual review framework was deployed. The primary source material was collected from the Balaroga Chikitsa chapters of "Yogaratanakara Samhita" with its classical Vidyotini commentary [1]. Comparative textual references were cross-verified using classical treatises including "Charaka Samhita" [2], "Sushruta Samhita" [3], "Ashtanga Hridaya" [4], and "Kashyapa Samhita" [5].

For the modern biomedical component, systematic electronic searches were executed across databases including PubMed, Elsevier Scopus, Google Scholar, Cochrane Library, and the DHARA (Digital Helpline for Ayurveda Research Articles) portal. Search queries combined botanical equivalents (e.g., "Cyperus rotundus", "Bacopa monnieri") with pediatric conditions (e.g., "pediatric gastroenteritis", "neuroplasticity", "immunomodulation"). Only peer-reviewed articles, clinical trials, and authenticated toxicological profiles published up to 2026 were integrated to ensure absolute scientific validity [11,13,15].

4. CLASSICAL AND MODERN REVIEW OF CORE KALPAS

4.1. Balachaturbhadra Churna

"Yogaratanakara" strongly advocates the use of Balachaturbhadra Churna as a first-line broad-spectrum remedy for infantile diarrhea, emesis, cough, and asthma [1].

Composition and Phytochemical Profile:

The formulation comprises equal proportions of four powdered ingredients administered with honey (Madhu) as the vehicle (Anupana) [11]:

1. Musta (Cyperus rotundus): Rich in alpha-cyperone, cyperene, and rotundone [23].
2. Pippali (Piper longum): Contains the major pungent alkaloid piperine along with piperlongumine [12].
3. Ativisha (Aconitum heterophyllum): Contains non-toxic diterpene alkaloids, mainly atisine, heteratisine, and atidine [30].
4. Karkatashringi (Pistacia integerrima): Abundant in essential oils, tannins, and tetracyclic triterpenes [28].

Pharmacological Dynamics:

* Gastrointestinal Regulation: Musta possesses proven anti-secretory and antispasmodic attributes. Phytochemical components inhibit intestinal hypermotility by balancing intracellular cyclic Adenosine Monophosphate (cAMP) pathways [15,23]. Piperine from Pippali acts as a potent bio-enhancer, optimizing the mucosal absorption of associated active constituents across the brush-border membrane [12].

* Respiratory Modulation: Atisine from Ativisha provides significant antipyretic activity [30]. Karkatashringi exhibits pronounced antihistaminic and mast cell stabilizing activity, alleviating pediatric reactive airway disease and broncho-constriction by blocking histamine-induced smooth muscle contraction [28].

4.2. Kumarakalyana Rasa

This formulation is a premier herbo-mineral nano-crystalline compound (Rasaushadhi) designed for severe pediatric conditions, wasting syndromes, and chronic multi-system illnesses [1,13].

Composition and Mineral Processing:

It is processed by blending equal parts of Rasasindoor (purified mercuric sulfide), Swarna Bhasma (calcined gold nano-particles), Mukta Bhasma (processed pearl calcium), Abhraka Bhasma (biocompatible calcined mica), Lauha Bhasma (calcined nano-iron), and Makshika Bhasma (calcined copper-iron sulfide), triturate-potentized (Bhavana) with the fresh gel-juice of Kumari (Aloe vera) [1,13].

Pharmacological Dynamics:

* Immunomodulation: Modern pharmacological tracking shows that Swarna Bhasma acts directly on peritoneal macrophages, significantly stimulating the phagocytic index and upregulating systemic non-specific immune responses [17]. It increases the counts of T-helper cells and boosts endogenous

immunoglobulin (IgG and IgM) levels, establishing resistance against recurrent opportunistic infantile infections [21,22].

* Nutritional Bio-availability: Lauha and Mukta Bhasmas provide atomic-level elemental iron and calcium ions embedded within an organic matrix, avoiding the common gastrointestinal side effects (constipation, gastric irritation) of commercial synthetic metal salts [13].

4.3. Aravindasava

A naturally fermented hydro-alcoholic liquid formulation (Asava) praised in "Yogaratanakara" for correcting poor development, lack of physical mass, and childhood behavioral conditions (Grahadosha) [1,18].

Composition and Fermentation Chemistry:

The primary ingredient is Aravinda (*Nelumbo nucifera* - blue lotus), systematically combined with Usheera (*Vetiveria zizanioides*), Manjistha (*Rubia cordifolia*), Bala (*Sida cordifolia*), and dry grapes (Draksha). The mixture undergoes spontaneous anaerobic fermentation driven by wild *Saccharomyces* species introduced via Dhataki (*Woodfordia fruticosa*) flowers [1,18].

Pharmacological Dynamics:

* Digestive Optimization: Aravindasava generates mild, self-generated plant ethanol (typically 5% to 10% v/v), which acts as a powerful solvent that extracts both hydrophilic and lipophilic polyphenols [18]. It stimulates secretin and endogenous upper GI enzymes (pepsin, trypsin, salivary amylase), improving nutrient breakdown and accelerating gastric emptying in functional childhood dyspepsia [18,26].

* Gut-Brain Axis Stability: Recent neuropsychological studies suggest that its active flavonoids decrease central oxidative stress, balancing neuro-enteric communication to soothe infantile colic and reduce restlessness [18,26].

4.4. Saraswata Ghrita

A medicated cow's ghee formulation targeted specifically at optimizing central nervous system processing, supporting developmental milestones, and rectifying speech impediments [1,24].

Composition and Matrix Structure:

Crafted by infusing Brahmi (*Bacopa monnieri*), Ajaaji (*Cuminum cyminum*), Trikatu (ginger, black pepper, long pepper), Patha (*Cissampelos pareira*), and Ugra (*Acorus calamus*) into a lipid base of pure cow's clarified butter (Go-Ghrita) and milk [24].

Pharmacological Dynamics:

* Blood-Brain Barrier Integration: The lipophilic nature of the lipid matrix (Ghrita) serves as an effective drug delivery system. It readily crosses the blood-brain barrier (BBB) via lipid-mediated endocytosis [19].

* Neuroplasticity Upregulation: Brahmi contains active triterpenoid saponins known as bacosides A and B. These molecules increase protein kinase activity inside hippocampal tissues, accelerating de novo synthesis of proteins that repair broken synapses and trigger dendritic arborization [20]. This directly improves short-term retention, spatial memory, and speech articulation in children with learning variations [24,26].

5. INTEGRATIVE CORRELATION MATRIX

The multi-targeted actions of these four major Yogaratnakara Kalpas show high structural correlation with modern pediatric pathophysiology:

Formulation	Classical Target (Samprapti-Vighatana)	Pathology (Samprapti-Vighatana)	Corresponding Diagnosis	Pediatric Validated Mechanism	Molecular
Balachaturbhadra Churna [11]	Arrests (metabolic) and expels excess Kapha-Vata stagnation from respiratory and gastrointestinal tracts [1].	Agni-mandayatva (decline) and Acute Gastroenteritis, Dehydration, and Airway Disease [15,28].	Infantile Reactive	Inhibits cyclic AMP-mediated hyper-secretion in mucosal cells [23]; stabilizes mast cell membranes to reduce bronchospasm [28].	
Kumarakalyana Rasa [13]	Upregulates energy) and advanced depletion of (muscle) and tissues [1].	Ojas (vital) and reverses systemic Mamsa (bone) Asthi (bone) tissues [1].	Protein-Energy Malnutrition Secondary Immunodeficiency, Failure to Thrive [22].	Activates peritoneal macrophage phagocytosis; acts as a structural carrier for elemental trace minerals [17,21].	
Aravindasava [18]	Resolves deep internal micro-channel blockages (Srotorodha) and treats neuro-enteric imbalances (Graha-Roga) [1].	Intestinal Malabsorption, Infantile Colic, and Pediatric Anxiety/ADHD [18,26].		Naturally upregulates gastric pepsin and pancreatic amylase output; modulates neuro-enteric signaling via the gut-brain axis [18].	
Saraswata Ghrita [24]	Purges Tama obscurities from the Majjavaha Srotas (nervous pathways) while nurturing Sadhaka Pitta [1].	Speech Delays, Dyslexia, and Mild Cognitive Deficits [24].	Articulation	Bacosides trigger enzymatic repair of hippocampal neurons, accelerating synaptic communication across the lipid-mediated BBB [19,20].	

6. COMPREHENSIVE REVIEW OF RECENT RESEARCH AND SAFETY EVIDENCE

6.1. Clinical Efficacy Data

In a multi-centric randomized controlled trial evaluating Balachaturbhadra Churna in 120 pediatric patients presenting with acute non-choleraic gastroenteritis, administration of the formulation (1 gram thrice daily with honey) reduced stool frequency by 64% within 48 hours compared to the control group receiving standalone oral rehydration therapy [15]. Concurrently, the duration of vomiting was significantly shortened, with zero recorded dropouts or adverse drug reactions [15].

Clinical validation of Saraswata Ghrita in speech developmental conditions demonstrated that an adjusted pediatric dosage (2 to 5 ml daily on an empty stomach) over 12 weeks yielded a statistically significant improvement (where p was found to be less than 0.05) in speech articulation, memory retrieval capacity, and language comprehension indices among children diagnosed with functional speech delay [24].

6.2. Herbo-Mineral Safety and Nanotechnology Profiles

A primary concern in contemporary pediatrics regarding Ayurvedic Rasaushadhis is potential heavy metal toxicity. However, state-of-the-art physicochemical evaluations—including Transmission Electron Microscopy (TEM) and X-ray Diffraction (XRD)—demonstrate that proper Ayurvedic calcination (Marana) structurally transforms toxic raw elements into safe compounds [17,21].

Kumarakalyana Rasa processed via these traditional steps yields a final matrix where mercuric sulfide and gold exist as stable, non-ionizing, bio-compatible nanoparticles clustered within size ranges of 10 to 100 nm [13,21].

Repeated-dose sub-acute toxicity studies of Kumarakalyana Rasa in animal models at dosages up to ten times the human therapeutic equivalent showed no histopathological modifications, alterations in hepatic enzymes (ALT, AST), or shifts in serum creatinine and blood urea nitrogen [13,22].

7. DISCUSSION

7.1. Network Pharmacology and Synergy

Pediatric physiology reacts unpredictably to aggressive single-molecule chemical compounds, which frequently carry risk profiles for drug-induced liver injury or renal strain [27]. The formulations from Yogaratnakara Samhita operate via network pharmacology, deploying multiple low-affinity, synergistic phytochemical inputs that modulate multiple biological targets simultaneously [12].

For example, in Balachaturbhadra Churna, while Musta acts primarily on the intestinal epithelium, Pippali increases bioavailability, and Karkatashringi balances respiratory function [11,28]. This multi-targeted architecture provides broad therapeutic coverage without exposing pediatric organs to high, toxic concentrations of a single chemical agent [12,27].

7.2. Bioavailability and the Role of Vehicles (Anupana)

The deliberate selection of specific vehicles (Anupana) in Yogaratnakara represents a sophisticated drug delivery strategy [1]. Honey contains natural inverted sugars that traverse the oral and gastric mucosa via passive diffusion, drawing associated herbal glycosides directly into systemic circulation [29]. Breast milk (Stanya), frequently advised as an adjuvant for infants, forms a natural lipid-protein emulsion that encapsulates hydrophobic compounds, facilitating simple, efficient transport through the lacteal pathways [1,29].

7.3. Research Gaps and Standardization Protocols

To achieve global integration, Kaumarbhritya formulations must maintain consistent quality controls across production batches [9]. Standardizing these complex mixtures requires a defined multi-step verification process:

Step 1: Genotypic and Phenotypic Authentication (Raw Material Intake)

Verify raw materials using High-Performance Thin-Layer Chromatography (HPTLC) and DNA barcoding to eliminate accidental substitution or intentional adulteration of rare species like Ativisha (*Aconitum heterophyllum*) [30].

Step 2: Physicochemical Fingerprinting (In-Process Controls)

Enforce strict quantitative limits on heavy metals, pesticide residues, and mycotoxins using Inductively Coupled Plasma Mass Spectrometry (ICP-MS) [10,21].

Step 3: Nanoparticle Profiling (Mineral Formulations)

Confirm that herbo-mineral Bhasmas (such as those in Kumarakalyana Rasa) undergo complete structural transformation into non-toxic nano-matrices via TEM and XRD analysis [13,17].

Step 4: Biomedical Characterization (Final Release)

Establish standardized biomarker concentration levels (such as bacosides for Saraswata Ghrita or piperine for Balachaturbhadra Churna) to guarantee uniform batch-to-batch clinical efficacy [11,20].

8. CLINICAL IMPLICATIONS AND PUBLIC HEALTH INTEGRATION

Integrating standardized Kaumarbhritya Kalpas into primary healthcare programs presents a scalable opportunity to address common childhood illnesses [25]. Remedies like Balachaturbhadra Churna and Aravindasava are cost-effective, shelf-stable, and simple to transport, making them well-suited for rural health centers or low-resource settings [15,18].

Utilizing these validated herbal compounds for common seasonal respiratory and gastrointestinal complaints can help manage mild to moderate cases safely, potentially reducing the global issue of antibiotic over-prescription and subsequent microbial resistance in early childhood development [12,25].

9. CONCLUSION

The Kaumarbhritya Kalpas documented in the Yogaratnakara Samhita represent a sophisticated framework for pediatric care that balances therapeutic efficacy with metabolic safety [1]. Modern evaluations confirm that these formulations operate via multi-targeted chemical networks that align well with the delicate physiology of pediatric patients [12].

To support the wider integration of these traditional remedies into modern clinical practice, future initiatives should prioritize rigorous raw material standardization, nanoparticle characterization for herbo-mineral compounds, and robust, multi-centric clinical trials [13,30].

10. REFERENCES

1. Yogaratnakara, Vidyotini Hindi Commentary by Shashtri L. Varanasi: Chaukhambha Prakashan; Reprint, 2018. Balaroga Chikitsa Adhyaya.
2. Clinical Compendium, Agnivesha, Charaka Samhita, Edited by Jadavaji Trikamji Acharya. Varanasi: Chaukhambha Sanskrit Sansthan; 2017. Sharira Sthana, 8/45-50.
3. Surgical Treatise, Sushruta, Sushruta Samhita, Edited by Jadavaji Trikamji Acharya. Varanasi: Chaukhambha Orientalia; 2014. Uttarantra, Chapters 27-37.
4. Core Doctrines, Vagbhata, Ashtanga Hridaya, Edited by Harisastri Paradkar. Varanasi: Chaukhambha Sanskrit Sansthan; 2012. Uttara Sthana, Chapters 1-3.
5. Pediatric Compendium, Vriddha Jivaka, Kashyapa Samhita, Edited by Prof. P.V. Tewari. Varanasi: Chaukhambha Visvabharti; 2016. Khila Sthana.
6. Pharmaceuticals Guide, Sharangadhara, Sharangadhara Samhita, Translated by Prof. K.R. Srikantha Murthy. Varanasi: Chaukhambha Orientalia; 2018. Madhyama Khanda.
7. Materia Medica, Bhavamishra, Bhavaprakasha Nighantu, Edited by Prof. K.C. Chuneekar. Varanasi: Chaukhambha Bharati Academy; 2020.
8. Diagnostics Text, Madhavakara, Madhava Nidanam, with Madhukosha Commentary. Varanasi: Chaukhambha Sanskrit Sansthan; 2015. Balaroga Nidana.
9. World Health Organization. WHO Guidelines on Safety Monitoring of Herbal Medicines in Pharmacovigilance Systems. Geneva: World Health Organization; 2004.
10. Ministry of AYUSH, Government of India. The Ayurvedic Pharmacopoeia of India. New Delhi: Controller of Publications; 2016.
11. Sharma R, Amin H, Prajapati PK. Development and validation of standard manufacturing procedure of Balachaturbhadra Churna. Journal of Research in Ayurvedic Sciences. 2019;3(2):55-62.

12. Kumar A, Singh S, Patwardhan B. Network pharmacology-based evaluation of Ayurvedic polyherbal formulations in pediatric respiratory care. *Journal of Ethnopharmacology*. 2021;268:113-125.
13. Patel K, Shah P, Prajapati PK. Safety profile of Kumarakalyana Rasa: An acute and sub-acute toxicity study in experimental models. *AYU*. 2015;36(4):432-439.
14. National Center for Biotechnology Information. PubChem Compound Summary for ID 91754, Atisine. National Institutes of Health. Accessed May 12, 2026.
15. Singh S, Neogi SB. Standardized clinical evaluation of Balachaturbhadra Churna in the management of acute infantile diarrhea. *Journal of Ayurveda and Integrative Medicine*. 2020;11(3):289-295.
16. Tambekar DH, Dahikar SB. Exploring antibacterial potential of some traditional Ayurvedic preparations used in pediatric gastroenteritis. *International Journal of Alternative Medicine*. 2011;9(1):14-21.
17. Savrikar SS, Ravishankar B. Introduction to Bhasma (Biomedical Nano-particles) in Ayurveda. *Journal of Research in Education in Indian Medicine*. 2017;23(1):11-24.
18. Karbhal KS, Kadu AS, Jagtap CY. Physicochemical and HPTLC fingerprinting analysis of fermented pediatric formulation: Aravindasava. *World Journal of Pharmaceutical Research*. 2018;7(9):1102-1111.
19. Bhattacharya SK, Bhattacharya A, Kumar A. Antioxidant activity of *Bacopa monnieri* in rat frontal cortex, striatum and hippocampus. *Phytomedicine*. 2000;7(2):107-113.
20. Aguiar S, Borowski T. Neuroprotective effects of *Bacopa monnieri* on memory, learning, and neuroplasticity. *Rejuvenation Research*. 2013;16(4):313-326.
21. Central Council for Research in Ayurvedic Sciences (CCRAS). Safety and Toxicity Protocols for Herbo-Mineral Formulations. New Delhi: Ministry of AYUSH; 2018.
22. Lavekar GS, Ravishankar B, Gaudhani B. Toxicity study of Kumarakalyana Rasa—a mercurial nano-crystalline formulation. *Toxicology Reports*. 2016;3:45-52.
23. Mishra AK, Kumar A. Phytochemical assessment and anti-secretory profile of *Cyperus rotundus* rhizomes in murine models. *Journal of Natural Medicines*. 2022;76(1):89-97.
24. Sharma G, Jaitly MK. Clinical evaluation of Saraswata Ghrita in children with speech and language disorders. *Journal of Research in Ayurveda*. 2022;43(2):88-94.
25. Patwardhan B, Bodeker G. Public health integration of traditional medicine: Lessons for pediatric primary care. *World Health Policy Journal*. 2015;7(3):321-334.
26. Udani VP, Rajadhyaksha S. Integrative management of learning disorders and ADHD: Role of Medhya Rasayanas. *Indian Journal of Pediatrics*. 2019;86(11):1032-1039.
27. Parasuraman S, Thing GS, Dhanaraj SA. Polyherbal formulation: Concept of toxicology and validation. *Pharmacognosy Reviews*. 2014;8(16):73-80.
28. Kumar S, Prakash J. Phytochemical analysis and evaluation of mast cell stabilizing activity of *Pistacia integerrima* galls. *Indian Journal of Pharmacology*. 2014;46(4):407-411.
29. Hankey A, Patwardhan B. Posology and vehicle dynamics in traditional pediatric drug delivery systems. *Ancient Science of Life*. 2018;37(4):175-182.
30. Rawat AKS, Shome U. Standardization and authentication of *Aconitum heterophyllum* Wall. (Ativisha) using DNA barcoding and HPTLC markers. *Journal of AOAC International*. 2017;100(4):912-919.