



Automated Railway Track Object Detection and Defending System

Shriram Vinaak Dalvi

*Student, Department of Electrical
Engineering*

Smt. Indira Gandhi College Of
Engineering, Ghansoli, Navi -Mumbai
India, Maharashtra
@gmail.com

Sayyed Ahmed ali Ashpak ali

*Student, Department of Electrical
Engineering*

Smt. Indira Gandhi College Of
Engineering, Ghansoli, Navi -Mumbai
India, Maharashtra
@gmail.com

Dhiraj Vijay Bhoye

*Student, Department of Electrical
Engineering*

Smt. Indira Gandhi College Of
Engineering, Ghansoli, Navi -Mumbai
India, Maharashtra
Dhirajbhoye9@gmail.com

Kanishk Kamble

*Student, Department of Electrical
Engineering*

Smt. Indira Gandhi College Of
Engineering, Ghansoli, Navi -Mumbai
India, Maharashtra
@gmail.com

Prof. Kalyani R. Fulzele

Assistant Professor

Department of Electrical Engineering
Smt. Indira Gandhi College Of
Engineering, Ghansoli, Navi -Mumbai
India, Maharashtra
kalyani.fulzele@sigce.edu.in

Abstract - Railway transportation is one of the most important modes of public transportation, and railway safety is an important concern. Objects present on railway tracks can cause accidents, damage to trains, and delays. Manual monitoring of railway tracks is difficult, especially over long distances. The proposed Automated Railway Track Object Detection and Defending System is designed to automatically detect unwanted objects or obstacles present on railway tracks. The system uses sensors and a controller to continuously monitor the track. When an object is detected, the controller processes the information and activates an alert or defending mechanism. The system can also provide information about the location of the detected object. This project aims to reduce the dependence on manual inspection and provide an automated method for improving railway-track safety.

Index Terms – Railway safety, Object Detection, Obstacle Detection, Automation, Sensor, Microcontroller, Railway Track Monitoring.

INTRODUCTION

Railway transportation is one of the most important modes of transportation for carrying passengers and goods over long distances. Since trains generally operate at high speeds on fixed tracks, the presence of unwanted objects or obstacles on the railway track can create serious safety risks. Objects such as stones, fallen branches, animals, debris, or other materials may interfere with the safe movement of trains. Therefore, early detection of such objects is an important part of railway safety.

Railway tracks extend over large areas and pass through cities, villages, forests, bridges, tunnels, and remote locations. Continuous manual inspection of the entire railway network is difficult and requires considerable time and manpower. An object may also appear on the track after a manual inspection has been completed. Hence, an automated monitoring system can provide continuous observation of the railway track and support existing railway safety procedures.

The Automated Railway Track Object Detection and Defending System is proposed to automatically detect unwanted objects present on or near a railway track. The system can use sensors or a camera to monitor the track. When an obstacle is detected, the information is sent to a microcontroller, which processes the signal and determines the required response.

The system can generate an alarm or warning when an obstacle is detected. A GPS module can be used to identify the approximate location, while a GSM or wireless communication module can transmit the information to a monitoring station. A suitable protective mechanism can also be included in the prototype to demonstrate the system's response.

The proposed project combines sensors, microcontrollers, communication, automation, and control systems for railway safety. Its performance can be evaluated using parameters such as detection accuracy, detection range, response time, and communication reliability. Further development can include advanced camera-based detection and machine-learning techniques to improve object identification.

Thus, the proposed system provides an automated approach for railway-track monitoring and early obstacle detection, with the aim of improving safety and reducing dependence on continuous manual inspection.

LITERATURE SURVEY

Researchers have developed different methods for detecting obstacles and unwanted objects on railway tracks. Earlier systems mainly used sensors and traditional image-processing techniques to identify objects in the track area. With the development of computer vision and artificial intelligence, recent research has increasingly focused on camera-based and deep-learning methods for real-time obstacle detection. Vision-based railway systems generally involve identifying the railway-track region, detecting obstacles, and estimating the distance between the train and the detected object. Recent studies have investigated deep-learning models such as YOLO and Mobile Net for improving detection accuracy and real-time performance. Some research has also explored the use of LiDAR and radar along with cameras to improve detection under different

environmental conditions. Other studies have focused on railway track-intrusion detection and the integration of obstacle information with railway traffic-management systems. Recent work has also considered risk assessment, where the system not only detects an obstacle but also evaluates the possible danger it may create. These studies provide a foundation for the proposed Automated Railway Track Object Detection and Defending System, which combines automatic object detection with warning and protective actions to improve railway-track monitoring and safety.

1. PROBLEM STATEMENTS & OBJECTIVES

1.1 Problem Statements

Railway tracks are spread over large areas and require regular monitoring to ensure safe train operation. Objects such as stones, animals, fallen branches, debris, or other obstacles may suddenly appear on the track and create a risk of accidents. Manual inspection of railway tracks requires time and manpower and may not provide continuous monitoring. Therefore, there is a need for an automated system that can continuously detect objects on the railway track and provide an immediate warning or protective response. The proposed Automated Railway Track Object Detection and Defending System aims to address this problem by using sensors/cameras, a controller, and an alert mechanism for automatic track monitoring.

1.2 Project Objectives

1. **To detect objects or obstacles** present on the railway track automatically.
2. **To continuously monitor the railway track** without depending completely on manual inspection.
3. **To process the detected information** using a microcontroller or processing unit.
4. **To provide an immediate warning** through a buzzer, indicator, or communication system when an obstacle is detected.
5. **To identify the approximate location** of the detected obstacle using a GPS module, if included.
6. **To develop a defending/protective mechanism** that can provide an appropriate response after obstacle detection.

7. To evaluate the system performance based on detection accuracy, detection range, response time, and reliability.

8. To develop a low-cost prototype that demonstrates the basic concept of automated railway-track safety monitoring.

2. SYSTEM ARCHITECTURE & METHODOLOGY

2.1 System Architecture

The proposed Automated Railway Track Object Detection and Defending System consists of several interconnected units that work together to detect obstacles on a railway track and generate an appropriate warning or protective response.

The main units of the system are:

- **Object Detection Unit:** Camera or sensors continuously monitor the railway track.
- **Processing Unit:** A microcontroller receives and processes the sensor information.
- **Decision Unit:** The controller determines whether an obstacle is present.
- **Location Unit:** GPS can be used to identify the approximate location of the detected object.
- **Communication Unit:** GSM/Wi-Fi can transmit an alert to the monitoring authority.
- **Alert Unit:** Buzzer, LED, or display provides a local warning.
- **Defending/Protective Unit:** An actuator or relay can be used to demonstrate the required protective response.
- **Power Supply:** Provides power to all electronic components.

The overall architecture follows:

Detection → Processing → Decision → Alert/Communication → Defending Action

2.2 System Block Diagram

The system monitors the railway track using a camera or sensors to detect unwanted objects. The detected signal is sent to the microcontroller, which processes the information and decides whether an obstacle is present. If an obstacle is detected, the alert unit gives a warning, while the GPS and communication units can provide and send its location. Finally, the defending/protective unit performs the required protective action.




Fig. 1. System Block Diagram of Automated Railway Track Object Detection and Defending System

2.3 Methodology




Fig. 2. Step-by-Step Methodology of Automated Railway Track Object Detection and Defending System

The methodology of the proposed system is based on continuous monitoring of the railway track. The detection unit observes the track and identifies the presence of an unwanted object. The detected information is sent to the microcontroller, where it is processed according to predefined conditions. If an obstacle is detected, the controller activates the warning system and can send the information through a communication module. The GPS module can provide the approximate location of the obstacle. Finally, the designed protective or defending mechanism is activated according to the system design.

3. TECHNICAL ANALYSIS & MATHEMATICAL MODELING

3.1 Technical Analysis & Mathematical Modelling

The proposed Automated Railway Track Detection System uses image processing and computer vision techniques to identify railway tracks and detect possible abnormalities. The input image or video is first converted into a suitable format and processed to reduce noise. Important features such as edges, lines, and track boundaries are then extracted. Mathematical methods are used to identify the two approximately parallel rail lines and determine whether the detected track structure is normal.

3.2 Mathematical Modeling

The railway track can be represented using a mathematical line equation:

$$y=mx+c$$

Where m represents the slope of the rail and c represents the intercept. Two detected rail lines should have nearly similar slopes, indicating that they are approximately parallel. The distance between two detected rail lines can also be calculated. If the lines are represented as:

$$a_1x+b_1y+c_1=0$$

and

$$a_2x+b_2y+c_2=0$$

the system compares their positions and orientations to identify deviations from the expected track pattern.

For video-based detection, the system processes consecutive frames and compares the detected rail positions. A significant change in the expected

position, angle, or spacing of the rail can be marked as a possible track abnormality.

Thus, mathematical modelling provides a basis for converting the visual information from the railway track into measurable parameters.

4. APPLICATIONS, ADVANTAGES & DISADVANTAGES

4.1 Applications

- **Obstacle detection:** Detects objects such as rocks, vehicles, animals, fallen trees, debris, or other obstructions on railway tracks.
- **Train collision prevention:** Provides early warnings to train operators or railway control centers when an obstacle is detected.
- **Railway-crossing safety:** Identifies vehicles, pedestrians, or other objects that remain on tracks at level crossings.
- **Track monitoring:** Continuously monitors railway tracks for abnormal conditions or foreign objects.
- **Tunnel and bridge monitoring:** Helps detect obstacles or potentially dangerous objects in tunnels, on bridges, and in other restricted railway sections.
- **Remote railway surveillance:** Enables railway authorities to monitor isolated or difficult-to-access track sections remotely.
- **Emergency alert systems:** Sends alerts through wireless communication, IoT networks, GSM, or other communication technologies to relevant personnel.
- **Integration with railway control systems:** Detection information can be integrated with signalling and centralized monitoring systems for faster response.
- **Security and intrusion detection:** Can identify unauthorized people or vehicles entering railway areas.

4.2 Advantages

- **Improved railway safety:** Early detection of obstacles can reduce the risk of collisions and accidents.
- **Real-time monitoring:** Tracks can be monitored continuously without requiring constant human observation.

- **Faster response:** Automated alerts can notify railway personnel immediately after detecting an obstacle.
- **Reduced human dependency:** Automation reduces the need for continuous manual inspection.
- **Wide-area monitoring:** A network of cameras and sensors can monitor long stretches of railway track.
- **Reduced inspection costs:** Automated monitoring can complement conventional manual inspection and potentially reduce routine inspection requirements.
- **Accurate detection:** AI and computer-vision techniques can identify and classify different types of objects.
- **Data recording:** Images, videos, sensor readings, and detection events can be stored for later analysis.
- **Remote operation:** Railway authorities can receive information without being physically present at the location.
- **Potential integration with IoT:** Multiple sensors and railway systems can communicate with a central monitoring platform.

4.3 Disadvantages

- **High initial cost:** Cameras, sensors, communication equipment, computing hardware, and installation can be expensive.
- **Environmental limitations:** Fog, rain, dust, darkness, snow, or strong sunlight can affect camera-based detection.
- **False alarms:** The system may sometimes identify harmless objects or environmental conditions as threats.
- **Missed detections:** Very small, partially hidden, or unusual objects may not always be detected correctly.
- **Maintenance requirements:** Sensors, cameras, power systems, and communication equipment require regular maintenance.
- **Power dependency:** Failure of the power supply can interrupt system operation unless backup power is available.
- **Network dependency:** Wireless or cellular communication failures can delay alerts.
- **AI limitations:** Detection accuracy depends on the quality and diversity of the

training data and the operating environment.

- **Cybersecurity risks:** Network-connected railway systems need strong protection against unauthorized access and manipulation.
- **Integration complexity:** Connecting a new automated detection system with existing railway signalling and control infrastructure can be technically challenging.

Conclusion

An Automated Railway Track Object Detection and Defending System can improve railway safety by continuously detecting obstacles, generating timely alerts, and supporting rapid responses. Its effectiveness depends on reliable sensors, robust AI algorithms, adequate communication, backup systems, and proper maintenance. It is therefore best considered as a safety-support system that complements existing railway protection and operating procedures, rather than as a replacement for all existing safety measures.

References

1. Ristić-Durrant, D., Franke, M., and Michels, K., *A Review of Vision-Based On-Board Obstacle Detection and Distance Estimation in Railways*, Sensors, 2021.
2. He, D., Zou, Z., Chen, Y., Liu, B., Yao, X., and Shan, S., *Obstacle Detection of Rail Transit Based on Deep Learning*, Measurement, 2021.
3. Zhang, Z., Chen, P., Huang, Y., Dai, L., Xu, F., and Hu, H., *Railway Obstacle Intrusion Warning Mechanism Integrating YOLO-Based Detection and Risk Assessment*, Journal of Industrial Information Integration, 2024.
4. Zhao, Z., Kang, J., Sun, Z., Ye, T., and Wu, B., *A Real-Time and High-Accuracy Railway Obstacle Detection Method Using Lightweight CNN and Improved Transformer*, Measurement, 2024.
5. Chen, C., Qin, H., Qin, Y., Bai, Y., et al., *Real-Time Railway Obstacle Detection Based on Multitask Perception Learning*,

IEEE Transactions on Intelligent Transportation Systems, 2025.

6. Rahman, F. U., Ahmed, M. T., Hasan, M. M., and Jahan, N., *Real-Time Obstacle Detection Over Railway Track Using Deep Neural Networks*, Procedia Computer Science, 2022.

