



Dosha-Dushya Sammurchana in Visha: A Samhita-Based Approach to Toxic- Pathogenesis

Dr. Girish Vasantrao Mahajan¹ Dr Saurabh Shrikrishna Gite²

1.BAMS MD (Samhita Siddhant) Assistant professor, Samhita Siddhant Department Rukhmini
Ayurved College Sangamner, Ahilyanagar, Maharashtra.

2.BAMS MD (Agadatantra) Assistant professor Agadatantra Rukhmini ayurved college, Sangamner,
Ahilyanagar, Maharashtra.

Abstract

Background: Ayurveda explains the development of disease through the interaction of etiological factors, *Doshas*, *Dushyas*, and various pathological processes collectively described under *Samprapti*. Among these, *Dosha-Dushya Sammurchana* represents a crucial stage in which vitiated *Doshas* interact with susceptible *Dushyas*, resulting in the manifestation of disease. In *Agadatantra*, *Visha* is recognized as a potent etiological factor capable of producing rapid and systemic disturbances.

Objective: The present article aims to explore the concept of *Dosha-Dushya Sammurchana* and interpret its significance in the pathogenesis of toxic conditions from an Ayurvedic perspective.

Discussion: In ordinary disease progression, etiological factors initiate progressive *Dosha* vitiation through stages such as *Sanchaya*, *Prakopa*, and *Prasara*, followed by *Sthana Samshraya* and subsequent *Dosha-Dushya Sammurchana*. In contrast, toxic exposure may produce relatively rapid disturbance of *Dosha* equilibrium and involvement of susceptible tissues, depending upon the properties, potency, dose, route, and duration of exposure to *Visha*. The *Guna* of *Visha*, including *Sukshma* and other characteristic properties, may facilitate its distribution and tissue interaction. Consequently, the interaction between *Visha*, *Dosha*, and *Dushya* provides a useful conceptual framework for understanding toxic manifestations.

Conclusion: Understanding *Dosha-Dushya Sammurchana* in conjunction with the principles of *Agadatantra* provides an integrated Ayurvedic perspective on disease and toxicity, linking the etiological action of *Visha* with *Dosha* disturbance, tissue susceptibility, and clinical manifestation.

Introduction

Ayurveda, the ancient science of life, is founded on the fundamental principles of Tridosha—Vata, Pitta, and Kapha—and Dushya, comprising the body tissues and waste products. According to Ayurveda, health is maintained through the equilibrium of Dosha, Dhatu, Mala, and Agni. Disturbance in this physiological balance results in the manifestation of disease (Roga). The process through which a disease develops and progresses within the body is termed Samprapti or pathogenesis. A key event

in Samprapti is Dosha-Dushya Sammurchana, which denotes the interaction between vitiated Doshas and susceptible Dushyas, ultimately leading to the initiation and progression of disease.¹

The concept of *Dosha-Dushya Sammurchana* occupies a significant place in the Ayurvedic understanding of disease pathogenesis. The term *Sammurchana* denotes the interaction or union between vitiated *Doshas* and susceptible *Dushyas*, which initiates the process of disease manifestation. This interaction is influenced by various factors, including the nature and degree of *Dosha* vitiation, the susceptibility of the *Dushya*, and the involvement of specific *Srotas* and sites of manifestation. A comprehensive understanding of *Dosha-Dushya Sammurchana* provides valuable insight into the development and progression of disease and contributes to the Ayurvedic approach to diagnosis, assessment of pathogenesis, and selection of appropriate therapeutic interventions.²

Tridosha and Their Role in Visha-Dosha-Dushya Sammurchana

The three Doshas—Vata, Pitta, and Kapha—are fundamental regulatory factors responsible for maintaining physiological equilibrium. In toxicological conditions, the introduction of Visha into the body may disturb this equilibrium because of its characteristic Gunas and Virya. The extent and pattern of Dosha involvement depend upon the nature of the poison, its potency, dose, route of administration, duration of exposure, and the susceptibility of the individual. Thus, Visha may produce Dosha Vaishmya, which subsequently facilitates its interaction with susceptible Dushyas and contributes to Dosha-Dushya Sammurchana.^{3,4}

1. Role of Vata Dosha

Vata, predominantly composed of Akasha and Vayu Mahabhuta, governs movement and transportation within the body. The Ruksha, Laghu, Sukshma, and Chala properties associated with Vata can facilitate the movement and dissemination of toxic substances. Poisons possessing similar properties may aggravate Vata and produce manifestations such as pain, tremors, abnormal movements, weakness, altered sensory functions, and disturbances of normal physiological activities. Through its role in transportation, aggravated Vata may contribute to the distribution of Visha and its subsequent interaction with susceptible Dushyas.

2. Role of Pitta Dosha

Pitta, associated predominantly with Agni and Jala Mahabhuta, regulates digestion, metabolism, transformation, and heat. Toxic substances possessing Ushna, Tikshna, and Drava properties may particularly influence Pitta. Such interaction may manifest as burning sensation, increased body temperature, inflammation, discoloration, excessive thirst, and disturbances of metabolic functions. When Pitta becomes involved with susceptible Dushyas, the resulting interaction may contribute to tissue injury and the characteristic manifestations of toxicity.

3. Role of Kapha Dosha

Kapha, predominantly constituted by Prithvi and Jala Mahabhuta, provides stability, cohesion, lubrication, and structural support. Although the manifestation varies according to the nature of Visha, toxins having properties that disturb Kapha may produce heaviness, excessive secretions, lethargy, stiffness, and impaired physiological activity. Alteration of Kapha and its associated functions may also influence the susceptibility of tissues and the progression of the pathological process.

Role in Dosha-Dushya Sammurchana

The interaction between Visha and Tridosha should therefore not be understood as an isolated process. Following exposure, Visha may disturb one or more Doshas according to its properties. The altered

Doshas may then interact with susceptible Dushyas, particularly when Khavaigunya is present. This interaction constitutes a conceptual basis for Dosha-Dushya Sammurchana in toxicological conditions.

Conceptually:

Visha → Dosha Vaishamyā → Prasara/Distribution → Dushya involvement at susceptible sites → Dosha-Dushya Sammurchana → Toxic manifestations

Definition of *Dosha Dushya Sammurchana* ^{5,6}

Dosha Dushya Sammurchana is pathological process where vitiated *Doshas* interact with susceptible *Dushyas*, resulting in manifestation of disease.

The word *Sammurchana* implies the dynamic and complex process where the disturbed physiological forces (*Doshas*) combine with bodily components (*Dushyas*), initiating structural and functional abnormalities.

Dosha	Dushya	Disease	Symptoms	Example
Vata + Rasa	Rasa	Shotha (Edema)	Swelling, dryness	Vataja Shotha
Pitta + Rakta	Rakta	Raktapitta (Bleeding disorders)	Epistaxis, hematuria	Pittaj Raktapitta
Kapha + Mamsa	Mamsa	Granthi (Tumor)	Hard mass, heaviness	Lipoma
Vata + Asthi	Asthi	Asthigata Vata (Osteoarthritis)	Joint pain, crepitus	Osteoarthritis
Pitta + Majja	Majja	Majjagata Pitta (Neuroinflammation)	Burning sensation, dizziness	Multiple sclerosis

When *Doshaprakopa* is appropriately managed through suitable therapeutic interventions, or when the prescribed seasonal regimen (*Ritucharya*) is properly followed, the aggravated *Doshas* may return to their normal state through the process of *Prashama* or *Shama*. In such circumstances, the pathological process is arrested and does not progress to subsequent stages of *Kriya Kala*. However, when the aggravated *Doshas* remain unaddressed, they may progress to the stage of *Prasara*. During *Prasara*, the vitiated *Doshas* leave their respective sites (*Sthana*) and spread beyond their original locations throughout the body, thereby creating the conditions for further progression of the disease process.

The *Prasarita Doshas*, having spread beyond their original sites, move towards tissues and bodily components that are susceptible or weakened. Upon encountering vulnerable *Dushyas*, comprising primarily *Dhatus* and *Malas*, the vitiated *Doshas* become localized and establish themselves at the susceptible site. This stage of disease progression is termed *Sthana Samshraya*, which denotes the localization or lodgment of the vitiated *Doshas* within the affected *Dushya*.

During *Sthana Samshraya*, the interaction between the vitiated *Doshas* and the susceptible *Dhatus* or *Malas* becomes established. This interaction results in functional and structural disturbances within the involved tissues and initiates the development of pathological changes. The resultant pathological interaction or amalgamation between the vitiated *Doshas* and affected *Dushyas* is described as *Dosha-Dushya Sammurchana*. Thus, *Dosha-Dushya Sammurchana* represents a crucial event in the

pathogenesis of disease, through which the interaction between vitiated *Doshas* and susceptible *Dushyas* ultimately contributes to the manifestation of specific disease features.

Components of *Dosha Dushya Sammurchana* ⁷

1. ***Dosha Prakopa (Vitiation of Dosha)***: Initial disturbance of *Doshas* due to improper diet, lifestyle, or environmental factors.
2. ***Dushya Kshaya or Vriddhi (Increase or Decrease of Tissues)***: Imbalance in *Dushyas* due to pathological processes.
3. ***Sthana Samshraya (Localization)***: Vitiated *Doshas* get lodged in a specific tissue or organ.
4. ***Dosha Dushya Sammurchana (Interaction)***: Interaction between the disturbed *Doshas* and *Dushyas* leads to disease formation.

Types of *Dosha Dushya Sammurchana*

Based on the involvement of specific *Doshas* and *Dushyas*, *Dosha Dushya Sammurchana* can be classified into the following types:

1. *Vataja Sammurchana*

- Vitiation of *Vatadosha* interacting with specific *Dushyas*
- Dryness, roughness, and mobility are key features
- Diseases: Osteoarthritis, constipation, paralysis, and tremors

2. *Pittaja Sammurchana*

- Vitiation of *Pitta Dosha* interacting with susceptible *Dushyas*
- Heat, inflammation, and burning sensations are key features
- Diseases: Hyperacidity, dermatitis, jaundice, and ulcers

3. *Kaphaja Sammurchana*

- Vitiation of *Kapha Dosha* interacting with specific *Dushyas*
- Coldness, heaviness, and stagnation are key features
- Diseases: Obesity, respiratory issues, and hypothyroidism

4. *Sannipataja Sammurchana*

- Involvement of all three *Doshas* interacting with *Dushyas*
- Complex symptomatology with mixed features of all *Doshas*
- Diseases: Psoriasis, diabetes, and autoimmune disorders

Dosha- Dushya Samurcchana in Toxic-Pathogenesis Framework

Component	Standard Pathogenesis (<i>Samprapti</i>)	Toxico-Pathogenesis Framework
Visha (Toxin)	<i>Visha</i> is not an essential component of the pathogenesis of ordinary diseases. Disease generally begins with exposure to appropriate <i>Nidana</i> , such as improper diet, lifestyle, or other etiological factors, followed by progressive <i>Dosha</i> vitiation.	<i>Visha</i> acts as a primary etiological factor . Owing to its specific properties (<i>Guna</i>), potency (<i>Virya</i>), and other characteristics, it can disturb physiological equilibrium and produce toxic manifestations.
Dosha (Bio-energies)	The <i>Doshas</i> undergo a progressive sequence of <i>Sanchaya</i> (accumulation), <i>Prakopa</i> (aggravation), and <i>Prasara</i> (spread), followed by localization and disease manifestation.	<i>Visha</i> may rapidly disturb the equilibrium of the Doshas according to its inherent properties. For example, <i>Ruksha</i> and <i>Laghu</i> properties may promote <i>Vata</i> aggravation, whereas <i>Ushna</i> and <i>Tikshna</i> properties may predominantly aggravate <i>Pitta</i> . The predominant <i>Dosha</i> involvement depends upon the nature and properties of the toxin.
Dushya (Target tissues)	Following the spread of vitiated <i>Doshas</i> , localization occurs at susceptible sites possessing <i>Khavaigunya</i> (structural or functional vulnerability). The interaction with the concerned <i>Dushya</i> contributes to disease manifestation.	<i>Visha</i> may reach and affect susceptible tissues depending upon its properties, dose, route of exposure, duration, and individual susceptibility. Its <i>Sukshma</i> and <i>Vyavayi</i> properties, where applicable, facilitate rapid distribution and penetration, potentially resulting in early involvement of circulating and tissue components.
Dosha-Dushya Sammurchana	Occurs after the vitiated <i>Doshas</i> localize in susceptible <i>Dushyas</i> , producing the characteristic pathological process of the disease.	Toxic exposure may modify or accelerate the interaction between the vitiated <i>Doshas</i> and susceptible <i>Dushyas</i> . The resulting <i>Dosha-Dushya Sammurchana</i> , together with the direct effects of <i>Visha</i> , contributes to the manifestation of toxic signs and symptoms.
Ojas	<i>Ojas</i> is generally affected secondarily when disease progresses and the physiological integrity of the body becomes compromised.	<i>Visha</i> is described as capable of producing profound systemic effects and compromising vital functions. Therefore, disturbance of <i>Ojas</i> can be considered an important component of severe toxicity, particularly in relation to systemic deterioration.

Overall progression	Generally follows a sequential and progressive course through the stages of <i>Kriya Kala</i> , depending upon the strength of <i>Nidana</i> , <i>Dosha</i> , <i>Dushya</i> , and individual susceptibility.	May demonstrate a more rapid or distinct pathological progression , depending on the nature, potency, quantity, route, duration of exposure, and susceptibility of the individual.
----------------------------	---	---

Standard disease pathogenesis:

Nidana → Dosha Sanchaya → Prakopa → Prasara → Sthana Samshraya → Dosha-Dushya Sammurchana → Vyakti

Toxicological pathogenesis:

Visha → Rapid systemic distribution/penetration → Dosha disturbance + direct tissue effects → Dushya involvement → Dosha-Dushya Sammurchana → Toxic manifestations

However, the second pathway should be presented as a conceptual framework derived from Ayurvedic principles, rather than claiming that every case of *Visha* follows exactly this sequence.

Discussion

In Ayurveda, disease manifestation is understood as a dynamic interaction between etiological factors, *Dosha*, *Dushya*, *Srotas*, and the site of manifestation. The concept of *Dosha-Dushya Sammurchana* provides an important framework for understanding how vitiated *Doshas* interact with susceptible tissues to produce pathological changes. In the context of *Visha*, the toxic substance itself acts as a significant etiological factor and may disturb the equilibrium of *Vata*, *Pitta*, and *Kapha* according to its inherent properties, potency, dose, route of exposure, and the susceptibility of the individual.

The predominance of particular *Gunas* of *Visha* may influence the pattern of *Dosha* involvement. Properties such as *Ruksha*, *Laghu*, and *Sukshma* may contribute to *Vata* disturbance and facilitate movement or distribution, while *Ushna* and *Tikshna* properties may predominantly influence *Pitta* and contribute to manifestations such as burning, inflammation, and increased body temperature. The effect on *Kapha* may be expressed through alterations in stability, lubrication, and normal physiological functions. These associations should be understood according to the specific characteristics of the poison rather than as a uniform response to all toxic substances.

Following *Dosha* disturbance, susceptible *Dushyas* may become involved, particularly where *Khavaigunya* exists. The subsequent interaction between the vitiated *Dosha* and affected *Dushya* provides an Ayurvedic explanation for the development of specific toxic manifestations. Thus, *Visha*, *Tridosha*, and *Dushya* can be viewed as interconnected components of toxicopathogenesis. This interpretation also highlights the importance of individual susceptibility, as the same toxic exposure may not produce identical manifestations in every individual.

Conclusion

Dosha-Dushya Sammurchana provides a useful conceptual link between the principles of *Samhita* and the toxicological understanding of *Agadatantra*. *Visha*, through its specific properties and potency, can disturb *Tridosha* equilibrium and subsequently influence susceptible *Dushyas*. The nature and extent of this interaction depend upon the type of *Visha*, its *Guna* and *Virya*, dose, route and duration of exposure, as well as individual susceptibility and the presence of *Khavaigunya*. Understanding the role of *Vata*, *Pitta*, and *Kapha* in this process helps explain the diversity of clinical manifestations observed in toxic conditions. Therefore, an integrated understanding of *Visha-Tridosha-Dushya* interaction can

provide a broader Ayurvedic framework for interpreting the pathogenesis, clinical presentation, and therapeutic approach to poisoning.

References

1. Agnivesha, Charaka, Dridhabala. Charaka Samhita, Chikitsa Sthana, Visha Chikitsa Adhyaya, 23/24–27. Edited by Yadavji Trikamji Acharya. Varanasi: Chaukhambha Surbharati Prakashan; reprint ed.

Use for: Ten properties (*Guna*) of *Visha* and their relationship with *Dosha* and *Dhatu*. The text specifically explains that *Ruksha* aggravates *Vata*, *Ushna* aggravates *Pitta*, and *Sukshma* affects *Rakta*.

2. Agnivesha, Charaka, Dridhabala. Charaka Samhita, Chikitsa Sthana, Visha Chikitsa Adhyaya, 23/18–23. Edited by Yadavji Trikamji Acharya. Varanasi: Chaukhambha Surbharati Prakashan; reprint ed.

Use for: The eight stages (*Visha Vega*) and sequential involvement of *Rasa*, *Rakta*, *Mamsa*, and *Vata*.

3. Sushruta. Sushruta Samhita, Sutra Sthana, Dosha-Dhatu-Mala-Kshaya-Vridhhi Vijnaniya Adhyaya, 21/8. Edited by Yadavji Trikamji Acharya. Varanasi: Chaukhambha Surbharati Prakashan; reprint ed.

Use for: Fundamental role of *Vata*, *Pitta*, and *Kapha* in maintaining the integrity and physiological functioning of the body.

4. Vagbhata. Ashtanga Hridaya, Sutra Sthana, Doshabhediya Adhyaya, 11/1–3. Edited by Harishastri Paradkar Vaidya. Varanasi: Chaukhambha Surbharati Prakashan; reprint ed.

Use for: General description, functions, and physiological/pathological significance of *Tridosha*.

5. Vagbhata. Ashtanga Hridaya, Sutra Sthana, Doshopakramaniya Adhyaya, 13. Edited by Harishastri Paradkar Vaidya. Varanasi: Chaukhambha Surbharati Prakashan; reprint ed.

Use for: Understanding *Dosha* vitiation and management in relation to disease development.

6. Sushruta. Sushruta Samhita, Sutra Sthana, Kriyakala Adhyaya, 21/28–36. Edited by Yadavji Trikamji Acharya. Varanasi: Chaukhambha Surbharati Prakashan; reprint ed.

Use for: Sequential progression of disease and the stages of *Kriya Kala*, particularly useful for explaining *Prasara* and *Sthana Samshraya*. A recent review also identifies this chapter as the classical source for *Kriyakala*.

7. Agnivesha, Charaka, Dridhabala. Charaka Samhita, Vimana Sthana, Rogabhishagjitiya Vimana Adhyaya, 8/95–96. Edited by Yadavji Trikamji Acharya. Varanasi: Chaukhambha Surbharati Prakashan; reprint ed.

Use for: Understanding the role of *Dosha*, *Dushya*, *Srotas*, and other factors in disease assessment and pathogenesis.