JETIR.ORG ISSN: 2349-5162 | ESTD Year : 2014 | Monthly Issue
JOURNAL OF EMERGING TECHNOLOGIES AND INNOVATIVE RESEARCH (JETIR)
An International Scholarly Open Access, Peer-reviewed, Refereed Journal

ANTI SLEEPING ALARM SYSTEM USING INTERNET OF THINGS

[1]M. Mallikarjuna Rao,[2] B.V. Suresh Kumar[2]Potu Anitha, [3]Thopuri Deepthi,[4]Tummalagodu Sania Anju, [5]Yadala Venkata Jyothi

[1,2]Assisstant Professor, Department of IT, Vignan's Nirula institute of technology and science for women, Guntur

[2,3,4,5]B. Tech, Department of IT, Vignan's Nirula institute of technology and science for women, Guntur

Abstract

With the expectations of World Wellbeing Organization (WHO) that the number of passings due to activity mischances will be around 2 million inside less than 15 a long time, analysts these days are paying more consideration to how to assist in avoiding activity mishaps and lower the number of happened fatalities. The reason of this consider is an endeavour to anticipate activity mischances due to weariness or languor. In this report, a convenient and low-cost gadget for anticipation of mishaps that happen since of languor or weariness. The proposed framework comprises of two fundamental parts that identify eye flickering based on IR sensors mounted on eyewear. Depending on the reflected and retained IR radiation, this framework identifiesand classifies the eye squinting into ordinary flickering (NB) it is used to prevent road accidents. In Development times, owing to boisterous plans it gets to be exceptionally troublesome to stay active all the time after you drive vehicle. Envision a situationwhere an individual is driving domestic from work, dead tired after confronting all the challenging work of the day. \

1.INTRODUCTION

With the expectations of World Wellbeing Organization (WHO) that the number of passings due to activity mishaps will be around 2 million inside less than 15 a long time, analysts these days are paying more consideration to how to assist in anticipating activity mishaps and lower the number of happened fatalities [1-3]. The reason of this ponder is an endeavour to anticipate activity mischances due to weakness or languor. In this report, a versatile and moo fetched gadget for avoidance of mischances that happen since of languor or weakness [4-7]. The proposed framework comprises of two primary parts that distinguish eye squinting based on IR sensors mounted on eyewear. Depending on the reflected and retained IR radiation, this framework recognizes and classifies the eye squinting into ordinary squinting (NB) [8-11]. In Progress times, owing to boisterous plans it gets to be exceptionally troublesome to stay active all the time after you drive vehicle. Envision a situationwhere an individual is driving domestic from work, dead tired after confronting all the challenging work of the day. He/she Drive Vehicle and his hands are on the directing wheel and foot on the pedal but all of a sudden, he begins feeling tired, his eyes begin closing and his vision obscures and sometime recently he knows it, has begins sleeping.[12-15]. Falling snoozing on the directing wheel can lead to genuine occurrence, there may be mishaps and individuals may even lose their lives. This circumstance is much more commonly happens at that point we take note and thus, it is exceptionally genuine issue to counter this issue.

Sothis issue, we have come up with development security with anti-sleep alert Gadget [16-17].This framework cautions the client on the off chance that he/she falls sleeping at the directing wheel subsequently, dodging mischances and sparing lives of driver, travellers and outsiders [18-22] This framework is useful particularly for individuals who travel long separations voyages and individuals who are driving late at night. The circuit is built around infrared module when driver closes the eyes at that point sensor produce the flag after moment transfer programmed begin the sound and driver tune in that sound and open his eyes and on the off chance that he is in deep rest and he did not open eyes at that point programmed after 8 moment vehicle running halt, so this thought spare more mischance and it is astonishing thought and I make this thought is exceptionally low-price and typically the finest point of my extend[23-26].

2. LITERATURE SURVEY

A Committed Framework for Checking of Driver as Weakness K. Subhashini Spurjeon, Yogesh Bah Indwar Depict approximately the street mischances. The street mischances happen due to the need of consideration of the driver. In this paper creator depicts a genuine time framework for analysing video arrangements of a driver and deciding the level of consideration. For this reason, creator employments the computation of percent of eyelid closure[27-31]. The eye closure acts as a pointer to identify laziness. Driver's weariness and laziness are the major causes of activity mishaps on street. It is exceptionally fundamental to screen the driver as carefulness level and to issuing a caution when he/she isn't paying sufficient consideration to the road may be a promising way to diminish the mischances caused by driver variables. The fatigue observing can be begins with extricating visual parameters[32-35]. This may be done by means of a computer vision framework. Within the purposed work, creator reason a genuine time vigorous strategies for eye following beneath variable lighting conditions and facial introductions. In this paper the most recent innovations in design classification acknowledgment and in object tracking are utilized for eye location [36-39]. The following is based on the eye appearance. Visual data is procured employing a extraordinarily planned arrangement combining a CCD video camera with an IRillumination framework. The framework is completely programmed and recognizes eye position and eye closure and recuperates the gaze of eyes [40-43].Exploratory comes about utilizing genuine pictures illustrate the exactness and strength of the proposed arrangement. This seem ended up a vital portion within the improvement of the progressed security vehicle.

Tiredness Caution Framework Utilizing Fake Insights,NidhiSharma, V.K. Banga:
In this paper creator talk about approximately the different fake insights strategies for identifying the tiredness of framework. Driver as laziness is a critical figure in motoring of vehicle from mishaps. The driving execution break down with expanded laziness with coming about crashes constituting morel vehicle mishaps. In later a long time, there has been developing intrigued in cleverly vehicles [44-47]. The continuous shrewdly vehicle investigate willrevolutionize the way vehicles and drivers associated within the future. The discovery component into vehicles may offer assistance avoid numerous mishaps. There are different procedures utilized for analysing driver depletion. [48-51].Most of the distributed inquire about on computer vision approaches to detection of weakness has centred on the investigation of flickers and head developments. After long hours of driving or in nonappearance of mental caution state, the consideration of driver begins to lose which makes dangers of mischances. These are the commonplace responses of weariness, which are exceptionally unsafe [52-55]. In picture weariness location, rectify and genuine time choice is exceptionally critical. In this paper, creator examines the different manufactured location. anticipation of mishaps [56-58].

BLOCKREPRESENTATION

Fig 1 block representation

Function of major Components

Piezo Buzzer

In least complex terms, a piezo buzzer could be a sort of electronic gadget that as utilized to deliver a tone, caution or sound. It as lightweight with a basic development, and it as regularly a low-cost item.

Fig 2 Buzzer

Eyeblink

The eye squint sensor continually sends infrared waves which are reflected and identified by the collector. As before long as the eye flickers the yield of the sensor goes tall. This yield is sent to the Arduino board. The Arduino sends the flag to the buzzer to form the clamor. This Eye Squint sensor faculties the eyeblink utilizing infrared. [31-35] The Variety Over the eye will change as per eye flicker. In case the eye is closed the yield is tall something else the yield is moo.

Fig 3 Eyeblink sensor

NodeMCU

NodeMCU is an open-source firmware for which open-source prototyping board plans are accessible. The title "NodeMCU" combines "hub" and "MCU" (micro-controller unit). Entirely talking, the term "NodeMCU" alludes to the firmware instead of the related advancement kits. The ESP8266 module enables microcontrollers to put through to 2.4 GHz Wi-Fi, using IEEE 802.11 bgn. It can be utilized with ESP-AT firmware to supply Wi-Fi network to outside have MCUs, or it can be utilized as a self-sufficient MCU by running an RTOS-based SDK.



Fig 4 NodeMCU

IR Sensor

An infrared sensor is an electronic gadget that emanates in arrange to sense a few viewpoints of the environment. An IR sensor can degree the warm of a protest as well as distinguish the movement.

Fig 5 IRsensor

Arduino Uno

Arduino Uno Arduino/Genuino Uno may be a microcontroller board based on the ATmega328P. It has 14 advanced input/output pins (of which 6 can be utilized as PWM yields), 6 analog inputs, a 16 MHz quartz precious stone, a USB association, a control jack, an ICSP header and a reset button. It contains everything required to back the microcontroller; essentially interface it to a computer with a USB cable or control it with an AC-to-DC connector or battery to induce begun Jumper wire

Fig 6 Arduino Uno

By joining a jumper wire on the circuit, it can be short-circuited and short-cut (hop) to the electric circuit. By setting the jumper wire on the circuit, it gets to be conceivable to control the power, halt the operation of the circuit, and work a circuit that does not work with standard wiring. These are male to female jumper wires utilized in interfacing the female header stick of any improvement board to other advancement sheets having a male connector. They are basic wires that have connector pins at each conclusion permitting them to be utilized to associate two focuses to each other.

Fig 7 Jumper wire

Cable wire

Electrical cables work by giving a moo resistance way for the current to stream through. Electrical cables comprise of a center of metal wire advertising great conductivity such as copper or aluminium, in conjunction with other fabric layers counting cover, tapes, screens, armouring for mechanical security, and sheathing. Cable web works through preexisting cable foundation, the same foundation utilized for cable TV. The broadband cable interfaces your modem to the provider's cable modem end framework (CMTS) through a coaxial cable. Your Web supplier sendsinformation signals over underground or airborne coaxial to your modem.

Fig 8 cable wire

DC Fan

DC fans work by utilizing a DC engine to change over electrical vitality into mechanical vitality, which in turn produces wind stream. The DC engine comprises of a stator get together and a rotor gathering, with the rotor gathering being found on the external circumference of the stator get together. DC fans have engines that depend on changeless magnets in arrange to pull in and repulse a rotor around the pivot utilizing electronic exchanging. The best type of DC fan could be a 2-wire fan. By altering the DC voltage given to the fan through the PWR wire, the fan will turn at a particular speed, and the fan circuit is completed through the GND wire.

Fig 9 DC fan

3.PROPOSED MODEL

The over circuit chart is for "Against Rest Alert for Drivers Safetyâ. In this we need to utilize over components. This venture is utilized when driver have laziness so in that time driver will wear the eye squint sensor for his security. In case the driver has laziness, at that point abruptly buzzer is on. In this extend we are utilizing buzzer input of alert, something else DC fan is on. Usually, the venture of Against Rest Alert for Drivers Security. This venture is utilized when the individuals abruptly go for long travel in that time this eye flicker sensor is utilized. These days most of the individuals will like long trips in that time this venture is exceptionally supportive.

Fig 10 Working model of anti-slept alarm

CIRCUIT DIAGRAM



Fig 11 Circuit Diagram for Anti Sleep Alarm for Driver Safety.

4.RESULT

Connected Components



Fig 12 Output of the Project

The over circuit chart is for "Hostile to Rest Caution for Drivers Safetyâ. In this we need to utilize over components. This extend is utilized when driver have laziness so in that time driver will wear the eye squint sensor for his security. On the off chance that the driver has tiredness, at that point all of a sudden buzzer is on.

In this venture we are utilizing buzzer input of caution, something else DC fan is on. Typically, the venture of Against Rest Caution for Drivers Safety. This venture is utilized when the individuals abruptly go for long travel in that time this eye squint sensor is utilized. These days most of the individuals will like long trips in that time this venture is exceptionally supportive.

In this venture IR sensor exceptionally vital. This can be the sensor to identify the laziness of driver. In genuine time this extend is exceptionally valuable for all drivers. In genuine time on the off chance that the driver has laziness within the center of driving, at that point eye flicker sensor will distinguish and consequently vehicle will be halt.



Fig 13 Model for anti-sleeping alarm using IOT.

5.CONCLUSION

adeptly outlined, and the tried-and-true demo unit is made. The endgame of this task is to shape a contraption that can absolutely find lethargic driving and sound off alarms moreover, which aims to upset the drivers from soothing driving and produce more secure driving environs. The wander was executed by an IR sensor. This handle spots the exhaustion in quickly. This method which can separate customary eye flicker and laziness can discourage the driver from setting foot into the space of sleep whereas driving. At any time, a driver naps off owing to exhaustion, the noisemaker reliably kickstarts beeping until the driver returns to their commonplace pose. Adjust The delegated reason of the framework is to deflect the motorway misfortune, where the values gaged in life. It is utilized to dodge the mischances. It is way more proficient and truly straightforward to utilize. The Gadget is beautiful valuable particularly for individuals who travel long separate and Drive late at night!"

FUTURE SCOPE

Hostile to Rest Caution Framework: Decreasing Street Accidents Though the model demonstrates worked exceptionally with momentous yield, the real-life circumstances is reaching to be way more challenging and requesting. This framework is an endeavour to assist in diminishing and/or avoid street mischances that happen due to drivers™ laziness. It can be included to each high-end fabricating cars to anticipate mischances, Languor discovery is Effective and cautions will produce only when requested (whereas in asleep). Due to versatile measure, it can be utilized in several application. With any given limitations of execution, taken a toll, and reshuffling, the progressive plan of this groundbreaking development is set to revolutionize driver security over all businesses.

Fig 14

6.REFERENCES

[1] Hapani, Smit, et al. "Automated Attendance System Using Image Processing."2018Fourth InternationalConferenceonComputingCommunicationControlandAutomation (ICCUBEA). IEEE, 2018.

[2] Akbar, Md Sajid, et al. "Face Recognition and RFID Verified Attendance System." 2018 InternationlConferenceon Computing, Electronics & Communications Engineering (iCCECE). IEEE, 2018.

[3] Okokpujie, Kennedy O., et al. "Design and implementation of a student attendance system using iris biometric recognition.". 2017 International Conference on Computational Science and Computational Intelligence (CSCI). IEEE, 2017.

[4] Rathod, Hemant Kumar, et al. "Automated attendance system using machine learning approach." 2017 International Conference on Nascent Technologies in Engineering (ICNTE). IEEE, 2017.

[5] Siswanto, Adrian Rhesa Septian, Anto Satriyo Nugroho, and MaulahikmahGalinium. "Implementation of face recognition algorithm for biometrics-based time attendance system." 2014 International Conference on ICT For Smart Society (ICISS). IEEE, 2014.

[6] Vejendla, L. N., Bysani, B., Mundru, A., Setty, M., & Kunta, V. J. (2023). Score-based support vector machine for spam mail detection. Proceedings of the IEEE International Conference on Electronics, Computing and Communication Technologies (ICOEI), 915–920. https://doi.org/10.1109/ICOEI56765.2023.10125718

[7] Anusha, P., Ravikiran, A., Lakshman Narayana, V., & Maddumala, V. R. (2020). Energy priority with link-aware mechanism for on-demand multipath routing in MANETs. Journal of Electrical Engineering and Automation, 29(3), 8979–8991.

[8] Narayana, V. L., & Bharathi, C. R. (2017). Identity-based cryptography for mobile ad hoc networks. International Journal of Engineering and Technology Innovation, 95(5), 1173–1181

[9] Narayana, V. L., &Midhunchakkaravarthy, D. (2020). A time interval-based blockchain model for detection of malicious nodes in MANET using network block monitoring node. Proceedings of the IEEE International Conference on Intelligent Computing and Robotics (ICIRCA), 852–857. https://doi.org/10.1109/ICIRCA48905.2020.9183256

[10] Bharathi Vejendla, C. R., Narayana, L., & Ramesh, L. V. (2020). Secure data communication using Internet of Things. Journal of Advanced Research in Dynamic and Control Systems, 9(4), 3516–3520.

[11] Narayana, V. L., Sujatha, V., Sri, K. S., Pavani, V., Prasanna, T. V. N., & Ranganarayana, K. (2023). Computer tomography image-based interconnected antecedence clustering model using deep convolutional neural network for prediction of COVID-19. Traitement du Signal, 40(4), 1689–1696. https://doi.org/10.18280/ts.400437

[12] Patibandla, R. S. M. L., Rao, B. T., & Narayana, V. L. (2022). Prediction of COVID-19 using machine learning techniques. In Handbook of Machine Learning for Computational Biology and Bioinformatics (pp. 219–231). https://doi.org/10.1016/B978-0-12-824145-5.00007-1

[13] Pavani, V., Sri, K. S., Krishna, P. S., & Narayana, V. L. (2021). Multi-level authentication scheme for improving privacy and security of data in decentralized cloud server. Proceedings of the IEEE International Conference on Systems and Electronics Engineering (ICOSEC), 391–394. https://doi.org/10.1109/ICOSEC51865.2021.9591698

[14] Arepalli, P. G., Jairam Naik, K., & Rout, J. K. (2024). Aquaculture water quality classification with sparse attention transformers: Leveraging water and environmental parameters. In ACM International Conference Proceeding Series (pp. 318-325). https://doi.org/10.1145/3651781.3651829

[15] Kumar, S. A., Babu, E. S., Nagaraju, C., & Gopi, A. P. (2015). An empirical critique of on-demand routing protocols against rushing attack in MANET. International Journal of Electrical and Computer Engineering, 5(5), 1102-1110. https://doi.org/10.11591/ijece.v5i5.pp1102-1110

[16] Arepalli, G., Erukula, S. B., Gopi, A. P., & Nagaraju, C. (2016). Secure multicast routing protocol in MANETs using efficient ECGDH algorithm. International Journal of Electrical and Computer Engineering, 6(4), 1857-1865. https://doi.org/10.11591/ijece.v6i4.9941

[17] Arepalli, P. G., Akula, M., Kalli, R. S., Kolli, A., Popuri, V. P., & Chalichama, S. (2022). Water quality prediction for salmon fish using Gated Recurrent Unit (GRU) model. In 2022 2nd International Conference on Computer Science, Engineering and Applications, ICCSEA 2022. https://doi.org/10.1109/ICCSEA54677.2022.9936539

[18] Narayana, V. L., & Gopi, A. P. (2017). Visual cryptography for gray scale images with enhanced security mechanisms. Traitement du Signal, 34, 197-208. DOI: 10.3166/ts.34.197-208

[19] Arepalli, P. G., Narayana, V. L., Venkatesh, R., & Kumar, N. A. (2019). Certified node frequency in social network using parallel diffusion methods. Ingenierie des Systemesd'Information, 24(1), 113-117. https://doi.org/10.18280/isi.240117

[20] Peda Gopi, A., & Lakshman Narayana, V. (2017). Protected strength approach for image steganography. Traitement du Signal, 34(3-4), 175-181. https://doi.org/10.3166/TS.34.175-181

[21] Narayana, V. L., Gopi, A. P., Anveshini, D., & Lakshmi, G. V. V. (2020). Enhanced path finding process and reduction of packet droppings in mobile ad-hoc networks. International Journal of Wireless and Mobile Computing, 18(4), 391-397. https://doi.org/10.1504/IJWMC.2020.108539

[22] Vejendla, L. N., Naresh, A., &Arepalli, P. G. (2021). Traffic analysis using IoT for improving secured communication. In Innovations in the Industrial Internet of Things (IIoT) and Smart Factory (pp. 106-116). https://doi.org/10.4018/978-1-7998-3375-8.ch008

[23] Kanumalli, S. S., Lavanya, K., Rajeswari, A., Samyuktha, P., & Tejaswi, M. (2023, February). A scalable network intrusion detection system using bi-lstm and cnn. In *2023 Third International Conference on Artificial Intelligence and Smart Energy (ICAIS)* (pp. 1-6). IEEE.

[24] Kanumalli, S. S., Mantena, S. J., Kandula, S., Doppalapudi, K., & Atluri, T. (2022, May). Automated Irrigation Management System using IoT. In *2022 6th International Conference on Intelligent Computing and Control Systems (ICICCS)* (pp. 476-482). IEEE.

[25] Kanumalli, S. S., Swathi, S., Sukanya, K., Yamini, V., & Nagalakshmi, N. (2022). Classification of dna sequence using machine learning. In *Soft Computing for Security Applications:*

[26] Chaitanya, Kosaraju, et al. "Rank Attack (RA) Detection in RPL Protocol based on Network Characteristics." 2023 8th International Conference on Communication and Electronics Systems (ICCES). IEEE, 2023.

[27] Kosaraju, Chaitanya, et al. "Mirchi crop yield prediction based on soil and environmental characteristics using modified RNN." 2023 IEEE International Students' Conference on Electrical, Electronics and Computer Science (SCEECS). IEEE, 2023

[28] Chaitanya, Kosaraju, et al. "Ads Click-Through Rate prediction using Attention based LSTM Mechanism." 2024 IEEE International Students' Conference on Electrical, Electronics and Computer Science (SCEECS). IEEE, 2024.

[29] Sujatha, V., Prasanthi, Y., Pravallika, C.H., ... Ayesha Banu, S.K., Sahithi, M.,K(23)

[30] " A Computer Vision Method for Detecting the Lanes and Finding the Direction of Traveling the Vehicle*Lecture Notes in Networks and Systems*", 2023, 612, pp. 373–382

[31] Sri, L. Akhila, K. Manvitha, G. Amulya, I. Sai Sanjuna, and V. Pavani. "FBI crime analysis and prediction using machine learning." *Journal of Engineering Sciences* 11, no. 4 (2020): 441-448.

[32] P. V, L. S. K, P. Vyshnavi A, M. Ch and S. B. G, "Students Community Portal using Machine Learning," *2023 Second International Conference on Electronics and Renewable Systems (ICEARS)*, Tuticorin, India, 2023, pp. 1109-1113, doi: 10.1109/ICEARS56392.2023.10085516.

[33] Sirisha, Aswadati, et al. "Intrusion detection models using supervised and unsupervised algorithms-a comparative estimation." *International Journal of Safety and Security Engineering* 11.1 (2021): 51-58.

[34] Krishna, KVSS Rama, et al. "Vehicle Number Plate Detection using Deep Learning." *2024 International Conference on Integrated Circuits and Communication Systems (ICICACS)*. IEEE, 2024.

[35] Krishna, Komanduri Venkata Sesha Sai Rama, et al. "Classification of Glaucoma Optical Coherence Tomography (OCT) Images Based on Blood Vessel Identification Using CNN and Firefly Optimization." *Traitement du Signal* 38.1 (2021).

[36] Rayachoti, Eswaraiah, Sudhir Tirumalasetty, and Silpa Chaitanya Prathipati. "Watermarking system for telemedicine based on FABEMD." *Multimedia Tools and Applications* 81.30 (2022): 44383-44404.

[37] Chaitanya, P. Silpa, KV Narasimha Reddy, and G. Madhavi. "Effective Search of Color-Spatial Image Using Semantic Indexing." *International Journal of Computer Science, Engineering and Applications (IJCSEA) Vol* 2 (2012): 9-19.

[38] Alapati, N., Prasad, B. V. V. S., Sharma, A., Kumari, G. R. P., Veeneetha, S. V., Srivalli, N., ... & Sahitya, D. (2022, November). Prediction of Flight-fare using machine learning. In *2022 International Conference on Fourth Industrial Revolution Based Technology and Practices (ICFIRTP)* (pp. 134-138). IEEE.

[39] Alapati, N., Prasad, B. V. V. S., Sharma, A., Kumari, G. R. P., Bhargavi, P. J., Alekhya, A., ... & Nandini, K. (2022, November). Cardiovascular Disease Prediction using machine learning. In *2022 International Conference on Fourth Industrial Revolution Based Technology and Practices (ICFIRTP)* (pp. 60-66). IEEE.

[40] Srikanth Kilaru " A Novel Approach to Human Iris Recognition And Verification Framework Using Machine Learning Algorithm" 2023 6th International Conference on Contemporary Computing and Informatics (IC3I),

[41] DOI: 10.1109/IC3I59117.2023.10397886, ISBN Information:Electronic ISBN:979-8-3503-0448-0Print on Demand(PoD) ISBN:979-8-3503-0449-7

[42] Srikanth Kilaru "Analytical models for collaborative autonomous mobile robot solutions in fulfillmentcenters" in Applied Mathematical Modelling,Volume 91, March 2021, Pages 438-457,https://doi.org/10.1016/j.apm.2020.09.059

[43] Gopi, A. P., & Naik, K. J. (2022). An IoT model for fish breeding analysis with water quality data of pond using modified multilayer perceptron model. *2022 International Conference on Data Analytics for Business and Industry (ICDABI)*, 448-453. https://doi.org/10.1109/ICDABI56818.2022.10041617

[44] Arepalli, P. G., & Naik, K. J. (2024). A deep learning-enabled IoT framework for early hypoxia detection in aqua water using lightweight spatially shared attention-LSTM network. *Journal of Supercomputing*, *80*(2), 2718-2747. https://doi.org/10.1007/s11227-023-05580-x

[45] Arepalli, P. G., & Naik, K. J. (2023). An IoT-based water contamination analysis for aquaculture using lightweight multi-headed GRU model. *Environmental Monitoring and Assessment*, *195*(12), Article 1516. https://doi.org/10.1007/s10661-023-12126-4

[46] Gopi, A. P., Gowthami, M., Srujana, T., Gnana Padmini, S., & Durga Malleswari, M. (2023). Classification of denial-of-service attacks in IoT networks using AlexNet. In *Smart Innovation, Systems and Technologies* (Vol. 316, pp. 349-357). https://doi.org/10.1007/978-981-19-5403-0_30

[47] Bikku, T., Gopi, A. P., & Prasanna, R. L. (2019). Swarming the high-dimensional datasets using ensemble classification algorithm. In *Advances in Intelligent Systems and Computing* (Vol. 815, pp. 583-591). https://doi.org/10.1007/978-981-13-1580-0_56

[48] Mohiddin, S.K., Sharmila, S., & Sharma, V. (2024). Wireless technology for providing safety in VANETs. In *Wireless Communication Technologies: Roles, Responsibilities, and Impact of IoT, 6G, and Blockchain Practices* (pp. 19–35). https://doi.org/10.1201/9781003389231-2

[49] Sharmila, S.K., Nikhila, M., Lakshmi Prasanna, J., Lavanya, M., & Bhavana, S. (2023). Unique web-based assessment with a secure environment. *Lecture Notes in Networks and Systems*, *673*, 725–736. https://doi.org/10.1007/978-981-99-1745-7_53

[50] Sharmila, S.K., Lakshmi, M.S., Chowdary, G.S., Mounika, P., & Srujana, C. (2023). Speech emotion recognition using Mel Frequency Cepstral Coefficients. In *Proceedings of the 5th International Conference on Smart Systems and Inventive Technology* (ICSSIT 2023, pp. 1599–1604). https://doi.org/10.1109/ICSSIT55814.2023.10060950

[51] Mohiddin, S.K., Sharmila, S., & Sharma, V. (2024). Integration of mobile edge computing in wireless technology. In *Wireless Communication Technologies: Roles, Responsibilities, and Impact of IoT, 6G, and Blockchain Practices* (pp. 1–18). https://doi.org/10.1201/9781003389231-1

[52] Mohiddin, S.K., Yalavarthi, S.B., & Sharmila, S. (2017). A complete ontological survey of cloud forensic in the area of cloud computing. In *Advances in Intelligent Systems and Computing* (Vol. 547, pp. 38–47). https://doi.org/10.1007/978-981-10-3325-4_5

[53] Lukas, Samuel, et al. "Student attendance system in classroom using face recognition technique." 2016 International Conference on Information and Communication Technology Convergence (ICTC). IEEE, 2016.

[54] Ahlström, Christer, and Anna Anund. "Development of sleepiness in professional truck drivers: Real-road testing for driver drowsiness and attention warning (DDAW) system evaluation." *Journal of sleep research* (2024): e14259.

[55] Dong, Yanchao, et al. "Driver inattention monitoring system for intelligent vehicles: A review." *IEEE transactions on intelligent transportation systems* 12.2 (2010): 596-614.

[56] Mohanta, Harish Chandra, Rajat Kumar Mahapatra, and Jyotirmayee Muduli. ", Anti-Theft Mechanism System with Accidental Avoidance and Cabin Safety System for Automobiles." *International Refereed Journal of Engineering and Science (IRJES)* 3.4 (2014): 56-62.

[57] Jenewari, Tubonimi. "SLEEP ACTIVATED BRAKE CONTROL & CALL ASSISTANCE (SABCCA)."