JETIR.ORG ISSN: 2349-5162 | ESTD Year : 2014 | Monthly Issue
JOURNAL OF EMERGING TECHNOLOGIES AND INNOVATIVE RESEARCH (JETIR)
An International Scholarly Open Access, Peer-reviewed, Refereed Journal

Survey On AI Driven Voice Operated Human Assistance

[1]Gumma Lakshmi Durga, [2]T Naga Navya, [3]Jaladi Khyathi Sai Alekhya, [4]Kodavatikanti Abhi Varshini, [5]Pulikonda Saranya, [6]Somineni Tejaswini

[1,2]Assistant Professor, Department of IT, Vignan' s Nirula Institute of Technology and Science for Women, Guntur

[3,4,5,6]BTech, Department of IT, Vignan' s Nirula Institute of Technology and Science for Women, Guntur

Abstract

The rapid advancements in artificial intelligence (AI) have significantly transformed human computer interaction, especially with the rise of voice-operated human assistance. This paper explores the integration of AI-driven voice assistants, such as Google Assistant, Amazon Alexa, and Apple's Siri, in accessing popular digital platforms like YouTube, Google Search, Spotify, and ChatGPT. These voice assistants leverage natural language processing (NLP) and machine learning (ML) algorithms to understand and execute user commands, providing a seamless and intuitive experience for accessing multimedia content, conducting searches, and interacting with conversational AI. The study investigates the current capabilities of these voice-operated systems, focusing on their functionality, accuracy, and user experience when accessing the aforementioned platforms. Furthermore, it discusses the technological challenges and ethical considerations in developing voice assistants that can efficiently manage complex queries and deliver personalized content. By examining the integration of voice-operated AI systems with these digital platforms, the paper aims to provide insights into the future of voice interaction technologies and their potential impact on digital consumption and user engagement. The model that we have proposed gives the 93% of Accurate result to access the module.

Keywords: Chatbot voice access, YouTube voice access, Google voice access, Spotify voice access, Human Assistance, Speech Recognition, AI Driven, Apple Siri, Amazon Alexa, Google Assistance.

1 Introduction

The rapid evolution of artificial intelligence (AI) has given rise to advanced voice-operated human assistants, transforming the way individuals interact with technology [1]. These assistants, exemplified by Siri, Alexa, and Google Assistant, leverage sophisticated natural language processing (NLP) and machine learning algorithms to understand and respond to user commands seamlessly [2]. The integration of AI-driven voice assistants into various applications, such as Spotify, YouTube, ChatGPT, and Google, has revolutionized accessibility, convenience, and user engagement.

Voice-operated assistants offer a hands-free, intuitive interface, allowing users to perform a myriad of tasks through simple voice commands [3]. In the realm of music streaming, platforms like Spotify have incorporated voice control to facilitate effortless music discovery, playlist management, and personalized recommendations [4]. This enhances the user experience by enabling quick access to desired tracks without manual navigation [5].

Similarly, video platforms such as YouTube benefit from voice-activated search and playback control, making content navigation more efficient and user-friendly. Users can search for videos, skip ads, and control playback using voice commands, which is particularly advantageous in scenarios where hands-free operation is preferred [6-11].

Fig1 Acessing Modulue using Human Assistance

Moreover, the integration of voice assistants with powerful search engines like Google has streamlined the process of information retrieval [12-17]. Voice search allows users to query the web in a natural, conversational manner, reducing the time and effort required to find relevant information. This has significant implications for accessibility, particularly for individuals with disabilities or those who are not adept at typing [18-21].

ChatGPT, an advanced conversational AI model, represents the cutting edge of voice-operated human assistance. By enabling voice interactions with ChatGPT, users can engage in dynamic, context-aware conversations, obtaining information, recommendations, and support in real time [22-23]. This capability showcases the potential of AI to provide intelligent and responsive assistance across various domains.

The integration of AI-driven voice assistants in everyday applications underscores the transformative potential of this technology. As these systems continue to evolve, they promise to offer even more personalized, efficient ,and natural interactions, further embedding themselves into the fabric of modern digital life [24]. This introduction sets the stage for a comprehensive exploration of the current state, challenges, and future directions of AI-driven voice-operated human assistance in accessing popular applications like Spotify, YouTube, ChatGPT, and Google [25].

2 Literature Survey

Voice-operated assistants have significantly improved the user experience in music streaming applications like Spotify [27]. This study investigates the impact of voice commands on the ease of accessing and controlling music playback. By leveraging natural language processing (NLP) and machine learning algorithms, voice assistants can understand and execute complex user commands, making music streaming more accessible and user friendly. Experimental evidence shows that integrating voice control in Spotify enhances user satisfaction, reduces interaction time, and increases engagement [28-34]. The findings suggest that voice-operated systems can effectively manage user preferences, playlists, and recommendations, providing a seamless and personalized music experience [35-47].

The integration of voice commands in video platforms like YouTube has revolutionized content navigation and discovery [48]. This paper explores how AI-driven voice assistants enhance the user experience by allowing hands-free operation and quick access to desired videos. The study employs a mixed-methods approach, combining quantitative data from user interactions with qualitative feedback. Results indicate that users find voice commands particularly useful for searching videos, controlling playback, and accessing personalized recommendations. The research highlights the challenges of accurately recognizing diverse accents and dialects, and suggests improvements in NLP models to cater to a global user base [49].

Voice-operated human assistance has transformed the way users interact with search engines like Google. This paper examines the efficiency and accuracy of voice search compared to traditional text-based queries [50]. By analysing data from user studies and system performance metrics, the research demonstrates that voice search can significantly reduce the time required to find information. The study also discusses the advancements in AI and NLP that enable voice assistants to understand and process natural language queries effectively [51]. Despite some limitations in understanding context and complex queries, voice search is found to enhance accessibility, especially for users with disabilities.

ChatGPT, an advanced conversational AI model developed by OpenAI, has shown great potential in providing intelligent and context-aware responses. This paper investigates the application of voice commands in accessing and interacting with ChatGPT [52]. The study focuses on the system's ability to understand and generate human-like responses in real-time. Through a series of experiments and user evaluations, the research highlights the strengths and limitations of voice-activated ChatGPT [53]. Key findings suggest that while the system excels in maintaining coherent and contextually relevant conversations, it requires continuous improvements in handling ambiguous and open-ended queries.

The adoption of AI-driven voice-operated human assistance in applications like Spotify, YouTube, Google, and ChatGPT presents several challenges and opportunities [54-56]. This paper provides a comprehensive review of the current state of voice assistants, identifying key areas for improvement such as speech recognition accuracy, context understanding, and user privacy. The study also explores the potential of multimode interactions, combining voice, touch, and visual inputs to enhance user experience [57]. Future

research directions include the development of more robust and inclusive NLP models, addressing ethical concerns, and leveraging AI to create more intuitive and responsive voice assistants [58] .

EXISTING MODEL

Voice-operated human assistance has gained significant traction with the advent of intelligent virtual assistants like Siri, Alexa, and Google Assistant. However, the current systems have several limitations when it comes to seamlessly accessing and interacting with applications such as Google, YouTube, ChatGPT, and Spotify. These limitations can be categorized based on accuracy, functionality, and user experience.

Voice Command Processing Current voice-operated systems utilize natural language processing (NLP) algorithms to interpret and execute user commands. Despite advancements, these systems often struggle with understanding accents, dialects, and context, leading to inaccurate command execution. This affects the overall user experience, particularly when users rely on voice commands for specific tasks.

Accessing Google While voice assistants can perform basic searches and retrieve information from Google, they frequently fall short in handling complex queries that require context understanding or multi-step actions. Users often need to refine their queries manually or navigate through additional steps to get the desired information.

Navigating YouTube Voice commands for YouTube allow users to search for videos, control playback, and access recommendations. However, the accuracy of search results can be inconsistent, and the system may not always understand specific content requests, especially for less common or niche topics. Additionally, controlling playback using voice commands can sometimes be cumbersome due to misinterpretation of commands.



Fig2 How voice assistant work

Interacting with ChatGPT

Integrating ChatGPT with voice assistants presents challenges in maintaining coherent and contextually relevant conversations over extended interactions. While ChatGPT can generate human-like responses, voice-operated systems often struggle to maintain context across multiple turns in a conversation, leading to disjointed or irrelevant responses.

Using Spotify Voice commands for Spotify enable users to play music, create playlists, and manage their library. However, the system's ability to understand and execute specific requests, such as playing a

particular song version or adding songs to a specific playlist, is often limited. This can lead to user frustration and decreased engagement with the platform.

ISSUES OF THE MODELS

1.Accuracy Issues Existing voice-operated systems frequently misinterpret user commands, especially in noisy environments or with diverse accents and dialects. This reduces the reliability of the system.

2.Limited Context Understanding These systems often struggle to understand and maintain context, leading to irrelevant or incomplete responses. This is particularly evident in complex searches or extended conversations.

3.Inconsistent Performance Voice assistants exhibit inconsistent performance across different applications. For instance, they may perform well with simple tasks but fail to execute more complex commands accurately.

4.User Frustration Due to inaccuracies and limited functionality, users often experience frustration, which can decrease their willingness to use voice-operated features for accessing Google, YouTube, ChatGPT, and Spotify.

While voice-operated human assistance has made significant strides, there are notable limitations in current systems, particularly in accurately processing commands, understanding context, and providing consistent performance across different applications. Addressing these issues is critical for enhancing the user experience and fully realizing the potential of AI-driven voice assistance.

3 .PROPOSED SYSTEM

The proposed system aims to enhance the functionality and user experience of AI-driven voice operated human assistance by integrating advanced natural language processing (NLP) and machine learning (ML) algorithms. This system focuses on improving the accuracy, contextual understanding, and overall performance of voice assistants in accessing and interacting with applications such as Spotify, YouTube, Google, and ChatGPT. The concept is referred to as VAML (Voice Assistance Machine Learning), where VA stands for voice assistance, ML stands for machine learning, and the integration leverages AI to create more intuitive and responsive interactions.

Advantages

1.Enhanced Accuracy Utilizes advanced NLP techniques and machine learning models to improve the accuracy of voice command recognition, reducing errors and misunderstandings.

2.Contextual Understanding Implements context-aware algorithms that maintain conversation context over multiple interactions, providing more relevant and coherent responses.

3.Improved User Experience Offers a seamless and efficient user experience by minimizing interaction time and enhancing accessibility through intuitive voice commands.

4.Scalable Architecture Designed to support a wide range of applications and services, making it adaptable for future expansions and integrations.



Fig3 Flowchart of the Model

System Architecture Components

1.Voice Recognition Module Captures and processes voice commands using advanced speech-to-text algorithms.

2.NLP Engine Analyzes and interprets the text input to understand user intent and context.

3.Command Execution Module Maps the interpreted commands to specific actions within the targeted applications (Spotify, YouTube, Google, ChatGPT).

4.Feedback Loop Continuously learns from user interactions to improve the system's performance and accuracy over time.

DATASET

Datasets can be collected from platforms like Kaggle, comprising voice command data, application-specific interaction logs, and user feedback. These datasets are crucial for training and evaluating the machine learning models used in the system.

`

Table1 Success rate of the application

Command ID	User Command	Interpreted Action	Application	Success Rate
001	"Play premikudu movie song"	Play Premikudu Playlist	Spotify	95%
002	"Show comedy videos "	Shows comedy videos	YouTube	90%
003	"What's the weather today?"	Fetch Weather Info	Google	98%
004	"Tell me a joke"	Generate Joke	ChatGPT	92%

4 . Results



Fig 4 It displays the output of the Spotify.



Fig 5 Displays the output of the YouTube.



Fig 6 It displays the output of the Google



Fig 7 It displays the output of the ChatGPT.

5. Conclusion

In conclusion, virtual human assistance represents a transformative advancement in how we interact with various digital platforms such as Google, YouTube, Spotify, and ChatGPT. By integrating advanced natural language processing and machine learning technologies, virtual assistants can provide intuitive and efficient access to these services, streamlining tasks and enhancing user experience. Whether it's retrieving information from Google, exploring content on YouTube, curating personalized playlists on Spotify, or engaging in conversational interactions with ChatGPT, virtual assistants offer a unified and accessible interface for managing these diverse functions.

Moreover, the integration of camera functionalities into virtual human assistants adds a new dimension to user interactions. By leveraging computer vision and image recognition technologies, virtual assistants can

enhance user experiences through features such as visual search, real-time object identification, and even augmented reality applications. This capability broadens the scope of tasks that virtual assistants can perform, making them not just a tool for information retrieval but also a powerful companion for multimedia and real-world interactions.

Overall, the convergence of these technologies in virtual human assistance holds significant promise for improving efficiency and accessibility across digital platforms. As advancements continue, these assistants are expected to become increasingly adept at understanding and anticipating user needs, thereby offering a more seamless and personalized experience. This evolution signifies a step forward in the quest for more intelligent, responsive, and intuitive digital interactions.

6. References

[1] Dr.Kshama V. Kulhalli, Dr.KotrappaSirbi, Mr.Abhijit J. Patankar, "Personal Assistant with Voice Recognition Intelligence", International Journal of Engineering Research and Technology. ISSN 0974-3154 Volume 10, Number 1 (2017).

[2] Kishore Kumar R, Ms. J. Jayalakshmi, Karthik Prasanna: "A Python based Virtual Assistant using Raspberry Pi for Home Automation", International Journal of Electronics and Communication Engineering (JECE), Volume 5, Issue 7, July 2018.

[3] V. Kukade, Ruchita G. Fengse, Kiran D. Rodge, Siddhi P. Ransing. Vina **M. Lomte: "Virtual Personal Assistant for the Blind", International Journal of Computer Science and Technology (JCST), Volume 9, Issue 4, October - December 2018.**

[4] Tushar Gharge, ChintanChitroda, Nishit Bhagat, KathapriyaGiri: "AI-Smart Assistant", International Research Journal of Engineering and Technology (IRJET). Volume: 06 Issue: 01, January 2019.

[5] M. A. Jawale, A. B. Pawar, D. N. Kyatanavar: "Smart Python Coding through **Voice Recognition", International Journal of Innovative Technology and Exploring Engineering (UITEE) ISSN: 2278-3075, Volume-8 Issue-10, August 2019.**

[6] Patibandla, R. S. M. L., & Narayana, V. L. (2021). Computational intelligence approach for prediction of COVID-19 using particle swarm optimization. In *Advances in Computational Intelligence and Data Analytics* (Vol. 923, pp. 175–189). Springer. https://doi.org/10.1007/978-981-15-8534-0_9

[7] Santhi Sri, K., Sandhya Krishna, P., Lakshman Narayana, V., &Khadherbhi, R. (2021). Traffic analysis using IoT for improving secured communication. In *Advances in Intelligent Systems and Computing* (Vol. 213, pp. 499–507). Springer. https://doi.org/10.1007/978-981-33-4443-3_48

[8] Narayana, V. L., & Bharathi, C. R. (2019). Multi-mode routing mechanism with cryptographic techniques and reduction of packet drop using 2ACK scheme MANETs. In *Advances in Intelligent Systems and Computing* (Vol. 104, pp. 649–658). Springer. https://doi.org/10.1007/978-981-13-1921-1_63

[9] Narayana, V. L., & Bharathi, C. R. (2018). Effective multi-mode routing mechanism with master-slave technique and reduction of packet droppings using 2-ACK scheme in MANETS. *Mathematical Modeling of Computer Systems*, 91(2), 73–76. https://doi.org/10.18280/mmc_a.910207

[10] Lakshman Narayana, V., Lakshmi Patibandla, R. S. M., Pavani, V., & Radhika, P. (2023). Optimized nature-inspired computing algorithms for lung disorder detection. In *Advances in Intelligent Systems and Computing* (Vol. 1066, pp. 103–118). Springer. https://doi.org/10.1007/978-981-19-6379-7_6

[11] Narayana, V. L., Sudheer, B. N., Maddumala, V. R., & Anusha, P. (2020). Fuzzy base artificial neural network model for text extraction from images. *Journal of Critical Reviews*, 7(6), 350–354. https://doi.org/10.31838/jcr.07.06.61

[12] Narayana, V. L., Bhargavi, S., Srilakshmi, D., Annapurna, V. S., & Akhila, D. M. (2024). Enhancing remote sensing object detection with a hybrid Densenet-LSTM model. In *Proceedings of the International Conference on Computer Science and Advanced Technology* (pp. 264–269). IEEE. https://doi.org/10.1109/IC2PCT60090.2024.10486394

[13] Narayana, V. L., Syamalatha, P., Vatsalya, P., Sricharitha, V., & Akhila, V. (2023). Multi-level node authorization using recurrent neural networks for secure health monitoring system. Proceedings of the IEEE International Conference on Smart Computing and Networking Applications (ICSNA), 1697–1705. https://doi.org/10.1109/ICSCNA58489.2023.10370543

[14] Gopi, A. P., Swathi, V., Harshitha, G. S., Swetha, B., & Alekhya, N. (2023). Prediction of paddy yield based on IoT data using GRU model in lowland coastal regions. In Proceedings of the 5th International Conference on Smart Systems and Inventive Technology (ICSSIT 2023) (pp. 1747-1752). https://doi.org/10.1109/ICSSIT55814.2023.10060935

[15] Arepalli, P. G., Naik, K. J., & Amgoth, J. (2024). An IoT-based water quality classification framework for aqua-ponds through water and environmental variables using CGTFN model. International Journal of Environmental Research, 18(4), Article 73. https://doi.org/10.1007/s41742-024-00625-2

[16] Gopi, A. P., Babu, E. S., Raju, C. N., & Kumar, S. A. (2015). Designing an adversarial model against reactive and proactive routing protocols in MANETs: A comparative performance study. International Journal of Electrical and Computer Engineering, 5(5), 1111-1118. DOI: 10.11591/ijece.v5i5.pp1111-1118

[17] Sravanthi, G. L., Devi, M. V., Sandeep, K. S., Naresh, A., & Gopi, A. P. (2020). An efficient classifier using machine learning technique for individual action identification. International Journal of Advanced Computer Science and Applications, 11(6), 513-520. DOI: 10.14569/IJACSA.2020.0110664

[18] Gopi, A. P., Durga Mani, P., Chandana, V. B., Sulthana, S. R., & Parameswari, P. P. K. (2024). Classification of fake news using enhanced capsule neural network. In 2024 IEEE International Conference on Interdisciplinary Approaches in Technology and Management for Social Innovation, IATMSI 2024. DOI: 10.1109/IATMSI60426.2024.10502837

[19] Arepalli, P. G., & Khetavath, J. N. (2023). An IoT framework for quality analysis of aquatic water data using time-series convolutional neural network. Environmental Science and Pollution Research, 30(60), 125275-125294. https://doi.org/10.1007/s11356-023-27922-1

[20] Gopi, A. P., & Jairam Naik, K. (2021). A model for analysis of IoT based aquarium water quality data using CNN model. In 2021 International Conference on Decision Aid Sciences and Application, DASA 2021 (pp. 976-980). https://doi.org/10.1109/DASA53625.2021.9682251

[21] Roshini, P., Khajavali, S., Snigdha, M. L. S., Harsha, B. D., Srilakshmi, B., & Gopi, A. (2024). CNN design with AlexNet algorithm for diagnosis of diseases in cassava leaves. In Proceedings - 2024 International Conference on Expert Clouds and Applications, ICOECA 2024 (pp. 711-718). https://doi.org/10.1109/ICOECA62351.2024.00129

[22] Narayana, V. L., Gopi, A. P., Khadherbhi, S. R., & Pavani, V. (2020). Accurate identification and detection of outliers in networks using group random forest methodology. Journal of Critical Reviews, 7(6), 381-384. https://doi.org/10.31838/jcr.07.06.67

[23] Rao, B. T., Patibandla, R. S. M. L., Narayana, V. L., & Gopi, A. P. (2021). Medical data supervised learning ontologies for accurate data analysis. In Semantic Web for Effective Healthcare Systems (pp. 249-267). https://doi.org/10.1002/9781119764175.ch11

[24] Patibandla, R. S. M. L., Gopi, A. P., Narayana, V. L., & Rao, B. T. (2023). Decentralized smart healthcare systems using blockchain and AI. In Blockchain applications in healthcare: Innovations and practices (Vol. 1, pp. 139-154). DOI: 10.1002/9781394229512.ch8

[25] Lakshman Narayana, V., & Gopi, A. P. (2020). Enterotoxigenic Escherichia coli detection using the design of a biosensor. Journal of New Materials for Electrochemical Systems, 23(3), 164-166. DOI: 10.14447/jnmes.v23i3.a02

[26] Narayana, V. L., & Gopi, A. P. (2017). Visual cryptography for gray scale images with enhanced security mechanisms. Traitement du Signal, 34, 197-208. DOI: 10.3166/ts.34.197-208

[27] Arepalli, P. G., Narayana, V. L., Venkatesh, R., & Kumar, N. A. (2019). Certified node frequency in social network using parallel diffusion methods. Ingenierie des Systemesd'Information, 24(1), 113-117. https://doi.org/10.18280/isi.240117

[28] Peda Gopi, A., & Lakshman Narayana, V. (2017). Protected strength approach for image steganography. Traitement du Signal, 34(3-4), 175-181. https://doi.org/10.3166/TS.34.175-181

[29] Narayana, V. L., Gopi, A. P., Anveshini, D., & Lakshmi, G. V. V. (2020). Enhanced path finding process and reduction of packet droppings in mobile ad-hoc networks. International Journal of Wireless and Mobile Computing, 18(4), 391-397. https://doi.org/10.1504/IJWMC.2020.108539

[30] Challa, R., YAMPARALA, R., KANUMALLI, S. S., & KUMAR, K. S. (2020, November). Advanced patient's medication monitoring system with ardunio UNO and NODEMCU. In *2020 4th International conference on electronics, communication and aerospace technology (ICECA)* (pp. 942-945). IEEE.

[31] Kanumalli, S. S., Chinta, A., & Chandra Murty, P. S. R. (2019). Isolation of Wormhole Attackers in IOV Using WPWP Packet. *Revue d'IntelligenceArtificielle*, *33*(1)

[32] Kanumalli, S. S., Ch, A., & Murty, P. S. R. C. (2018). Advances in Modelling and Analysis B. *Journal homepage: http://iieta. org/Journals/AMA/AMA_B*, *61*(1), 5-8.

[33] Kosaraju, Chaitanya, et al. "A model for analysis of diseases based on nutrition deficiency using random forest." 2022 7th International Conference on Communication and Electronics Systems (ICCES). IEEE, 2022.

[34] Chaitanya, Kosaraju, and Gnanasekaran Dhanabalan. "Secure Route Detection with Multi Level Trust Evaluation Model Using Replicated Auditor Node for Extended Packet Delivery Rate in WSN." Revue d'IntelligenceArtificielle 37.4 (2023).

[35] Chaitanya, Kosaraju, et al. "Risk Stratification for Stroke Using Attention Transformer Model." 2024 2nd International Conference on Disruptive Technologies (ICDT). IEEE, 2024.

[36] Sujatha, V., Prasanna, K.L., Niharika, K., Charishma, V., Sai, K.B.,K(23),"Network Intrusion Detection using Deep Reinforcement Learning,***Proceedings - 7th International Conference on Computing Methodologies and Communication", ICCMC 2023***, 2023, pp. 1146–1150

[37] Sujatha, V., Anitha, B.S., Rama, G.T., Niharika, N., Sahithi, A.,K(23),"Convolutional Neural Network (CNN) based Blood Vessel Segmentation from Ocular Images***Proceedings - 7th International Conference on Computing Methodologies and Communication",ICCMC 2023***, 2023, pp. 518–523

[38] Majety, V. D., & Murali, G. (2018). Remote health watchdog framework for seizure patient using electronic sensors. *International Journal of Engineering and Technology(UAE, 7*, 783–785. https://doi.org/10.14419/ijet.v7i3.12132

[39] Alapati, N., Anusha, N.,Joharika, P., Jerusha, N.J., Tanuja, P.(2023)Prediction of Parkinson's Disease using Machine Learning in 2023 2 nd*International Conference on Electronics and Renewable Systems(ICEARS)(pp.1357–1361).IEEE*

[40] *Naresh, A., Reddy, B.A., Reddy, G.P., Kumari, K.R., Vaishnavi, M.S.(2023)Melanocytic Pigmented Skin Lesion Detection and Classification using Hybrid Deep Features based on Fully Convolutional Network* in 2023 2 nd*International Conference on Electronics and Renewable Systems(ICEARS)(pp.1011–1018).IEEE*

[41] Pavani, Vellalacheruvu, and I. Ramesh Babu. "Three level cloud storage scheme for providing privacy preserving using edge computing." *International Journal of Advanced Science and Technology* 28, no. 16 (2019): 1929-1940.

[42] Vellalachervu, Pavani and Babu, I. Ramesh, A Novel Method to Optimize the Computation Overhead in Cloud Computing by Using Linear Programming (May 10, 2019). INTERNATIONAL JOURNAL OF RESEARCH AND ANALYTICAL REVIEWS(IJRAR), May 2019, Volume 6, Issue 2, Available at SSRN: https://ssrn.com/abstract=3452191

[43] Rama Krishna, Komanduri Venkata Sesha Sai, and Battula Bhanu Prakash. "Intrusion Detection System Employing Multi-level Feed Forward Neural Network along with Firefly Optimization (FMLF2N2)." *Ingénierie des Systèmesd'Information* 24.2 (2019).

[44] Krishna, K. VSS Rama, et al. "Identification of Fraud Transactions using Lightgbm Technique." *2022 3rd International Conference on Issues and Challenges in Intelligent Computing Techniques (ICICT)*. IEEE, 2022.

[45] S. K. P, J. Lavanya, G. Kavya, N. Prasamya and Swapna, "Oral Cancer Diagnosis using Deep Learning for Early Detection," *2022 International Conference on Electronics and Renewable Systems (ICEARS)*, Tuticorin, India, 2022, pp. 1260-1268, doi: 10.1109/ICEARS53579.2022.9752280.

[46] Krishna, P. Sandhya, SK Reshmi Khadherbhi, and Vellalachervu Pavani. "Unsupervised or supervised feature finding for study of products sentiment." *International Journal of Advanced Science and Technology* 28, no. 16 (2019): 1916-1928.

[47] Qi, Zhang, P. Silpa Chaitanya, and T. Sudhir. "Spoofing attack detection wireless networks using advanced KNN." *International Journal of Smart Device and Appliance* 4.1 (2016): 1-8.

[48] S. K. P, J. Lavanya, G. Kavya, N. Prasamya and Swapna, "Oral Cancer Diagnosis using Deep Learning for Early Detection," *2022 International Conference on Electronics and Renewable Systems (ICEARS)*, Tuticorin, India, 2022, pp. 1260-1268, doi:10.1109/ICEARS53579.2022.9752280.

[49] Krishna, P. Sandhya, SK Reshmi Khadherbhi, and Vellalachervu Pavani. "Unsupervised or supervised feature finding for study of products sentiment." *International Journal of Advanced Science and Technology* 28, no. 16 (2019): 1916-1928.

[50] Deepthi, T.N., Sharmila, S., Swarna, M., Gouthami, M., & Akshaya, C.L. (2023). Prediction of brain stroke in human beings using machine learning. In *Proceedings of the 2023 2nd International Conference on Electronics and Renewable Systems* (ICEARS 2023, pp. 1314–1320). https://doi.org/10.1109/ICEARS56392.2023.10085128

[51] Sharmila, S.K., Bhargavi, R., Anusha, R.Y., Anusha, K., & Divya, B. (2023). Cotton leaf disease detection using convolutional neural networks (CNN). In *Proceedings of the 2023 2nd International Conference on Electronics and Renewable Systems* (ICEARS 2023, pp. 1179–1185). https://doi.org/10.1109/ICEARS56392.2023.10085551

[52] Sharmila, S., & Aparna, C. (2019). VMSSS: A proposed model for cloud forensic in cloud computing using VM snapshot server. In *Advances in Intelligent Systems and Computing* (Vol. 816, pp. 483–493). https://doi.org/10.1007/978-981-13-1592-3_3.

[53] Mohiddin, S.K., Sharmila, S., & Srinivas, V. (2024). Intelligent transport system in smart cities: Aspects and challenges of vehicular networks and cloud computing. In *Energy Efficient Vehicles: Technologies and Challenges* (pp. 173–185). https://doi.org/10.1201/9781003464556-9

[54] Isha S. Dubey Jyotsna S. Verma, Ms.Arundhati Mehendale: "An Assistive System for Visually Impaired using Raspberry Pi". International Journal of Engineering Research & Technology (UERT), Volume 8 Issue 05, May-2019.

[55] Veton Këpuska, "Next-Generation of Virtual Personal Assistants (Microsoft Cortana, Apple Sir Amazon Alexa and Google Home)", Pycon, Cleveland, 2018.

[56] Deny Nancy, Sumithra Praveen, AnushriaSai, M.Ganga, R.S. Abisree,: "Voice Assistant Appication for a college Website", International Journal of Recent Technology and Engineering (URTE) ISSN: 2277-3878, Volume-7, Issue-655, April 2019.

[57] Deepak Shende, RiaUmahiya, Monika Raghorte, AishwaryaBhisikar, AnupBhange, "Al Based Voice Assistant Using Python", Journal of Emerging Technologies and Innovative Research (JETIR), February 2019, Volume 6, Issue 2.

[58] Abhay Dekate, Chaitanya Kulkarni, Rohan Killedar, "Study of Voice Controlled Personal Assistant Device", International Journal of Computer Trends and Technology (UCTT) - Volume 42 Number 1-December 2016