JETIR.ORG ISSN: 2349-5162 | ESTD Year : 2014 | Monthly Issue
JOURNAL OF EMERGING TECHNOLOGIES AND INNOVATIVE RESEARCH (JETIR)
An International Scholarly Open Access, Peer-reviewed, Refereed Journal

BANK LOAN ELIGIBILITY USING: MACHINE LEARNING-DRIVENSOFTWAREENGINEERING

[1]G.Rohini Phaneendra Kumari,[2]K Venkateswara Rao,[3]Vasudha Chavali,[4]Boyapati Triveni , [5]Pentareddy Divya, [6]Maddukuri pooja naga sai Lakshmi,

[1,2]Associate Professor,Department of IT,Vignan’s Nirula ofTechnology & Science for Women,Guntur.

[3,4,5,6]B Tech,DepartmentofIT,Vignan’s Nirula Institute of Technology& Science for Women ,Guntur.

Abstract

Machine learning algorithms are revolutionizing forms in all areas counting; real-estate, security, bioinformatics, moreover it is exceptionally valuable in agribusiness industry like gold credits , trim credits conjointly instruction advance is there for students and the budgetary industry. This paper presents six (6) machine learning calculations (Arbitrary Forest, Random woodland classifier, Random woodland regressor, Nave bayes, sum and Calculated Relapse) for anticipating credit qualification. The models were prepared on the authentic dataset 'Loan Qualified Dataset,' accessible on Kaggle and authorized beneath Database Substance Permit (DbCL) v1.0. The dataset was handled and analyzed utilizing Python programming libraries on Kaggles Jupyter Scratch pad cloud environment. Our inquire about result appeared high-performance exactness, with the Arbitrary timberland calculation having the most noteworthy score of 95.55% and Calculated relapse with the least score of 80%. Our Models beated two of the three advance forecast models found within the writing in terms of precision-recall and precision.

Keywords KNN, SVM, Sacking and Boosting procedures, Productive ML Calculations, Advanceendorsement forecast.

1.INTRODUCTION

Like numerous other trade wanders, the managing an account segment is progressively looking to require advantage of the openings displayed by cutting edge advances to progress their forms, efficiency and diminish costs.Our goals in this ponder incorporate; (1) Clean and Preprocess the information for modeling, (2) Perform Exploratory Information Investigation (EDA) on the dataset, (3) Construct different ML models to foresee advance qualification, and (4) Assess and Compare the diverse Models built[1-6]. Keeping money is framework is most valuable framework in nowadays for instruction credit and trim advance for creating nations etc. Machine learning (ML) calculations, which engage frameworks to independently disentangle designs and make data-driven expectations, have risen as a promising arrangement to evaluate the probability of credit default (Talukder et al., 2022, Ma et al., 2023, Mustaffa & Sulaiman, 2023)[7-12]. These calculations dive into clients exchange histories and social profiles, revealing behavioral designs and common characteristics that abdicate experiences into future reimbursement behaviors (Koulouridi et al., 2021)[13-15]. Furthermore, profound learning procedures, such as profound neural systems, have gained recognizable quality in this setting, as they surpass desires in capturing complex, non-linear associations interior the data (Talukder, Islam et al., 2023), empower making strides the evaluation of the probability of credit default for individual clients[16-19]. In this way, ML and significant learning-based approaches have been broadly explored to supply a comprehensive assessment of development default risk. Interior this setting, the portion of banks in evaluating credit chance cannot be made light of [20]. Assessing the credit history of borrowers a few times as of late giving credits is central for recognizing between potential defaulters and non-defaulters (Kadam et al., 2021)[21-23]. Given the multifaceted nature of this errand and the burgeoning ask for progresses, making an exact prescient framework physically can be a imposing challenge (Rawate & Tijare, 2017)[24-27]. Though a number of prior examine has meandered into machine learning models for expecting credit default, reliance on a single classifier is insufficiently for real-world course of action (Kadam et al., 2021).Consequently, we display a gathering approach utilizing top-performing machine learning calculations to progress credit underwriting systems[28-31]. The commitments of this paper are as takes after: 1.We have made a progress support figure illustrate utilizing equip machine learning calculations, which fulfills higher execution than a single machine learning calculation[32-36]. The proposed appear comprises of nine machine learning calculations: Calculated Backslide (LR), Back Vector Machine (SVM), Choice Trees (DT), Gaussian Bayesian (GB), Self-assertive Timberland (RF), AdaBoost (AdB), Extra Trees (ET), K- Closest Neighbors (KNN), and Incline Boosting (GB), Random Calculated regressor, Subjective Forest classifier, Nave bayes. To compare the machine learning appear with the significant learning appear inside the development desire system, we plan and test three profound learning models: Thick Neural Orchestrate (DNN), Long Brief Term Memory (LSTM), and Dreary Neural Organize (RNN). 2. We have performed Built Minority Oversampling Strategy (Crushed) investigation on the dataset to create it balanced to fit well for the appear. 3. The execution of each machine significant learning illustrate, and furnish learning appear is surveyed in terms of precision, precision, survey, and f1_score[37-40]. We have included a comparison of our proposed illustrate with a few of state of the craftsmanship models. 4. At final, we have included the arranged gathering appear in a desktop application made with a client interface for individuals and managing an account teach to check their bank advance status[41-46]. Firstly, we need to check all the files and see the qualified criteria of that person who certified the advance. Another they select the sort of progress. The rest of the paper is organized as takes after. In region 2, we study related works. The proposed strategy is depicted in section 3. The expectation framework is actualized, and result examination is conducted in region 4 a few times as of late concluding the article in portion 6. Our motivation stems from building on these considers almost to overhaul credit support desire precision and efficiency[47-52].

2.LITERATURE SURVEY

Creating a literature survey on bank advance qualification includes investigating and synthesizing existing inquire about related to the components that impact an individual's or business's capacity to secure a advance[53-58]. For your UGC paper, you'll need to cover a run of thinks about, speculations, and discoveries in this region. Here is an organized approach you'll take after:

Introduction

1. Definition and Significance of Bank Advance Qualification
   o Define what constitutes bank advance qualification.
   o Discuss the significance of credit qualification for people, businesses, and the economy.

Hypothetical System

2. Credit Hazard Hypothesis
   o Overview of credit hazard appraisal.
   o Key hypotheses and models (e.g., Credit Scoring Models, Z-Score Show).
3. Behavioural Back Hypothesis
   o How mental components and behavioural predispositions influence advance qualification.
   o Influence of borrower's credit behaviour on credit endorsement.
4. Agency Hypothesis
   o The relationship between moneylenders and borrowers.
   o Issues of data asymmetry and its affect on advance qualification.
5. Business Character
   o Financial Explanations: Significance of adjust sheets, salary articulations, and cash stream articulations.
   o Business Arrange Quality: How a well-structured trade arrange influences advance chances.
   o Industry Chance: The effect of the industry segment on credit qualification.
6. Macroeconomic Variables

Financial Conditions: How financial downturns or booms influence credit qualification.

Intrigued Rates: The relationship between intrigued rates and advance endorsement.

Administrative Environment: Effect of keeping money controls and arrangements on qualification.

Experimental Ponders and Discoveries

7. Credit Scoring Models

Audit of different credit scoring models utilized by banks

Investigation of their adequacy and impediments.

8. Part of Innovation in Advance Evaluation

Affect of fintech advancements and enormous information analytics onAdvance qualification.

9.Impact of Advanced Change

How computerized managing an account and online applications have changed the qualification evaluation handle.

The part of fake insights and machine learning in assessing advance applications.

10. COVID-19 and Credit Qualification

The pandemics affect on financial soundness and credit endorsement forms.

Changes in bank arrangements and qualification criteria amid financial emergencies.

3.PROPOSED SYSTEM:

This investigate was done utilizing Python on Kaggle's Jupyter Scratch pad environment. The proposed demonstrate predicts customers' credit qualification based on the accessible information. The input to the show incorporates traits from the dataset, as appeared in table 1. The yield from the show could be a decision on whether the client is qualified to urge the credit. The taking after area examines the dataset and clarifies the strategies utilized to cleanse and preprocess the dataset for modeling.

DISADVANTAGESOFEXISTING FRAMEWORK:

1. Inclination and Reasonableness:

ML calculations can accidentally propagate or unamplified existing inclinations in information. In case the preparing information contains chronicled inclinations (e.g., against certain statistic bunches), the show may create one-sided advance endorsement or refusal choices.

2. Transparent Interpretability:

Many ML models, particularly complex ones like profound learning, are regularly "black boxes" since their decision-making forms are not effectively interpretable. This need of straightforwardness can make it troublesome for both clients and controllers to get it and believe the decision-making handle.

3. Information Protection and Security:

Handling expansive sums of delicate monetary information increments the hazard of information breaches and security concerns. Guaranteeing strong information assurance measures is basic but can be challenging and exorbitant.

4.PROPOSED

Framework

This inquire about was done utilizing Python on Kaggle's Jupyter Note pad cloud environment. The proposed demonstrate predicts customers' credit qualification based on the accessible information. The input to the demonstrate incorporates traits from the dataset, as appeared in table 1. The yield from the model may be a choice on whether the client is qualified to induce the advance. The taking after area examines the dataset and clarifies the strategies utilized to cleanse and preprocess the dataset for modeling.



Fig 1 Bank loan architecture

DATASET:

We can collect the dataset from the kaggle.com site and placed into our project folder.

UML DIAGRAM:



```
# The dataset can be seen here
data
```

	ID	Age	Experience	Income	ZIP Code	Family	CCAvg	Education	Mortgage	Personal Loan	Securities Account	CD Account	Online	CreditCard
0	1	25	1	49	91107	4	1.6	1	0	0	1	0	0	0
1	2	45	19	34	90089	3	1.5	1	0	0	1	0	0	0
2	3	39	15	11	94720	1	1.0	1	0	0	0	0	0	0
3	4	35	9	100	94112	1	2.7	2	0	0	0	0	0	0
4	5	35	8	45	91330	4	1.0	2	0	0	0	0	0	1
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
4995	4996	29	3	40	92697	1	1.9	3	0	0	0	0	1	0
4996	4997	30	4	15	92037	4	0.4	1	85	0	0	0	1	0
4997	4998	63	39	24	93023	2	0.3	3	0	0	0	0	0	0
4998	4999	65	40	49	90034	3	0.5	2	0	0	0	0	1	0
4999	5000	28	4	83	92612	3	0.8	1	0	0	0	0	1	1

Fig 2 Data set

1.CLASS DIAGRAM

Engineered Minority Oversampling Method (Destroyed): This method is exceedingly compelling for dealing with imbalanced classification issues, a critical source of mistake in ML models. The awkwardness happens when there's a constrained sum of the minority lesson within the dataset, which makes it troublesome for a demonstrate to viably learn the choice boundary . In this investigate, we utilized the Destroyed strategy to overcome this challenge by oversampling the cases within the minority class. We accomplished this by creating copies of the minority lesson within the preparing dataset some time recently fitting the demonstrate. 2. One-hot encoding strategy makes a difference change over categorical factors in a dataset for a specific situation of a utilize case, the graphs appear the occasions that outside performing artists create, their arrange, and conceivable inter-system events. The chart emphasizes occasions that cross the system boundary from on-screen characters to frameworks. A framework arrangement chart ought to be done for the most victory situation of the utilize case, and visit or complex elective scenarios. Into twofold shape so that the ML show will get it the information. 3. Normalization: The objective of normalizing information for ML models is to convert highlights and guarantee that they are all on a comparative scale. Normalization makes a difference make strides the preparing soundness and execution of the demonstrate.



Fig 3 Architecture

2.USECASE DIAGRAM

Utilize case chart at its easiest could be a representation of a user's interaction with the framework that appears the relationship between the client and the distinctive utilize cases in which the client is included. A utilize case graph can recognize the diverse sorts of clients of a framework and the diverse utilize cases and will regularly be went with by other sorts of charts as well. On-screen characters are the outside substances that connected with the framework. The utilize cases are spoken to by either circles or ellips.





Fig 4 Use case diagram **Fig 5 Use casediagram for bank loan**

3.SEQUENTIAL DIAGRAM

An arrangement diagram. shows prepare intuitive organized in time arrangement. This chart portrays the forms and objects included and the arrangement of messages traded as required to carry out the usefulness. For a specific situation of the charts appear the occasions that outside performing artists create, their arrange, and conceivable inter-system occasions. The chart emphasizes occasions that cross the framework boundary from performing artists to frameworks. A framework grouping chart ought to be done for the most victory situation of the and visit or complex elective scenarios.



Fig 6 Sequential diagram

4.GRAPHS

In the above graph it shows N shows is count and Y shows is gender and it represent the bank loan status about male and females loan status.



Fig 7 Accuracy comparison graph

It represents the loan status of banking system and tells eligible or not.

4.RESULT

Output screen



```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 19779 entries, 0 to 19999
Data columns (total 14 columns):
 #   Column                Non-Null Count  Dtype
---  ------                --------------  -----
 0   id                    19779 non-null  int64
 1   grade                 19779 non-null  object
 2   annual_inc            19779 non-null  float64
 3   short_emp             19779 non-null  int64
 4   emp_length_num        19779 non-null  int64
 5   home_ownership        19779 non-null  object
 6   dti                   19779 non-null  float64
 7   purpose               19779 non-null  object
 8   term                  19779 non-null  object
 9   last_delinq_none      19779 non-null  int64
 10  revol_util            19779 non-null  float64
 11  total_rec_late_fee    19779 non-null  float64
 12  od_ratio              19779 non-null  float64
 13  bad_loan              19779 non-null  int64
```

Fig 8 Output screen **Fig 9 Input screen**

Within the over figure appears input values of a information set to check qualification criteria.

In this we have to deliver points of interest around who needs credit for a reason. Another it appears the individual who connected for advance are checked he or she is eligible or not.



Fig 10 Preprocess the data set

Within the over screen selecting and uploading bank credit information set and tap on open button to load data set and to urge underneath. In over chart in best able to see names of columns and in boxes values with short images are not imperative and as it were positive column values are imperative and ML calculation will prepare as it were with positive values and presently near over chart to urge underneath screen. Presently both prepare and test information is prepared and now press on Run Machine Learning Algorithms button to begin preparing all ML calculations on prepare and test information In over screen able to see expectation precision of each calculation and from all calculations expansion Extreme Machine Learning is giving great forecast exactness and presently all ML calculations are prepared with prepared demonstrate and presently press on Predict Machine Calculation

Model button to transfer unused test records and after that ML will foresee the advance qualification criteria.

Fig11 Uploading the data set file **Fig12 Showing the results**

Advance defaulting may be a significant financial hazard for the This investigate utilized state-of-the-art machine learning strategies to construct valid and exact forecast models. Fig 7 underneath appears the comparison of all the machine learning calculations sent in this inquire about. Our models accomplished high performance exactness based on the exactness and review metrics, with the R.F. model achieving a 95% score.

Fig13 Accuracy comparison graph

In above graph x-axis represents ML algorithm names and y-axis represents accuracy of all those algorithms and from above graph we can conclude that the eligibility criteria of loans for people better accuracy.

5.CONCLUSION

As more decision-makers within the monetary industry look for to get it ways to move forward their forms and keep up a adjust between the security and unwavering quality of their budgetary loaning framework, machine learning methods can play a crucial part in making a difference accomplish this objective. Hence, the created demonstrate robotizes the strategy of deciding the applicant financial soundness. In Machine Learning, Gullible BAYES classification analysis is one of the directed learning algorithms, which is subordinate on BAYES hypothesis and utilized to fathom classification problems. Hence, it is nice for anticipating the correct result within the current world situation conjointly offer assistance the bank to deliver the money within the right hands additionally offer assistance the individuals in getting credit in a much speedier way. The most advantage of this framework is, it gives more precision. In this we utilize logistic, sum so numerous algorithms we utilized to illuminate the bank credit qualification issue.

REFERENCES

[1] "Most commonly used A.I. application in investment banking worldwide 2020, by types." Statista, 15-Sept-2021 [Online]. Available: https://www.statista.com/statistics/1246874/ai-used-in-investment-bankingworldwide-2020/ [Accessed: 29-Jan-2022]

[2] G. Dorfleitner, E.M. Oswald, & R. Zhang. "From Credit Risk to Social Impact: On the Funding Determinants in Interest-Free Peer-to-Peer Lending." J Bus Ethics. 2021 Vol.170, pp. 375–400. https://doi.org/10.1007/s10551-019-04311-8

[3] A. Kumar, S. Sharma, & M. Mahdavi, "Machine Learning (ML) Technologies for Digital Credit Scoring in Rural Finance: A Literature Review." Risks 9.11 (2021): 192

[4] J. Xu, Z. Lu, and Y. Xie, "Loan default prediction of Chinese P2P market: a machine learning methodology." Scientific Reports, 2021,

Vol. 11(1), pp. 1- 19.

[5] H. Meshref, "Predicting Loan Approval of Bank Direct Marketing Data Using Ensemble Machine Learning Algorithms."International Journal of circuits, systems, and signal processing. 2020, Vol. 14, pp. 914-922 DOI: 10.46300/9106.2020.14.117

[6] Patibandla, R. S. M. L., & Narayana, V. L. (2021). Computational intelligence approach for prediction of COVID-19 using particle swarm optimization. In Advances in Computational Intelligence and Data Analytics (Vol. 923, pp. 175–189). Springer. https://doi.org/10.1007/978-981-15-8534-0_9

[7] Santhi Sri, K., Sandhya Krishna, P., Lakshman Narayana, V., &Khadherbhi, R. (2021). Traffic analysis using IoT for improving secured communication. In Advances in Intelligent Systems and Computing (Vol. 213, pp. 499–507). Springer. https://doi.org/10.1007/978-981-33-4443-3_48

[8] Narayana, V. L., & Bharathi, C. R. (2019). Multi-mode routing mechanism with cryptographic techniques and reduction of packet drop using 2ACK scheme MANETs. In Advances in Intelligent Systems and Computing (Vol. 104, pp. 649–658). Springer. https://doi.org/10.1007/978-981-13-1921-1_63

[9] Narayana, V. L., & Bharathi, C. R. (2018). Effective multi-mode routing mechanism with master-slave technique and reduction of packet droppings using 2-ACK scheme in MANETS. Mathematical Modeling of Computer Systems, 91(2), 73–76. https://doi.org/10.18280/mmc_a.910207

[10] Lakshman Narayana, V., Lakshmi Patibandla, R. S. M., Pavani, V., & Radhika, P. (2023). Optimized nature-inspired computing algorithms for lung disorder detection. In Advances in Intelligent Systems and Computing (Vol. 1066, pp. 103–118). Springer. https://doi.org/10.1007/978-981-19-6379-7_6

[11] Narayana, V. L., Sudheer, B. N., Maddumala, V. R., & Anusha, P. (2020). Fuzzy base artificial neural network model for text extraction from images. Journal of Critical Reviews, 7(6), 350–354. https://doi.org/10.31838/jcr.07.06.61

[12] Narayana, V. L., Bhargavi, S., Srilakshmi, D., Annapurna, V. S., & Akhila, D. M. (2024). Enhancing remote sensing object detection with a hybrid Densenet-LSTM model. In Proceedings of the International Conference on Computer Science and Advanced Technology (pp. 264–269). IEEE. https://doi.org/10.1109/IC2PCT60090.2024.10486394

[13] Narayana, V. L., Syamalatha, P., Vatsalya, P., Sricharitha, V., & Akhila, V. (2023). Multi-level node authorization using recurrent neural networks for secure health monitoring system. Proceedings of the IEEE International Conference on Smart Computing and Networking Applications (ICSNA), 1697–1705. https://doi.org/10.1109/ICSCNA58489.2023.10370543

[14] Gopi, A. P., Swathi, V., Harshitha, G. S., Swetha, B., & Alekhya, N. (2023). Prediction of paddy yield based on IoT data using GRU model in lowland coastal regions. In Proceedings of the 5th International Conference on Smart Systems and Inventive Technology (ICSSIT 2023) (pp. 1747-1752). https://doi.org/10.1109/ICSSIT55814.2023.10060935

[15] Arepalli, P. G., Naik, K. J., & Amgoth, J. (2024). An IoT-based water quality classification framework for aqua-ponds through water and environmental variables using CGTFN model. International Journal of Environmental Research, 18(4), Article 73. https://doi.org/10.1007/s41742-024-00625-2

[16] Gopi, A. P., Babu, E. S., Raju, C. N., & Kumar, S. A. (2015). Designing an adversarial model against reactive and proactive routing protocols in MANETs: A comparative performance study. International Journal of Electrical and Computer Engineering, 5(5), 1111-1118. DOI: 10.11591/ijece.v5i5.pp1111-1118

[17] Sravanthi, G. L., Devi, M. V., Sandeep, K. S., Naresh, A., & Gopi, A. P. (2020). An efficient classifier using machine learning technique for individual action identification. International Journal of Advanced Computer Science and Applications, 11(6), 513-520. DOI: 10.14569/IJACSA.2020.0110664

[18] Gopi, A. P., Durga Mani, P., Chandana, V. B., Sulthana, S. R., & Parameswari, P. P. K. (2024). Classification of fake news using enhanced capsule neural network. In 2024 IEEE International Conference on Interdisciplinary Approaches in Technology and Management for Social Innovation, IATMSI 2024. DOI: 10.1109/IATMSI60426.2024.10502837

[19] Arepalli, P. G., & Khetavath, J. N. (2023). An IoT framework for quality analysis of aquatic water data using time-series convolutional neural network. Environmental Science and Pollution Research, 30(60), 125275-125294. https://doi.org/10.1007/s11356-023-27922-1

[20] Gopi, A. P., & Jairam Naik, K. (2021). A model for analysis of IoT based aquarium water quality data using CNN model. In 2021 International Conference on Decision Aid Sciences and Application, DASA 2021 (pp. 976-980). https://doi.org/10.1109/DASA53625.2021.9682251

[21] Roshini, P., Khajavali, S., Snigdha, M. L. S., Harsha, B. D., Srilakshmi, B., & Gopi, A. (2024). CNN design with AlexNet algorithm for diagnosis of diseases in cassava leaves. In Proceedings - 2024 International Conference on Expert Clouds and Applications, ICOECA 2024 (pp. 711-718). https://doi.org/10.1109/ICOECA62351.2024.00129

[22] Narayana, V. L., Gopi, A. P., Khadherbhi, S. R., & Pavani, V. (2020). Accurate identification and detection of outliers in networks using group random forest methodology. Journal of Critical Reviews, 7(6), 381-384. https://doi.org/10.31838/jcr.07.06.67

[23] Rao, B. T., Patibandla, R. S. M. L., Narayana, V. L., & Gopi, A. P. (2021). Medical data supervised learning ontologies for accurate data analysis. In Semantic Web for Effective Healthcare Systems (pp. 249-267). https://doi.org/10.1002/9781119764175.ch11

[24] Patibandla, R. S. M. L., Gopi, A. P., Narayana, V. L., & Rao, B. T. (2023). Decentralized smart healthcare systems using blockchain and AI. In Blockchain applications in healthcare: Innovations and practices (Vol. 1, pp. 139-154). DOI: 10.1002/9781394229512.ch8

[25] Lakshman Narayana, V., & Gopi, A. P. (2020). Enterotoxigenic Escherichia coli detection using the design of a biosensor. Journal of New Materials for Electrochemical Systems, 23(3), 164-166. DOI: 10.14447/jnmes.v23i3.a02

[26] Narayana, V. L., & Gopi, A. P. (2017). Visual cryptography for gray scale images with enhanced security mechanisms. Traitement du Signal, 34, 197-208. DOI: 10.3166/ts.34.197-208

[27] Arepalli, P. G., Narayana, V. L., Venkatesh, R., & Kumar, N. A. (2019). Certified node frequency in social network using parallel diffusion methods. Ingenierie des Systemesd'Information, 24(1), 113-117. https://doi.org/10.18280/isi.240117

[28] Peda Gopi, A., & Lakshman Narayana, V. (2017). Protected strength approach for image steganography. Traitement du Signal, 34(3-4), 175-181. https://doi.org/10.3166/TS.34.175-181

[29] Narayana, V. L., Gopi, A. P., Anveshini, D., & Lakshmi, G. V. V. (2020). Enhanced path finding process and reduction of packet droppings in mobile ad-hoc networks. International Journal of Wireless and Mobile Computing, 18(4), 391-397. https://doi.org/10.1504/IJWMC.2020.108539

[30] Challa, R., YAMPARALA, R., KANUMALLI, S. S., & KUMAR, K. S. (2020, November). Advanced patient's medication monitoring system with ardunio UNO and NODEMCU. In 2020 4th International conference on electronics, communication and aerospace technology (ICECA) (pp. 942-945). IEEE.

[31] Kanumalli, S. S., Chinta, A., & Chandra Murty, P. S. R. (2019). Isolation of Wormhole Attackers in IOV Using WPWP Packet. Revue d'IntelligenceArtificielle, 33(1)

[32] Kanumalli, S. S., Ch, A., & Murty, P. S. R. C. (2018). Advances in Modelling and Analysis B. Journal homepage: http://iieta. org/Journals/AMA/AMA_B, 61(1), 5-8.

[33] Kosaraju, Chaitanya, et al. "A model for analysis of diseases based on nutrition deficiency using random forest." 2022 7th International Conference on Communication and Electronics Systems (ICCES). IEEE, 2022.

[34] Chaitanya, Kosaraju, and Gnanasekaran Dhanabalan. "Secure Route Detection with Multi Level Trust Evaluation Model Using Replicated Auditor Node for Extended Packet Delivery Rate in WSN." Revue d'IntelligenceArtificielle 37.4 (2023).

[35] Chaitanya, Kosaraju, et al. "Risk Stratification for Stroke Using Attention Transformer Model." 2024 2nd International Conference on Disruptive Technologies (ICDT). IEEE, 2024.

[36] Sujatha, V., Prasanna, K.L., Niharika, K., Charishma, V., Sai, K.B.,K(23),"Network Intrusion Detection using Deep Reinforcement Learning,Proceedings - 7th International Conference on Computing Methodologies and Communication", ICCMC 2023, 2023, pp. 1146–1150

[37] Sujatha, V., Anitha, B.S., Rama, G.T., Niharika, N., Sahithi, A.,K(23),"Convolutional Neural Network (CNN) based Blood Vessel Segmentation from Ocular ImagesProceedings - 7th International Conference on Computing Methodologies and Communication",ICCMC 2023, 2023, pp. 518–523

[38] Majety, V. D., & Murali, G. (2018). Remote health watchdog framework for seizure patient using electronic sensors. International Journal of Engineering and Technology(UAE, 7, 783–785. https://doi.org/10.14419/ijet.v7i3.12132

[39] Alapati, N., Anusha, N.,Joharika, P., Jerusha, N.J., Tanuja, P.(2023)Prediction of Parkinson's Disease using Machine Learning in 2023 2 ndInternational Conference on Electronics and Renewable Systems(ICEARS)(pp.1357–1361).IEEE

[40] Naresh, A., Reddy, B.A., Reddy, G.P., Kumari, K.R., Vaishnavi, M.S.(2023)Melanocytic Pigmented Skin Lesion Detection and Classification using Hybrid Deep Features based on Fully Convolutional Network in 2023 2 ndInternational Conference on Electronics and Renewable Systems(ICEARS)(pp.1011–1018).IEEE

[41] Pavani, Vellalacheruvu, and I. Ramesh Babu. "Three level cloud storage scheme for providing privacy preserving using edge computing." International Journal of Advanced Science and Technology 28, no. 16 (2019): 1929-1940.

[42] Vellalachervu, Pavani and Babu, I. Ramesh, A Novel Method to Optimize the Computation Overhead in Cloud Computing by Using Linear Programming (May 10, 2019). INTERNATIONAL JOURNAL OF RESEARCH AND ANALYTICAL REVIEWS(IJRAR), May 2019, Volume 6, Issue 2, Available at SSRN: https://ssrn.com/abstract=3452191

[43] Rama Krishna, Komanduri Venkata Sesha Sai, and Battula Bhanu Prakash. "Intrusion Detection System Employing Multi-level Feed Forward Neural Network along with Firefly Optimization (FMLF2N2)." Ingénierie des Systèmesd'Information 24.2 (2019).

[44] Krishna, K. VSS Rama, et al. "Identification of Fraud Transactions using Lightgbm Technique." 2022 3rd International Conference on Issues and Challenges in Intelligent Computing Techniques (ICICT). IEEE, 2022.

[45] S. K. P, J. Lavanya, G. Kavya, N. Prasamya and Swapna, "Oral Cancer Diagnosis using Deep Learning for Early Detection," 2022 International Conference on Electronics and Renewable Systems (ICEARS), Tuticorin, India, 2022, pp. 1260-1268, doi: 10.1109/ICEARS53579.2022.9752280.

[46] Krishna, P. Sandhya, SK Reshmi Khadherbhi, and Vellalachervu Pavani. "Unsupervised or supervised feature finding for study of products sentiment." International Journal of Advanced Science and Technology 28, no. 16 (2019): 1916-1928.

[47] Qi, Zhang, P. SilpaChaitanya, and T. Sudhir. "Spoofing attack detection wireless networks using advanced KNN." International Journal of Smart Device and Appliance 4.1 (2016): 1-8.

[48] S. K. P, J. Lavanya, G. Kavya, N. Prasamya and Swapna, "Oral Cancer Diagnosis using Deep Learning for Early Detection," 2022 International Conference on Electronics and Renewable Systems (ICEARS), Tuticorin, India, 2022, pp. 1260-1268, doi:10.1109/ICEARS53579.2022.9752280.

[49] Krishna, P. Sandhya, SK Reshmi Khadherbhi, and Vellalachervu Pavani. "Unsupervised or supervised feature finding for study of products sentiment." International Journal of Advanced Science and Technology 28, no. 16 (2019): 1916-1928.

[50] Lakshman Narayana, V., Lakshmi Patibandla, R. S. M., Pavani, V., & Radhika, P. (2023). Optimized nature-inspired computing algorithms for lung disorder detection. In Advances in Intelligent Systems and Computing (Vol. 1066, pp. 103–118). Springer. https://doi.org/10.1007/978-981-19-6379-7_6

[51] Narayana, V. L., Sudheer, B. N., Maddumala, V. R., & Anusha, P. (2020). Fuzzy base artificial neural network model for text extraction from images. Journal of Critical Reviews, 7(6), 350–354. https://doi.org/10.31838/jcr.07.06.61

[52] Narayana, V. L., Bhargavi, S., Srilakshmi, D., Annapurna, V. S., & Akhila, D. M. (2024). Enhancing remote sensing object detection with a hybrid Densenet-LSTM model. In Proceedings of the International Conference on Computer Science and Advanced Technology (pp. 264–269). IEEE. https://doi.org/10.1109/IC2PCT60090.2024.10486394

[53] Narayana, V. L., Syamalatha, P., Vatsalya, P., Sricharitha, V., & Akhila, V. (2023). Multi-level node authorization using recurrent neural networks for secure health monitoring system. Proceedings of the IEEE International Conference on Smart Computing and Networking Applications (ICSNA), 1697–1705. https://doi.org/10.1109/ICSCNA58489.2023.10370543

[54] A.S. Aphale, and S.R. Shinde, "Predict Loan Approval in Banking System Machine Learning Approach for Cooperative Banks Loan Approval." International Journal of Engineering Research & Technology (IJERT). 2020, Vol. 9 pp. 991-995

[55] "Loan Eligibility Dataset." Kaggle, 15-Aug-2020. [Online] Available:https://www.kaggle.com/datasets/vikasukani/loan-eligibledataset

[56] A.S. Hussein, T. Li, C.W. Yohannese, & K. Bashir. "A-SMOTE: A new preprocessing approach for highly imbalanced datasets by improving SMOTE." International Journal of Computational Intelligence Systems. 2019, Vol. 12(2), PP.1412.of the 2003 Conference on Empirical Methods in Natural Language Processing. Association for Computational Linguistics, Stroudsburg, PA. 2003, pp. 129-136.

[57] D. M. Powers, "Evaluation: from precision, recall and F-measure to ROC, informedness, markedness and correlation." arXiv preprint arXiv:2010.16061 (2020).

[58] J.M. Hilbe. "Logistic Regression." International encyclopedia of statistical science. 2011 Vol pp. 15-32.