JETIR.ORG ISSN: 2349-5162 | ESTD Year : 2014 | Monthly Issue
JOURNAL OF EMERGING TECHNOLOGIES AND INNOVATIVE RESEARCH (JETIR)
An International Scholarly Open Access, Peer-reviewed, Refereed Journal

Diabetes Prediction Using Random Forest Algorithm

[1]K.V.S.S.Ramakrishna, [2] K Baranitharan [3]Ala Navya Sri, [4]Mullamananuri. Pallavi, [5]M.Jyoshna Kalyani,[6]Y.Keerthi

[1,2]Associate Professor, Department of IT, Vignan's Nirula Institute of Technology and Science, Guntur.

[3,4,5,6]B. Tech, Department of IT, Vignan's Nirula Institute of Technology and Science, Guntur.

ABSTRACT

Machine Learning (ML) techniques have shown significant promise in solving complex problems within dynamic environments, particularly in the study and management of diseases like diabetes. This research focuses on developing a personal healthcare system that uses data from daily activities and other relevant parameters to monitor blood glucose levels and provide online reports. By applying ML, especially the Random Forest algorithm, this system aims to detect non-communicable diseases such as diabetes mellitus at an early stage. The study reviews existing literature to understand previous methods used for disease detection. While various methods exist for non-invasive blood glucose measurement, a universally accurate and precise method has yet to be established. This paper emphasizes the effectiveness of Random Forest in predicting the likelihood of diabetes mellitus, thereby enabling early precautions.

1.INTRODUCTION

Diabetes is a chronic condition that impairs the body's ability to produce insulin, a hormone crucial for maintaining blood glucose levels. Factors such as obesity, lack of physical activity, high blood pressure, and abnormal cholesterol levels can increase the risk of developing diabetes [1-3]. If left untreated, diabetes can lead to serious complications, including skin damage, nerve damage, vision loss, kidney failure, and diabetic retinopathy.

Early and accurate diagnosis of diabetes mellitus particularly in its early stages, remains a significant challenge for healthcare professionals [4-7]. According to the International Diabetes Federation (IDF), approximately 537 million people worldwide had diabetes in 2021. In Bangladesh alone, about 7.10 million people were affected by this disease, based on 2019 statistics [8-12].

In this research, data from the UCI Machine Learning Repository was used, applying standard preprocessing techniques such as data cleaning, integration, and reduction. The Random Forest algorithm achieved an accuracy of 90%, outperforming other algorithms [13-17]. For predicting blood pressure, conditional decision-making was employed, while for diabetes prediction, models like SVM, KNN, and decision tree were tested, with SVM achieving 75% accuracy, making it the most effective classifier among them [18-22]. The study used AUC (area under the ROC curve) as a measure of accuracy, with the proposed ensemble classifier achieving an AUC of 0.95 [23-27].

The model development involved three phases: data preprocessing using min-max normalization, network model construction, and fine-tuning the test dataset to eliminate biases using NN-FF classification [24-28]. The dataset, derived from the Pima Indians Diabetes Database (PIDD) of the National Institute of Diabetes and Digestive Diseases, was divided into three sections for training, validation, and testing [29-31]. Various ML techniques were implemented, with the confusion matrix used to compare their performance [32-35]. The study concludes by identifying the best-suited algorithm for diabetes prediction based on the correlation between parameters and the highest accuracy scores [34-37]. Diabetes continues to be a rapidly growing concern, particularly among young people, highlighting the need for a deeper understanding of its development and the body's response to carbohydrate intake.

TYPES OF DIABETES

- **Type 1 Diabetes:** This type occurs when the body's immune system mistakenly attacks and destroys the insulin-producing cells in the pancreas [38-41]. The precise causes of Type 1 diabetes are still unclear, and there are no established methods for preventing the condition.

- **Type 2 Diabetes:** This is the most prevalent form of diabetes, accounting for approximately 90% of all diabetes cases[42-44]. It develops when the body either doesn't produce enough insulin or cannot effectively use the insulin it produce [45-47]. Type 2 diabetes is often influenced by both genetic predispositions and lifestyle factors, such as diet and physical activity.

2.LITERATURE SURVEY

- Yasodha et al**.** explored various classification techniques on different datasets to determine diabetes status. The study used a dataset of 200 instances with nine attributes, gathered from hospital records, encompassing both blood and urine tests[49-52]. The WEKA tool was employed for the analysis, utilizing a 10-fold cross-validation approach [53-55] . Among the models tested—Naive Bayes, J48, REP Tree, and Random Tree—J48 demonstrated the highest accuracy at 60.2%.
- Another research utilized data mining, machine learning (ML), and neural network (NN) methods to predict diabetes [56-58]. The Pima Indians Diabetes (PID) dataset from the UCI repository, containing data on 768 patients with 9 attributes, was used [59-60]. The study emphasized that diabetes is associated with factors such as age, lack of physical activity, sedentary lifestyle, family history, high blood pressure, poor diet, and stress [61-62]. This research highlights the critical role of ML in tackling the increasing global incidence of diabetes, especially in predicting and managing the disease early on.

3.PROPOSED SYSTEM:

We introduce a new framework designed for the prediction and monitoring of diabetes, utilizing machine learning techniques to enhance decision-making processes and deliver effective solutions for diabetes management.

Features of the Proposed Framework:

- **Optimized Decision-Making:** The Diabetes Prediction and Monitoring Application (DPMA) framework is engineered to refine the decision-making process by integrating advanced machine learning methods for more accurate diabetes prediction and monitoring.
- **Cloud-Based Solution:** Given the exponential growth in diabetes-related data, the proposed system leverages cloud technology to efficiently handle and process large datasets.
- **Comprehensive Evaluation Metrics:** Our approach uniquely incorporates F-score, precision, and recall into the model evaluation process, ensuring a thorough assessment of prediction accuracy.

Framework Goals

- **Enhancing Classification Accuracy:** The main objective is to accurately categorize individuals as diabetic or non-diabetic. Our model focuses on achieving high accuracy by employing extensive training datasets and selective testing samples.
- **Effective Algorithm Use:** We have reviewed various classification methods and determined that Support Vector Machines (SVM), Logistic Regression, and Artificial Neural Networks (ANN) are particularly well-suited for diabetes prediction.

IMPLEMENTATION AND DATA UTILIZATION

- **Integration of Machine Learning:** Machine learning plays a crucial role in healthcare, especially for improving disease prediction. In our study, we used the NHANES dataset, which includes data from 124,821 individuals in the U.S. from 1999 to 2020. After removing records with more than 10% missing values, the dataset was reduced to 17,833 entries, containing information on blood glucose levels and 18 diabetes-related factors.

- **Model Performance:** We evaluated several machine learning algorithms, including Random Forests, Decision Trees, XGBoost, and SVM. The Random Forest model was identified as the most effective, achieving an accuracy rate of 0.77 on the test dataset.

USECASE DIAGRAM In the modern era, the volume of data generated daily is immense, spanning across various domains such as healthcare, social media, finance, government, marketing, banking, and smart technologies. To effectively handle and analyze this data, it's essential to refine analytical tools and models. This paper examines the use of machine learning algorithms—namely Linear Regression, Naïve Bayes, and Decision Trees—to predict diabetes. Additionally, we conducted an analysis of flight delay data to support decision-making and create a dashboard offering a holistic view for flight managers.



Fig1 use case diagram for diabetes predictor



Fig 2 process for diabetes prediction

We evaluated and compared the effectiveness of three machine learning models for diabetes prediction, finding that all models—Linear Regression, Naïve Bayes, and Decision Trees—achieved an accuracy rate of 0.766. However, the Decision Tree model emerged as the most effective, delivering the highest accuracy and lowest error. In the context of flight delays, our analysis highlighted specific airports with the most frequent delays, aiding in strategic decision-making.

Diabetes is a critical chronic condition that adversely affects the entire body, impacting millions of people globally and causing numerous fatalities annually due to its complications. Characterized by elevated blood sugar levels, undiagnosed diabetes can lead to significant damage to nerves, kidneys, and the heart. Effective predictive models for

diabetes risk rely on comprehensive data from individuals diagnosed with diabetes or those at high risk, utilizing advanced data mining and classification algorithms.

SYSTEM ARCHITECTURE

Diabetes is a significant health issue characterized by persistently high blood sugar levels, which can cause serious long-term damage to various organs, including the eyes, kidneys, nerves, heart, and blood vessels. Recent advancements in machine learning (ML) have opened new avenues for improving the prediction and management of diabetes.

This study introduces an innovative approach that combines K-means clustering with Support Vector Machine (SVM) classification to predict diabetes risk. The process involves using K-means to extract features, which are then analyzed using an SVM classifier. Testing this method on the Pima Indians Diabetes Database—a publicly available dataset—yielded an impressive accuracy rate of 98.7%. This approach surpasses traditional SVM-only methods. The paper also compares different ML techniques based on metrics such as accuracy, precision, recall, and F1-score for diabetes classification.



Fig 3 result analysis

The healthcare field is rapidly advancing, particularly through the integration of Internet of Things (IoT) technologies. IoT merges information and communication technologies (ICTs), sensors, big data, and artificial intelligence to offer enhanced solutions for managing chronic diseases. With the increasing number of diabetes cases, there is a growing need for continuous monitoring systems. These systems enable patients, their families, and healthcare providers to manage diabetes more effectively by providing real-time glucose monitoring.

Chronic conditions like diabetes necessitate ongoing management and long-term treatment. Regular monitoring of blood glucose levels is essential for preventing complications and ensuring effective disease management. As the incidence of diabetes rises, the development of advanced monitoring systems has become increasingly important.



Fig 4: System architecture

In today's data-rich environment, vast quantities of information are generated daily from various sources, including healthcare systems, social media, financial transactions, government databases, and smart devices. Effective analysis of this data requires sophisticated tools and models. This paper examines and compares several machine learning algorithms—Linear Regression, Naïve Bayes, and Decision Trees—for predicting diabetes. Additionally, it includes an analysis of flight delays to illustrate the application of big data tools and ML models.

The main contribution of this research is to provide an overview of big data tools and ML techniques, focusing on metrics that help in selecting the most accurate models. By evaluating the performance of different ML models for diabetes prediction and analyzing flight delay data, the study aims to offer valuable insights for decision-makers in both healthcare and aviation industries.

Diabetes is a serious chronic disease that affects multiple systems in the body, leading to significant health issues and a high number of annual fatalities. Early prediction and effective management are crucial for reducing its detrimental effects.



Fig 5: prediction system

4.RESULT

A review of various studies reveals that machine learning classification algorithms such as Support Vector Machines (SVM), K-Nearest Neighbors (KNN), and Random Forests (RF) are highly effective for early diabetes prediction. The dataset used in this analysis, sourced from the National Health and Nutrition Examination Survey (2009–2012), includes 6,561 participants, with 657 diagnosed cases of diabetes and 5,904 non-diabetic controls. Logistic Regression (LR) analysis identified seven significant risk factors for diabetes out of fourteen: age, education level, Body Mass Index (BMI), systolic and diastolic blood pressure, direct cholesterol, and total cholesterol. The overall accuracy of the machine learning-based system was 90.62%. Combining LR for feature selection with an RF classifier achieved a higher accuracy of 94.25% and an Area Under the Curve (AUC) of 0.95 for the K10 protocol. Among the machine learning algorithms evaluated, including Random Forests, Decision Trees, XGBoost, and SVMs, the Random Forest model performed the best, reaching an accuracy of 0.77 on the test dataset.



Fig 6: dataset

Diabetes can result in serious long-term complications, such as damage to blood vessels, which may lead to heart attacks, strokes, and problems affecting the kidneys, eyes, feet, and nerves. Fortunately, the risk of these complications can be reduced through effective management. Monitoring blood sugar levels is essential; an A1C

level of 6.5% or higher on two separate tests indicates diabetes, while an A1C level between 5.7% and 6.4% signals prediabetes. An A1C level below 5.7% is considered normal. Diabetes arises when the pancreas does not produce adequate insulin or when the body does not use insulin effectively, resulting in elevated blood glucose levels. This condition can affect individually for all the ages.



Fig 7: dataflow diagram

5.CONCLUSION

This paper explores an innovative approach to improve diabetes management through technology. We have pursued two main goals: developing a Multi-Layer Perceptron (MLP) algorithm for classifying diabetes and using Long Short-Term Memory (LSTM) networks for diabetes prediction. Additionally, we propose a theoretical real-time diabetes monitoring system based on Internet of Things (IoT) technology. This system integrates a smartphone with a Bluetooth Low Energy (BLE) sensor and machine learning techniques to monitor and predict blood glucose (BG) levels effectively.

Early detection of diabetes is essential for successful treatment, yet many individuals remain unaware of their condition. This study reviews various machine learning methods for early diabetes detection, including both supervised and unsupervised approaches, to determine which offer the most accurate predictions. Future research will focus on refining these models to provide a more accurate and reliable assessment of diabetes risk.

Evidence suggests that advanced machine learning models, such as gradient boosting machines and deep neural networks, often achieve higher accuracy in diabetes prediction compared to traditional methods like logistic regression. Diabetes, being a serious and potentially life-threatening condition, requires constant monitoring and effective management through medication and lifestyle changes. Adopting a healthy lifestyle, undergoing regular medical evaluations, and adhering to prescribed treatments can contribute to a healthier and longer life. Reviews of existing research have shown that lifestyle changes can significantly enhance weight management and cardiovascular health, and combining dietary and exercise interventions can improve blood pressure and lipid levels.

REFERENCES

[1]. Williams, R., Karuranga, S., Malanda, B., et al. (2020). Global and regional estimates and projections of diabetes-related health expenditure: Results from the International Diabetes Federation Diabetes Atlas. Diabetes Research and the Clinical Practice, 162, 108072. [PubMed] [Google Scholar]

[2]. American Diabetes Association. (2014). Diagnosis and the classification of diabetes meliitus. Diabetes Care, 37(Supplement 1), S81–S90. doi: 10.2337/dc14-s081. [PubMed] [CrossRef] [Google Scholar].

[3]. Acciaroli, G., Vettoretti, M., Facchinetti, A., & Sparacino, G. (2018). Calibration of minimally invasive continuous glucose monitoring sensors: State-of-the-art and current perspectives. Biosensors, 8(1). doi: 10.3390/bios8010024. [PMC free article] [PubMed] [CrossRef] [Google Scholar]

[4]. Tun, N. N., Arunagirinatha, G., Munshi, S. K., & Pappachan, J. M. (2017). Diabetes mellitus and stroke: A clinical update. World Journal of Diabetes, 8(6). doi: 10.4239/wjd.v8.i6.235. [PMC free article] [PubMed] [CrossRef] [Google Scholar]

[5]. Patibandla, R. S. M. L., Rao, B. T., Narayana, V. L., & Srinivas, V. S. (2021). An overview of ontology-based artificial intelligence services in health care systems. In *Proceedings of the International Conference on Health Care Systems* (pp. 47–63).

[6]. Maddumala, V. R., Maha Lakshmi, K., Anusha, P., & Lakshman Narayana, V. (2020). Enhanced morphological operations for improving the pixel intensity level. *Journal of Computational and Theoretical Nanoscience*, 29(3), 9191–9201.

[7]. Narayana, V. L., Malleswari, K. S. N., Divyanjali, M., Nandini, S., & Purnima, G. (2023). Video frame based prompt compression model with steganography for secure data transmission. In *Proceedings of the International Conference on Advanced Intelligent Systems* (pp. 373–377). https://doi.org/10.1109/ICAIS56108.2023.10073883

[8]. Naresh, A., Pavani, V., Meghana Chowdary, M., & Lakshman Narayana, V. (2020). Energy consumption reduction in cloud environment by balancing cloud user load. *Journal of Critical Reviews*, 7(7), 1003–1010. https://doi.org/10.31838/jcr.07.07.184

[9]. Patibandla, R. S. M. L., & Vejendla, L. N. (2022). Significance of blockchain technologies in industry. In *Advances in Blockchain Technologies* (pp. 19–31). https://doi.org/10.1007/978-3-030-70501-5_2

[10]. Pasala, S., Pavani, V., Lakshmi, G. V., & Narayana, V. L. (2020). Identification of attackers using blockchain transactions using cryptography methods. *Journal of Critical Reviews*, 7(6), 368–375. https://doi.org/10.31838/jcr.07.06.65

[11]. Mounika, B., Anusha, P., Narayana, V. L., & Lakshmi, G. V. (2020). Use of blockchain technology in providing security during data sharing. *Journal of Critical Reviews*, 7(6), 338–343. https://doi.org/10.31838/jcr.07.06.59

[12]. Narayana, V. L., Vinayaki, K. V., Swetha, P. A., Sri, K. D., & Chaithanya, G. (2024). Superior attribute weighted set for object skeleton detection using ResNet50 with edge-based segmentation model. In *Proceedings of the International Conference on Smart Computing and Systems* (pp. 1132–1139). IEEE. https://doi.org/10.1109/ICSCSS60660.2024.10624879

[13]. Gopi, A. P., & Naik, K. J. (2022). An IoT model for fish breeding analysis with water quality data of pond using modified multilayer perceptron model. *2022 International Conference on Data Analytics for Business and Industry (ICDABI)*, 448-453. https://doi.org/10.1109/ICDABI56818.2022.10041617

[14]. Arepalli, P. G., & Naik, K. J. (2024). A deep learning-enabled IoT framework for early hypoxia detection in aqua water using lightweight spatially shared attention-LSTM network. *Journal of Supercomputing, 80*(2), 2718-2747. https://doi.org/10.1007/s11227-023-05580-x

[15]. Arepalli, P. G., & Naik, K. J. (2023). An IoT-based water contamination analysis for aquaculture using lightweight multi-headed GRU model. *Environmental Monitoring and Assessment, 195*(12), Article 1516. https://doi.org/10.1007/s10661-023-12126-4

[16]. Gopi, A. P., Gowthami, M., Srujana, T., Gnana Padmini, S., & Durga Malleswari, M. (2023). Classification of denial-of-service attacks in IoT networks using AlexNet. In *Smart Innovation, Systems and Technologies* (Vol. 316, pp. 349-357). https://doi.org/10.1007/978-981-19-5403-0_30

[17]. Bikku, T., Gopi, A. P., & Prasanna, R. L. (2019). Swarming the high-dimensional datasets using ensemble classification algorithm. In *Advances in Intelligent Systems and Computing* (Vol. 815, pp. 583-591). https://doi.org/10.1007/978-981-13-1580-0_56

[18]. Arepalli, P. G., & Khetavath, J. N. (2024). Water quality classification using multi-cell RNN in aquaculture ponds for Catla fish. In *Lecture Notes in Networks and Systems* (Vol. 897, pp. 363-370). https://doi.org/10.1007/978-981-99-9704-6_34

[19]. Arepalli, P. G., & Naik, K. J. (2024). Water contamination analysis in IoT-enabled aquaculture using deep learning-based AODEGRU. *Ecological Informatics, 79*, Article 102405. https://doi.org/10.1016/j.ecoinf.2023.102405

[20]. Arepalli, P. G., & Naik, K. J. (2024). An IoT-based smart water quality assessment framework for aqua-ponds management using Dilated Spatial-temporal Convolution Neural Network (DSTCNN). Aquacultural Engineering, 104, Article 102373. https://doi.org/10.1016/j.aquaeng.2023.102373

[21]. Gopi, A. P., Narayana, V. L., & Kumar, N. A. (2018). Dynamic load balancing for client-server assignment in distributed systems using genetic algorithm. Ingenierie des Systemes d'Information, 23(6), 87-98. https://doi.org/10.3166/ISI.23.6.87-98

[22]. Sarada, K., Narayana, V. L., Gopi, A. P., & Pavani, V. (2020). An iterative group based anomaly detection method for secure data communication in networks. Journal of Critical Reviews, 7(6), 208-212. https://doi.org/10.31838/jcr.07.06.39

[23]. Narayana, V. L., Gopi, A. P., & Chaitanya, K. (2019). Avoiding interoperability and delay in healthcare monitoring system using blockchain technology. Revue d'Intelligence Artificielle, 33(1), 45-48. https://doi.org/10.18280/ria.330108

[24]. Gopi, A. P., Jyothi, R. N. S., Narayana, V. L., & Sandeep, K. S. (2023). Classification of tweets data based on polarity using improved RBF kernel of SVM. International Journal of Information Technology, 15(2), 965-980. https://doi.org/10.1007/s41870-019-00409-4

[25]. Narayana, V. L., Gopi, A. P., Khadherbhi, S. R., & Pavani, V. (2020). Accurate identification and detection of outliers in networks using group random forest methodology. Journal of Critical Reviews, 7(6), 381-384. https://doi.org/10.31838/jcr.07.06.67

[26]. Rao, B. T., Patibandla, R. S. M. L., Narayana, V. L., & Gopi, A. P. (2021). Medical data supervised learning ontologies for accurate data analysis. In Semantic Web for Effective Healthcare Systems (pp. 249-267). https://doi.org/10.1002/9781119764175.ch11

[27]. Patibandla, R. S. M. L., Gopi, A. P., Narayana, V. L., & Rao, B. T. (2023). Decentralized smart healthcare systems using blockchain and AI. In Blockchain applications in healthcare: Innovations and practices (Vol. 1, pp. 139-154). DOI: 10.1002/9781394229512.ch8

[28]. Lakshman Narayana, V., & Gopi, A. P. (2020). Enterotoxigenic Escherichia coli detection using the design of a biosensor. Journal of New Materials for Electrochemical Systems, 23(3), 164-166. DOI: 10.14447/jnmes.v23i3.a02

[29]. Rani, B. M. S., Majety, V. D., Pittala, C. S., Vijay, V., Sandeep, K. S., & Kiran, S. (2021). Road Identification Through Efficient Edge Segmentation Based on Morphological Operations. *Traitement du Signal*, *38*(5).

[30]. .Kanumalli, S. S., Ch, A., & Murty, P. S. R. C. (2020). Secure V2V Communication in IOV using IBE and PKI based Hybrid Approach. *International Journal of Advanced Computer Science and Applications*, *11*(1).

[31]. 3.Kiran, S., Kanumalli, S. S., Krishna, K. V. S. S. R., & Chandra, N. (2021). WITHDRAWN: internet of things integrated smart agriculture for weather predictions and preventive mechanism.

[32]. Chaitanya, Kosaraju, and Sankara Narayanan. "Security and Privacy in Wireless Sensor Networks Using Intrusion Detection Models to Detect DDOS and Drdos Attacks: A Survey." 2023 IEEE International Students' Conference on Electrical, Electronics and Computer Science (SCEECS). IEEE, 2023

[33]. Krishna, Komanduri Venkata Sesha Sai Rama, et al. "Classification of Glaucoma Optical Coherence Tomography (OCT) Images Based on Blood Vessel Identification Using .CNN and Firefly Optimization." Traitement du Signal 38.1 (2021).

[34]. Chaitanya, Kosaraju, et al. "Predicting the Spread of Covid Disease Based on Chest X-Ray Images Using Convolutional Neural Network with Improved Accuracy." 2023 6th International Conference on Advances in Science and Technology (ICAST). IEEE, 2023.
[35]. Ekkurthi, A., Sujatha, V., Kumar, K.V.,"**Effective Moving Object Tracking Using Adaptive Background Subtraction with Advanced Probability Evolutionary Algorithm",*International Journal on Recent and Innovation Trends in Computing and Communication***, 2023, 11, pp. 1–3
[36]. Sujatha, V., Yaddala, M., Kollipara, V., Shaik, K., Burri, R.K(23),"Movie reviews data classification using convolution neural networks",***AIP Conference Proceedings***. 2023, 2724, 030009

[37]. Godavarthi, B., Majety, V. D., Mrudula, Y., & Nalajala, P. (2019). Fault identification in power lines using GSM and IoT technology. *Advances in Intelligent Systems and Computing, 815*, 647–655. https://doi.org/10.1007/978-3-319-91117-2_70
[38]. Majety, V. D., & Murali, G. (2018). A remote epileptic patient supervising system. *Advances in Modelling and Analysis B, 61*(4), 207–210. https://doi.org/10.18280/ama_b.610402
[39]. Naresh, A., TSLP, H., Ch, G., & Kumari, G. R. P. (2023, July). Early Prophecy of Low-Birth-Weight Babies Using BM Error Rate Classifier. In *2023 14th International Conference on Computing Communication and Networking Technologies (ICCCNT)* (pp. 1-6). IEEE.

[40]. Kumari, G. R. P., Reddy, A. H., Lakshmi, K., Abhinaya, B., Sanjana, S., & Naresh, A. (2024, March). Time-Frame-Based Drowsiness Detection System Using CNN. In *2024 2nd International Conference on Disruptive Technologies (ICDT)* (pp. 711-716). IEEE.
[41]. V. Pavani, K. Divya, V. V. Likhitha, G. S. Mounika and K. S. Harshitha, "Image Segmentation based Imperative Feature Subset Model for Detection of Vehicle Number Plate using K Nearest Neighbor Model," *2023 Third International Conference on Artificial Intelligence and Smart Energy (ICAIS)*, Coimbatore, India, 2023, pp. 704-709, doi: 10.1109/ICAIS56108.2023.10073848.
[42]. V. Pavani, M. N. Swetha, Y. Prasanthi, K. Kavya and M. Pavithra, "Drowsy Driver Monitoring Using Machine Learning and Visible Actions," *2022 International Conference on Electronics and Renewable Systems (ICEARS)*, Tuticorin, India, 2022, pp. 1269-1279, doi: 10.1109/ICEARS53579.2022.9751890.

[43]. Sri, Kurra Santhi, et al. "Advanced system control with traffic handling for secure communication in IoT routing protocol." *Journal Européen des Systèmes Automatisés* 54.2 (2021): 229-233.

[44]. Arumugham, Vinothini, et al. "An explainable deep learning model for prediction of early-stage chronic kidney disease." *Computational Intelligence* 39.6 (2023): 1022-1038.

[45]. Majety, Vasumathi Devi, et al. "Enhanced secure communication AODV routing protocol using SVM in MANETS." *AIP Conference Proceedings*. Vol. 2724. No. 1. AIP Publishing, 2023.

[46]. Krisha, P.S., Peram, S.R. (2023). CT image precise denoising model with edge based segmentation with labeled pixel extraction using CNN based feature extraction for oral cancer detection. Traitement du Signal, Vol. 40, No. 3, pp. 1297-1304. https://doi.org/10.18280/ts.400349
[47]. P. S. Krishna, V. R. Aparna, V. Priyanka, P. T. Niharika and T. Shivangi, "Convolution Neural Network Model with Feature Linked Vector for Oral Cancer Detection," *2023 IEEE 12th International Conference on Communication Systems and Network Technologies (CSNT)*, Bhopal, India, 2023, pp. 304-308, doi: 10.1109/CSNT57126.2023.10134660.

[48]. Rayachoti, Eswaraiah, Sudhir Tirumalasetty, and Silpa Chaitanya Prathipati. "SLT based watermarking system for secure telemedicine." *Cluster Computing* 23.4 (2020): 3175-3184.

[49]. Eswaraiah, Rayachoti, Tirumalasetty Sudhir, and Prathipati Silpa Chaitanya. "Curvelet transform based watermarking for telemedicine." *Wireless Personal Communications* 122.1 (2022): 309-329.

[50]. Varshini, Y., Mounika, T., Kumari, G. R. P., Sirisha, G., & Deepthi, Y. (2023, March). Crop Yield Forecast Using Machine Learning. In *2023 9th International Conference on Advanced Computing and Communication Systems (ICACCS)* (Vol. 1, pp. 2310-2315). IEEE.
[51]. B. Aruna Kumari "**Time Series Data Classification for Precise Stock Market Price Prediction using ML" ICICACS International Conference on Integrated Circuits and Communication Systems, Scopus indexed, ISBN:**979-8-3503-1755-8/ **https://ieeexplore.ieee.org/document/10498248,18 April 2024**

[52]. B.Aruna Kumari "HumanvAction Recognition From Video Frames Using Recurrent Neural Networks" ICDT 2nd International Conference on Disruptive Technologies (ICDT),Scopis indexed , ISBN:979-8-3503-7105-5/ https://ieeexplore.ieee.org/document/10489658, 11 April 2024
[53]. Mohiddin, S.K., Sharmila, S., & Sharma, V. (2024). Tools and framework for cyber-physical agricultural systems. In *Agri 4.0 and the Future of Cyber-Physical Agricultural Systems* (pp. 37–53). https://doi.org/10.1016/B978-0-443-13185-1.00003-4
[54]. Sharmila, S., & Aparna, C. (2024). Tracing footprints of anti-forensics and assuring secured data transmission in the cloud using an effective ECCDH and Kalman filter. *Journal of Network and Computer Applications, 221*, Article 103762. https://doi.org/10.1016/j.jnca.2023.103762
[55]. Sharmila, S.K., Kavya Nagasai, G., Sowmya, M., Sai Prasanna, A., Navya Sri, S., & Meghana, N. (2023). Automatic attendance system based on face recognition using machine learning. In *Proceedings of the 7th International Conference on Computing Methodologies and Communication* (ICCMC 2023, pp. 170–174). https://doi.org/10.1109/ICCMC56507.2023.10084017

[56]. Deepthi, T.N., Sharmila, S., Swarna, M., Gouthami, M., & Akshaya, C.L. (2023). Prediction of brain stroke in human beings using machine learning. In *Proceedings of the 2023 2nd International Conference on Electronics and Renewable Systems* (ICEARS 2023, pp. 1314–1320). https://doi.org/10.1109/ICEARS56392.2023.10085128

[57]. Davies, M. J., D'Alessio, D. A., Fradkin, J., et al. (2018). Management of the hyperglycaemia in type 2 diabetes, 2018. A consensus report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). Diabetologia, 61(12), 2461–2498. doi: 10.1007/s00125-018-4729-5. [PubMed] [CrossRef] [Google Scholar]

[58]. Bruen, D., Delaney, C., Florea, L., & Diamond, D. (2017). Glucose sensing for diabetes monitoring: Recent developments. Sensors, 17(8). doi: 10.3390/s17081866. [PMC free article] [PubMed] [CrossRef] [Google Scholar]

[59]. Wadhwa, S., & Babber, K. (2020). Artificial intelligence in healthcare: Predictive analysis on diabetes using machine learning algorithms. In Proceedings of the International Conference on Computational Science and Its Applications (pp. 354–366). Springer. [CrossRef] [Google Scholar]

[60]. Pethunachiyar, G. A. (2020). Classification of diabetes patients using kernel-based support vector machines. In Proceedings of the 2020 International Conference on Computer Communication and Informatics (ICCCI) (pp. 1–4). IEEE. [Google Scholar]

[61]. Mohapatra, S. K., Swain, J. K., & Mohanty, M. N. (2019). Detection of diabetes using multilayer perceptron. In Proceedings of the International Conference on Intelligent Computing and Applications (pp. 109–116). Springer. [CrossRef] [Google Scholar]

[62]. Majumder, S., Elloumi, Y., Akil, M., Kachouri, R., & Kehtarnavaz, N. (2020). A deep learning-based smartphone app for real-time detection of five stages of diabetic retinopathy. In Proceedings of the Real-Time Image Processing and Deep Learning 2020 (p. 1140106). International Society for Optics and Photonics. [Google Scholar]