JETIR.ORG ISSN: 2349-5162 | ESTD Year : 2014 | Monthly Issue
JOURNAL OF EMERGING TECHNOLOGIES AND INNOVATIVE RESEARCH (JETIR)
An International Scholarly Open Access, Peer-reviewed, Refereed Journal

ALZHEIMER'S DISEASE DETECTION USING RANDOMFORESTCLASSIFIER

[1]M.Mallikarjuna Rao, Assistant Professor, Department of IT, Vignan's Nirula Institute of Technology and Science for Women, peda palakaluru,Guntur.
[2]V.Sasikala,Assistant Professor, Department of IT
[3]Cherukuri Bhumika, [4]Guduru RishiUdayaSri,[5]Kodavali Aswani,[6]Madhamanchi Chaithanya,[3456]B.TECH, Department of IT, Vignan's Nirula Institute ofTechnology and Science for Women,Peda Palakaluru, Guntur.

ABSTRACT

Alzheimer's disease is an incurable neuro degenerative disease that affects brain memory mainly in aged people. Alzheimer's disease occurs worldwide and mainly affects people aged older than 65 years. Early diagnosis for accurate detection is needed for this disease. Manual diagnosis by health specialists is error prone and time consuming due to the large number of patients presenting with the disease.Various techniques have been applied to the diagnosis and classification of Alzheimer's disease but there is a need for more accuracy in early diagnosis solutions. Alzheimer's disease (AD) detection is a critical aspect of managing this progressive disorder, characterized by early cognitive decline and memory loss. Effective detection is crucial for initiating timely interventions that can slow disease progression and improve patient quality of life. This abstract provides an overview of the current methods and advancements in Alzheimer's disease detection.Traditional diagnostic approaches include comprehensive clinical evaluations, cognitive assessments, and techniques such as MRI and PET scans, which help visualize brain changes associated with AD.Additionally, biochemical analyses of fluid (CSF) and blood biomarkers offer insights into the presence of pathological proteins like amyloid-beta and tau.Recent advancements in machine learning and artificial intelligence are enhancing diagnostic accuracy by analyzing complex patterns inand genetic data. Despite these advancements, challenges persist, including the need for more sensitive and specific biomarkers, integration of diverse diagnostic tools, and addressing disparities in access to diagnostic resources. Ongoing research and technological innovations are pivotal in refining detection methods, promoting early diagnosis, and ultimately providing better support and treatment for individuals affected by Alzheimer's disease.

Keywords: Alzheimer's disease, Diagnosis, Biomarkers, Biochemical, Clinical, Genetic, Pathological proteins, cognitive assessments, MRI and PET scans, Diagnostic tools

1.INTRODUCTION

[1-2]Alzheimer's disease (AD) is a type of incurable brain disease due to neurodegeneration. AD is present worldwide. AD is characterized by β-amyloid (Aβ), which contains extracellular plaques and tau-containing intracellular neurofibrillary tangles (Knopman et al., 2021). [3-5]Cognitive ability disorder is the major symptom due to AD.[6-8] This disease is more prevalent in aged people, normally affecting those aged 65 or older; 10% of cases are early onset occurring in people younger than 65. [9-14]AD also affects language, attention, comprehension, reasoning, and memory. Professionls can take care of patients suffering from this disease's symptoms. The decline in cognitive ability occurs due to dementia which impacts daily activities. AD is the most common type of dementia, accounting for about two-thirds of the cases due to age factors. In 2020, AD was the seventh leading cause of death in the United States of America. AD has some treatments

to improve the symptoms, but there is no proper treatment to recover (Kumar et al., 2018).[11-12]AD types are classified as Non-Dementia, Very-Mild Dementia, Mild Dementia, and Moderate Dementia. According to AD analysis, these stages are defined according to other research techniques and are different from the DSM-5 classification of AD (Kumar et al., 2018). Symptoms of AD depend upon the stage of the disease.The most common and very first symptom is short-term memory loss. Also, a language disorder is common in AD patients. AD symptoms normally do not show in the early stages, which is the major barrier to proper treatment. As there is no proper treatment for AD, early diagnosis enables potential treatment to cover the early stages. [14-18]However, early diagnosis is challenging due to the presentation of minor symptoms and sometimes it is not possible to properly identify the symptoms. Normally, a neuropsychological examination is used for the early diagnosis of AD. Clinicians are responsible for properly analyzing the AD patient, but the manual analysis is tedious and takes time for the number of patients symptomatic for the disease (Salehi, Baglat & Gupta, 2020; Butt et al., 2019).Medical experts are responsible for AD diagnosis,

medical images, and the large number of patients, it is impossible to accurately and quickly analyze them manually. ideally found in the early stages. However, unfortunately, due to the large volume of data in Every clinician or medical expert manually examines a few of the records and provides an analysis based on their experience and knowledge. The risk of improper analysis may cause more problems. There is a need for an automatic solution for the analysis of the large volume of imaging data from patients. Various techniques, such as the Internet of Medical Things (IoMT), clinical treatment in labs using MRI or CT images, machine learning-based systems for analyzing large volume data, and deep learning approaches are playing an important role in the medical domain (Kundaram & Pathak, 2021). [19-22]MICCAI BRATS challenges also provide solutions using deep learning and machine learning approaches on MRI or CT images (Frozza, Lourenco & De Felice, 2018). Alzheimer's allows for more effective treatments and a powerful and effective treatment strategy . Magnetic resonance imaging (MRI) as a diagnostic tool for identifying plaque and affected regions holds significant value in detecting Alzheimer's disease . One of the research's primary concerns is identifying Alzheimer's disease-affected areas using magnetic resonance imaging accurately . The issue can be viewed from two different perspectives. The nature of the classification is the first aspect of the problem, and it must be determined which images have Alzheimer's disease symptoms and which do not. Another aspect of the problem is the character of the zoning, which necessitates the identification of Alzheimer's-affected areas . To identify plaques in the brains of Alzheimer's patients using magnetic resonance imaging, segmentation and classification techniques are required in the images. Zoning techniques aim to separate distinct types of brain tissue and isolate damaged areas from healthy ones .Utilizing image zoning techniques is another method for diagnosing Alzheimer's disease. [23-28]Methods for image partitioning consist of thresholding, clustering, machine learning, and deep learning. Only statistical methods attempt to zone images and diagnose the disease, as thresholding methods, such as Otsu, are incapable of learning . Therefore, these methods are ineffective, but when combined with others, they can be helpful. Methods for clustering, such as k-means and fuzzy clustering, are effective at detecting and designating, but they are incapable of learning and thus cannot be taught. Determining the appropriate

Diffusion Tensor Imaging (DTI)

Analyzes white matter integrity and connectivity, identifying microstructural changes in the brain.

Biochemical number of clusters poses a considerable challenge within these methodologies .

2.LITERATURE SURVEY

[29-32]This literature survey reviews various methodologies and advancements in the detection of Alzheimer's disease, focusing on clinical, neuroimaging, biochemical, and machine learning approaches.[33-37]Mini-Mental State Examination (MMSE): Widely used for initial screening, assessing orientation, memory, attention, and language abilities.

Montreal Cognitive Assessment (MCA): A more comprehensive tool that evaluates executive functions, and language[38-43].Clock Drawing Test (CDT): Simple and quick test to assess cognitive impairment through drawing tasks.

In-depth evaluation of cognitive functions such as memory, attention, language, and problem-solving skills through standardized [44-46]tests.Useful in differentiating Alzheimer's from other forms of dementia.Structural MRI: Measures brain atrophy, particularly in the hippocampus and medial temporal

lobes.Functional MRI (fMRI): Assesses brain activity by detecting changes associated with blood flow, useful for understanding functional impairments.

Amyloid PET Imaging: Detects amyloid-beta plaques using tracers like Pittsburgh Compound B.FDG-PET: Measures glucose metabolism[47-48] in the brain, highlighting areas of reduced metabolic activity.Used primarily to rule out other causes of dementia, such as strokes or tumors Cerebro spinal[49-52] Fluid (CSF) Biomarkers Amyloid-beta (Aβ42): Decreased levels in CSF are indicative of amyloid plaque accumulation.Total Tau (t-tau) and Phosphory lated Tau (p-tau): Elevated levels correlate with neuro fibrillary tangles and neuronal damage.

Recent studies explore plasma levels of amyloid-beta, tau proteins as potential non-invasive biomarkers.Machine [53]Learning and Artificial Intelligence.

Supervised Learning: Techniques such as support vector machines (SVM), random forests, and deep learning models trained on labeled data (e.g., MRI scans, CSF biomarkers) to classify patients.Unsupervised Learning: Clustering algorithms to identify patterns and subtypes within Alzheimer's disease.Identifying relevant features from high-dimensional data (e.g., imaging, genetics) that contribute to accurate diagnosis.Techniques like principal component analysis (PCA) and independent component analysis (ICA) are used to reduce dimensionality.

Developing models that predict disease onset and progression based on baseline characteristics and longitudinal data.Integration of multimodal data[54] (e.g., imaging, clinical, genetic) to enhance predictive accuracy.Analyzing electronic health records (EHR) and clinical notes to identify early signs of cognitive decline and patterns associated with Alzheimer's disease.

Combining neuroimaging, biochemical markers, and cognitive assessments to improve diagnostic accuracy.Multimodal data integration using advanced machine learning techniques.

Development of blood-based biomarkers and retinal imaging for early detection.Wearable devices and digital biomarkers for continuous monitoring of cognitive and behavioral changes.

Tailoring diagnostic and therapeutic approaches based on individual risk profiles, genetic predispositions, and biomarker levels.Use of artificial intelligence to develop personalized intervention strategies.

3.PROPOSED METHODOLOGY

Pandas

Pandas is a Python library used for working with data sets. It has functions for analyzing, cleaning, exploring, and manipulating data. The name "Pandas" has a reference to both "Panel Data", and "Python Data Analysis" and was created by Wes McKinney in 2008. Pandas is a powerful open-source data analysis and data manipulation library for Python, designed to make working with structured data fast, easy, and expressive. It provides two primary data structures: Series, a one-dimensional labeled array, and Data Frame, a two-dimensional labeled data structure similar to a table in a database or an Excel spreadsheet. Pandas excels at handling a wide variety of data formats, including CSV, Excel, SQL databases, and JSON. It offers extensive functionality for data cleaning, transformation, and visualization, making it a go-to tool for data wrangling tasks. With features like robust indexing, intuitive handling of missing data, and powerful group-by operations, Pandas simplifies complex data operations. Additionally, it integrates seamlessly with other data science libraries such as numpy, matplotlib, and scikit-learn, facilitating a comprehensive data analysis workflow. Whether you are performing simple data manipulations or complex aggregations, Pandas provides the tools needed to handle and analyze data efficiently and effectively.

Numpy

Numpy is a Python library used for working with arrays. It also has functions for working in domain of linear algebra, Fourier transform, and matrices. NumPy was created in 2005 by Travis Oliphant. It is an open source project and you can use it freely. NumPy stands for 37 Numerical Python. Numpy is a general-purpose array-processing package. It provides a high-performance multidimensional array object, and tools for working with these arrays. It is the fundament package for scientific computing with Python. Besides its obvious scientific uses, Numpy can also be used as an efficient multi- dimensional container of generic data. NumPy, short for Numerical Python, is a fundamental library for scientific computing in Python. It provides support for large, multi-dimensional arrays and matrices, along with a collection of mathematical functions to operate on these arrays. At the core of NumPy is the ndarray, an N-dimensional array object that allows for efficient storage and manipulation of homogeneous data. NumPy offers a variety of array creation

routines, such as np.array, np.zeros, np.ones, np.arange, and np.linspace, facilitating the creation of arrays from various data structures and sequences. The library also includes a wide range of mathematical operations, including basic arithmetic, statistical functions, and linear algebra operations, all optimized for performance. Broadcasting is another powerful feature of NumPy, enabling arithmetic operations on arrays of different shapes without the need for explicit looping. Advanced indexing and slicing capabilities make it easy to access and manipulate subsets of data. NumPy integrates seamlessly with other scientific computing libraries like SciPy, pandas, and matplotlib, forming the backbone of the scientific Python ecosystem. Its efficiency and versatility make NumPy an essential tool for data analysis, numerical simulations, and general scientific computing.

Scikit-learn

Scikit-learn, also known as sklearn, is a powerful and widely-used open-source machine learning library for Python. It provides simple and efficient tools for data mining and data analysis, and it is built on top of NumPy, SciPy, and matplotlib. Scikit-learn, often abbreviated as sklearn, is a robust and widely-used open-source machine learning library for Python. Built on top of NumPy, SciPy, and matplotlib, it offers simple and efficient tools for data mining and data analysis. Scikit-learn supports various machine learning tasks, including classification, regression, clustering, and dimensionality reduction. It provides a consistent interface for a wide range of algorithms, making it easy to build and evaluate machine learning models. Key features include support for ensemble methods such as Random Forests and Gradient Boosting, which combine multiple learning algorithms to improve predictive performance. Scikit-learn also offers comprehensive tools for model selection and evaluation, such as cross-validation, grid search, and randomized search for hyperparameter tuning. Additionally, it includes robust preprocessing utilities for scaling, encoding, and imputing missing data, as well as advanced techniques like Principal Component Analysis (PCA) for dimensionality reduction. The library's pipeline feature allows users to chain together multiple processing steps into a single workflow, ensuring reproducibility and efficiency in machine learning projects. Scikit-learn's simplicity, versatility, and powerful capabilities make it an essential tool for data scientists and machine learning practitioners.

Logistic Regression

Logistic regression is a widely used statistical method for binary classification tasks, where the goal is to predict the probability that a given input belongs to one of two classes. Unlike linear regression, which predicts a continuous output, logistic regression models the probability of a binary outcome using the logistic function, also known as the sigmoid function.

This function maps any real-valued number into a range between 0 and 1, making it ideal for modeling probabilities. The resulting model can then be used to predict the class of new data points by applying a decision threshold, typically set at 0.5. Logistic regression is valued for its simplicity, interpretability, and efficiency, and it serves as a foundational method in various applications, including medical diagnosis, credit scoring, and marketing. Despite its straightforward nature, logistic regression can be extended to handle multiclass classification problems and can be regularized to prevent over fitting, making it a versatile tool in machine learning.

RandomForest

Random Forest is an ensemble learning method that combines multiple decision trees to improve predictive accuracy and control over fitting. By aggregating the results of numerous decision trees, which are trained on random subsets of the data and features, Random Forest creates a robust model that leverages the collective wisdom of diverse trees. This approach enhances generalization and performance, particularly in complex datasets with high-dimensional features.

Naive Bayes

Naive Bayes is a probabilistic classifier based on Bayes' theorem, assuming independence between features. Despite this simplifying assumption, Naive Bayes performs surprisingly well in many real-world scenarios, especially with text classification tasks like spam detection and sentiment analysis. It is efficient and requires less training data compared to more complex models, making it ideal for high-dimensional data.

SVM

Support Vector Machines (SVM) are powerful classifiers that work by finding the hyperplane that best separates different classes in the feature space. The goal is to maximize the margin between the closest data points of each class, known as support vectors. SVMs can handle both linear and non-linear classification

tasks by using kernel functions, such as polynomial or radial basis function (RBF) kernels, to transform the feature space and improve the model's ability to capture complex patterns.

SYSTEM TEST

The purpose of testing is to discover errors. Testing is the process of trying to discover every conceivable fault or weakness in a work product. It provides a way to check the functionality of components, sub assemblies, assemblies and/or a finished product It is the process of exercising software with the intent of ensuring that the Software system meets its requirements and user expectations and does not fail in an unacceptable manner. Unit testing is usually conducted as part of a combined code and unit test phase of the software lifecycle, although it is not uncommon for coding and unit testing to conducted as two distinct phases.



Fig 1 Block diagram for Alzheimer's Classification



Fig 2 Alzheimer's disease diagnosis

4.RESULT

We can collect the dataset from the kaggle.com site and placed into our project folder.



Fig 3 Dataset



Fig 4 Prediction output



Fig 5 Alzheimer's Disease detecting using ML



Here 0 represents no Alzheimer's disease

5.CONCLUSION

Detecting Alzheimer's disease involves a multifaceted approach that integrates clinical evaluations,cognitiveassessments, neuroimaging techniques, and biochemical analyses to achieve accurate diagnosis and timely intervention. Early detection is crucial as it can lead to more effective management strategies and improved quality of life for patients. Current methodologies include cognitive testing to identify memory and cognitive impairments, neuroimaging to visualize brain changes such as amyloid plaques and tau tangles, and biomarker analysis through blood or cerebrospinal fluid tests to detect specific proteins associated with Alzheimer's. Advances in machine learning and artificial intelligence are also enhancing detection capabilities by analyzing complex patterns in data and improving diagnostic accuracy. Despite these advancements, challenges remain, including the need for more sensitive and specific biomarkers, the integration of diverse diagnostic tools, and addressing disparities in access to diagnostic resources. Continued research and development are essential to refine detection methods, enhance early diagnosis, and ultimately provide better support and treatment options for individuals affected by Alzheimer's disease.

Early and accurate detection of Alzheimer's disease is paramount for improving patient outcomes and optimizing treatment strategies. A comprehensive detection approach combines various diagnostic tools and techniques to identify the disease as early as possible. Traditional methods involve detailed clinical assessments, including neurological exams and cognitive tests, which evaluate memory, thinking, and problem-solving skills. Neuroimaging techniques, such as MRI and PET scans, play a critical role in visualizing structural and functional changes in the brain, such as atrophy and the accumulation of amyloid plaques and tau tangles. Additionally, advancements in biomarker research enable the analysis of cerebrospinal fluid (CSF) and blood samples to identify proteins and other substances associated with Alzheimer's.

6.REFERENCE

1. Alzheimer'sDisease Facts and Figures. Alzheimer's&Dementia;
2. Alzheimer's Association's Publication & Wiley: Chicago, IL, USA, 2023. [Google Scholar]
3. Williams, M.M.; Storandt, M.; Roe, C.M.; Morris, J.C. Progression of Alzheimer's disease as measured by Clinical Dementia Rating Sum of Boxes scores. Alzheimer's Dement. 2013, 9, S39–S44. [Google Scholar] [CrossRef]
4. Patibandla, R. S. M. L., Rao, B. T., Narayana, V. L., & Srinivas, V. S. (2021). An overview of ontology-based artificial intelligence services in health care systems. In Proceedings of the International Conference on Health Care Systems (pp. 47–63).
5. Maddumala, V. R., Maha Lakshmi, K., Anusha, P., & Lakshman Narayana, V. (2020). Enhanced morphological operations for improving the pixel intensity level. Journal of Computational and Theoretical Nanoscience, 29(3), 9191–9201.
6. Narayana, V. L., Malleswari, K. S. N., Divyanjali, M., Nandini, S., & Purnima, G. (2023). Video frame based prompt compression model with steganography for secure data transmission. In Proceedings of the International Conference on Advanced Intelligent Systems (pp. 373–377). https://doi.org/10.1109/ICAIS56108.2023.10073883
7. Naresh, A., Pavani, V., Meghana Chowdary, M., & Lakshman Narayana, V. (2020). Energy consumption reduction in cloud environment by balancing cloud user load. Journal of Critical Reviews, 7(7), 1003–1010. https://doi.org/10.31838/jcr.07.07.18

8. Patibandla, R. S. M. L., & Vejendla, L. N. (2022). Significance of blockchain technologies in industry. In Advances in Blockchain Technologies (pp. 19–31). https://doi.org/10.1007/978-3- 030-70501-5_2
9. Pasala, S., Pavani, V., Lakshmi, G. V., & Narayana, V. L. (2020). Identification of attackers using blockchain transactions using cryptography methods. Journal of Critical Reviews, 7(6), 368–375. https://doi.org/10.31838/jcr.07.06.65
10. Mounika, B., Anusha, P., Narayana, V. L., & Lakshmi, G. V. (2020). Use of blockchain technology in providing security during data sharing. Journal of Critical Reviews, 7(6), 338–343. https://doi.org/10.31838/jcr.07.06.59
11. Narayana, V. L., Vinayaki, K. V., Swetha, P. A., Sri, K. D., & Chaithanya, G. (2024). Superior attribute weighted set for object skeleton detection using ResNet50 with edge-based segmentation model. In Proceedings of the International Conference on Smart Computing and Systems (pp. 1132–1139). IEEE. https://doi.org/10.1109/ICSCSS60660.2024.10624879
12. Gopi, A. P., & Naik, K. J. (2022). An IoT model for fish breeding analysis with water quality data of pond using modified multilayer perceptron model. 2022 International Conference on Data Analytics for Business and Industry (ICDABI), 448-453. https://doi.org/10.1109/ICDABI56818.2022.10041617
13. Bikku, T., Gopi, A. P., & Prasanna, R. L. (2019). Swarming the high-dimensional datasets using ensemble classification algorithm. In Advances in Intelligent Systems and Computing (Vol. 815, pp. 583-591). https://doi.org/10.1007/978-981-13-1580-0_56
14. Arepalli, P. G., & Khetavath, J. N. (2024). Water quality classification using multi-cell RNN in aquaculture ponds for Catla fish. In Lecture Notes in Networks and Systems (Vol. 897, pp. 363-370). https://doi.org/10.1007/978-981-99-9704-6_34
15. Arepalli, P. G., & Naik, K. J. (2024). Water contamination analysis in IoT-enabled aquaculture using deep learning-based AODEGRU. Ecological Informatics, 79, Article 102405. https://doi.org/10.1016/j.ecoinf.2023.102405
16. Arepalli, P. G., & Naik, K. J. (2024). An IoT-based smart water quality assessment framework for aqua-ponds management using Dilated Spatial-temporal Convolution Neural Network (DSTCNN). Aquacultural Engineering, 104, Article 102373. https://doi.org/10.1016/j.aquaeng.2023.102373
17. Gopi, A. P., Narayana, V. L., & Kumar, N. A. (2018). Dynamic load balancing for client-server assignment in distributed systems using genetic algorithm. Ingenierie des Systemes d'Information, 23(6), 87-98. https://doi.org/10.3166/ISI.23.6.87-98
18. Sarada, K., Narayana, V. L., Gopi, A. P., & Pavani, V. (2020). An iterative group based anomaly detection method for secure data communication in networks. Journal of Critical Reviews, 7(6), 208-212. https://doi.org/10.31838/jcr.07.06.39
19. Narayana, V. L., Gopi, A. P., & Chaitanya, K. (2019). Avoiding interoperability and delay in healthcare monitoring system using blockchain technology. Revue d'Intelligence Artificielle, 33(1), 45-48. https://doi.org/10.18280/ria.330108
20. Gopi, A. P., Jyothi, R. N. S., Narayana, V. L., & Sandeep, K. S. (2023). Classification of tweets data based on polarity using improved RBF kernel of SVM. International Journal of Information Technology, 15(2), 965-980. https://doi.org/10.1007/s41870-019-00409-4
21. Narayana, V. L., Gopi, A. P., Khadherbhi, S. R., & Pavani, V. (2020). Accurate identification and detection of outliers in networks using group random forest methodology. Journal of Critical Reviews, 7(6), 381-384. https://doi.org/10.31838/jcr.07.06.67
22. Rao, B. T., Patibandla, R. S. M. L., Narayana, V. L., & Gopi, A. P. (2021). Medical data supervised learning ontologies for accurate data analysis. In Semantic Web for Effective Healthcare Systems (pp. 249-267). https://doi.org/10.1002/9781119764175.ch11
23. Patibandla, R. S. M. L., Gopi, A. P., Narayana, V. L., & Rao, B. T. (2023). Decentralized smart healthcare systems using blockchain and AI. In Blockchain applications in healthcare: Innovations and practices (Vol. 1, pp.139-154). DOI: 10.1002/9781394229512.ch8
24. Lakshman Narayana, V., & Gopi, A. P. (2020). Enterotoxigenic Escherichia coli detection using the design of a biosensor. Journal of New Materials for Electrochemical Systems, 23(3), 164-166. DOI: 10.14447/jnmes.v23i3.a02

25. Rani, B. M. S., Majety, V. D., Pittala, C. S., Vijay, V., Sandeep, K. S., & Kiran, S. (2021). Road Identification Through Efficient Edge Segmentation Based on Morphological Operations. Traitement du Signal, 38(5).
26. Kanumalli, S. S., Ch, A., & Murty, P. S. R. C. (2020). Secure V2V Communication in IOV using IBE and PKI based Hybrid Approach. International Journal of Advanced Computer Science and Applications, 11(1).
27. Kiran, S., Kanumalli, S. S., Krishna, K. V. S. S. R., & Chandra, N. (2021). WITHDRAWN: internet of things integrated smart agriculture for weather predictions and preventive mechanism.
28. Chaitanya, Kosaraju, and Sankara Narayanan. "Security and Privacy in Wireless Sensor Networks Using Intrusion Detection Models to Detect DDOS and Drdos Attacks: A Survey." 2023 IEEE International Students' Conference on Electrical, Electronics and Computer Science (SCEECS). IEEE, 2023.
29. Krishna, Komanduri Venkata Sesha Sai Rama, et al. "Classification of Glaucoma Optical Coherence Tomography (OCT) Images Based on Blood Vessel Identification Using .CNN and Firefly Optimization." Traitement du Signal 38.1 (2021).
30. Chaitanya, Kosaraju, et al. "Predicting the Spread of Covid Disease Based on Chest X-Ray Images Using Convolutional Neural Network with Improved Accuracy." 2023 6th International Conference on Advances in Science and Technology (ICAST). IEEE, 2023.
31. Ekkurthi, A., Sujatha, V., Kumar, K.V.,"Effective Moving Object Tracking Using Adaptive Background Subtraction with Advanced Probability Evolutionary Algorithm",International Journal on Recent and Innovation Trends in Computing and Communication, 2023, 11, pp. 1–3
32. Sujatha, V., Yaddala, M., Kollipara, V., Shaik, K., Burri, R.K(23),"Movie reviews data classification using convolution neural networks",AIP Conference Proceedings. 2023, 2724, 030009
33. Godavarthi, B., Majety, V. D., Mrudula, Y., & Nalajala, P. (2019). Fault identification in power lines using GSM and IoT technology. Advances in Intelligent Systems and Computing, 815, 647–655. https://doi.org/10.1007/978-3-319-91117-2_70
34. Majety, V. D., & Murali, G. (2018). A remote epileptic patient supervising system. Advances in Modelling and Analysis B, 61(4), 207–210. https://doi.org/10.18280/ama_b.610402
35. Naresh, A., TSLP, H., Ch, G., & Kumari, G. R. P. (2023, July). Early Prophecy of Low-Birth-Weight Babies Using BM Error Rate Classifier. In 2023 14th International Conference on Computing Communication and Networking Technologies (ICCCNT) (pp. 1-6). IEEE.
36. Kumari, G. R. P., Reddy, A. H., Lakshmi, K., Abhinaya, B., Sanjana, S., & Naresh, A. (2024, March). Time-Frame-Based Drowsiness Detection System Using CNN. In 2024 2nd International Conference on Disruptive Technologies (ICDT) (pp. 711-716). IEEE.
37. V. Pavani, K. Divya, V. V. Likhitha, G. S. Mounika and K. S. Harshitha, "Image Segmentation based Imperative Feature Subset Model for Detection of Vehicle Number Plate using K Nearest Neighbor Model," 2023 Third International Conference on Artificial Intelligence and Smart Energy (ICAIS), Coimbatore, India, 2023, pp. 704-709, doi: 10.1109/ICAIS56108.2023.10073848.
38. V. Pavani, M. N. Swetha, Y. Prasanthi, K. Kavya and M. Pavithra, "Drowsy Driver Monitoring Using Machine Learning and Visible Actions," 2022 International Conference on Electronics and Renewable Systems (ICEARS), Tuticorin, India, 2022, pp.1269-1279,doi: 10.1109/ICEARS53579.2022.9751890.
39. Sri, Kurra Santhi, et al. "Advanced system control with traffic handling for secure communication in IoT routing protocol." Journal Européen des Systèmes Automatisés 54.2 (2021): 229-233.
40. Arumugham, Vinothini, et al. "An explainable deep learning model for prediction of early-stage chronic kidney disease." Computational Intelligence 39.6 (2023): 1022-1038.
41. Majety, Vasumathi Devi, et al. "Enhanced secure communication AODV routing protocol using SVM in MANETS." AIP Conference Proceedings. Vol. 2724. No. 1. AIP Publishing, 2023.
42. Krisha, P.S., Peram, S.R. (2023). CT image precise denoising model with edge based segmentation with labeled pixel extraction using CNN based feature extraction for oral cancer detection. Traitement du Signal, Vol. 40, No. 3, pp. 1297-1304. https://doi.org/10.18280/ts.400349
43. P. S. Krishna, V. R. Aparna, V. Priyanka, P. T. Niharika and T. Shivangi, "Convolution Neural Network Model with Feature Linked Vector for Oral Cancer Detection," 2023 IEEE 12th

International Conference on Communication Systems and Network Technologies (CSNT), Bhopal, India, 2023, pp. 304-308, doi: 10.1109/CSNT57126.2023.10134660.

44. Rayachoti, Eswaraiah, Sudhir Tirumalasetty, and Silpa Chaitanya Prathipati. "SLT based watermarking system for secure telemedicine." Cluster Computing 23.4 (2020): 3175-3184.
45. Eswaraiah, Rayachoti, Tirumalasetty Sudhir, and Prathipati Silpa Chaitanya. "Curvelet transform based watermarking for telemedicine." Wireless Personal Communications 122.1 (2022): 309-329.
46. Varshini, Y., Mounika, T., Kumari, G. R. P., Sirisha, G., & Deepthi, Y. (2023, March). Crop Yield Forecast Using Machine Learning. In 2023 9th International Conference on Advanced Computing and Communication Systems (ICACCS) (Vol. 1, pp. 2310-2315). IEEE.
47. B. Aruna Kumari "Time Series Data Classification for Precise Stock Market Price Prediction using ML" ICICACS International Conference on Integrated Circuits and CommunicationSystems,Scopusindexed,ISBN:979-8-3503-1755 https://ieeexplore.ieee.org/document/10498248,18 April 2024
48. B.Aruna Kumari "HumanvAction Recognition From Video Frames Using Recurrent Neural Networks" ICDT 2nd International Conference on Disruptive Technologies (ICDT),Scopis indexed , ISBN:979-8-3503-7105-5/ https://ieeexplore.ieee.org/document/10489658, 11 April 2024
49. Mohiddin, S.K., Sharmila, S., & Sharma, V. (2024). Tools and framework for cyber-physical agricultural systems. In Agri 4.0 and the Future of Cyber-Physical Agricultural Systems (pp. 37–53). https://doi.org/10.1016/B978-0-443-13185-1.00003-4
50. Sharmila, S., & Aparna, C. (2024). Tracing footprints of anti-forensics and assuring secured data transmission in the cloud using an effective ECCDH and Kalman filter. Journal of Network and Computer Applications, 221, Article 103762. https://doi.org/10.1016/j.jnca.2023.103762
51. Sharmila, S.K., Kavya Nagasai, G., Sowmya, M., Sai Prasanna, A., Navya Sri, S., & Meghana, N. (2023). Automatic attendance system based on face recognition using machine learning. In Proceedings of the 7th International Conference on Computing Methodologies and Communication(ICCMC2023,pp.170174).https://doi.org/10.1109/ICCMC56507.2023.10084017
52. Deepthi, T.N., Sharmila, S., Swarna, M., Gouthami, M., & Akshaya, C.L. (2023). Prediction of brain stroke in human beings using machine learning. In Proceedings of the 2023 2nd International Conference on Electronics and Renewable Systems (ICEARS 2023, pp. 1314–1320). https://doi.org/10.1109/ICEARS56392.2023.10085128
53. Binaco, R.; Calzaretto, N.; Epifano, J.; McGuire, S.; Umer, M.; Emrani, S.; Wasserman, V.; Libon, D.J.; Polikar, R. Machine learning analysis of digital clock drawing test performance for differential classification of mild cognitive impairment subtypes versus Alzheimer's disease. J. Int. Neuropsychol. Soc. 2020, 26, 690–700. [Google Scholar] [CrossRef]
54. Klyucherev, T.O.; Olszewski, P.; Shalimova, A.A.; Chubarev, V.N.; Tarasov, V.V.; Attwood, M.M.; Syvänen, S.; Schiöth, H.B. Advances in the development of new biomarkers for Alzheimer's disease. Transl. Neurodegener. 2022, 11, 1–24. [Google Scholar] [CrossRef] [PubMed]